



SANITARY PROCESS SERIES

Stainless Steel Sanitary Fittings

3A | AS | BPE | BS | DIN | ISO | SMS



BEYOND FLUID

www.beyondfluid.com

2026 EDITION

sales@beyondfluid.com

Contents

3A Series Sanitary Pipe Fittings-----	1-16
AS Series Sanitary Pipe Fittings-----	17-22
BPE Series Sanitary Pipe Fittings-----	23-34
BS Series Sanitary Pipe Fittings-----	35-38
DIN Series Sanitary Pipe Fittings-----	39-50
ISO Series Sanitary Pipe Fittings-----	51-58
SMS Series Sanitary Pipe Fittings-----	59-64
3A Series Hose Barb Adapters-----	65-68
Sanitary Unions Series-----	69-102
Sanitary Vacuum Pipe Fittings-----	103-106
Cleaning Ball Series-----	107-112

Sanitary Grade Manhole Series-----113-114

Pipe Support Series-----115-120

Sanitary Sight Glass Series-----121-124

SANITARY PIPE FITTINGS 3A SERIES

卫生级管件3A系列

01



SANITARY PIPE FITTINGS 3A SERIES

卫生级管件3A系列



45°焊式短弯头 / 45° Weld Short Elbow				
Size	OD	L	R	T
1/2"	12.7	7.9	19.1	1.65
3/4"	19.1	11.8	28.6	1.65
1.0"	25.4	15.8	38.1	1.65
1.25"	31.8	19.8	47.7	1.65
1.5"	38.1	23.7	57.2	1.65
2.0"	50.8	31.6	76.2	1.65
2.5"	63.5	39.5	95.3	1.65
3.0"	76.2	47.3	114.3	1.65
4.0"	101.6	63.1	152.4	2.1
6.0"	152.4	94.7	228.6	2.77
8.0"	203.2	126.4	304.8	2.77
10.0"	254	157.8	381	3.45
12.0"	304.8	189.3	457.2	3.45



45°焊式长弯头 / 45° Weld Long Elbow				
Size	OD	L	R	T
1/2"	12.7	30.2	19.1	1.65
3/4"	19.1	30.2	28.6	1.65
1.0"	25.4	30.2	38.1	1.65
1.25"	31.8	35.8	47.7	1.65
1.5"	38.1	41.3	57.2	1.65
2.0"	50.8	58.7	76.2	1.65
2.5"	63.5	76.2	95.3	1.65
3.0"	76.2	93.7	114.3	1.65
4.0"	101.6	122.2	152.4	2.1
6.0"	152.4	158.2	228.6	2.77




90°焊式短弯头 / 90° Weld Short Elbow				
Size	OD	L	R	T
1/2"	12.7	19.1	19.1	1.65
3/4"	19.1	28.6	28.6	1.65
1.0"	25.4	38.1	38.1	1.65
1.25"	31.8	47.7	47.7	1.65
1.5"	38.1	57.2	57.2	1.65
2.0"	50.8	76.2	76.2	1.65
2.5"	63.5	95.3	95.3	1.65
3.0"	76.2	114.3	114.3	1.65
4.0"	101.6	152.4	152.4	2.1
5.0"	127	190.5	190.5	2.77
6.0"	152.4	228.6	228.6	2.77
8.0"	203.2	304.8	304.8	2.77
10.0"	254	381	381	3.45
12.0"	304.8	457.2	457.2	3.45

SANITARY PIPE FITTINGS 3A SERIES


卫生级管件3A系列



90°焊式长弯头 / 90° Weld Long Elbow					
Size	OD	L	R	T	
1/2"	12.7	52.4	19.1	1.65	
3/4"	19.1	52.4	28.6	1.65	
1.0"	25.4	52.4	38.1	1.65	
1.25"	31.8	64	47.7	1.65	
1.5"	38.1	74.6	57.2	1.65	
2.0"	50.8	103.2	76.2	1.65	
2.5"	63.5	131.8	95.3	1.65	
3.0"	76.2	160.3	114.3	1.65	
4.0"	101.6	211.1	152.4	2.1	
6.0"	152.4	292.1	228.6	2.77	




45°焊式长弯头 / 45° Weld-Clamp Long Elbow					
Size	OD	L	L1	R	T
1/2"	12.7	42.9	30.2	19.1	1.65
3/4"	19.1	42.9	30.2	28.6	1.65
1.0"	25.4	42.9	30.2	38.1	1.65
1.25"	31.8	48.5	35.8	47.7	1.65
1.5"	38.1	54	41.3	57.2	1.65
2.0"	50.8	71.4	58.7	76.2	1.65
2.5"	63.5	88.9	76.2	95.3	1.65
3.0"	76.2	106.4	93.7	114.3	1.65
4.0"	101.6	138	122.2	152.4	2.1
6.0"	152.4	179.7	158.2	228.6	2.77




90°焊式长弯头 / 90° Weld-Clamp Elbow					
Size	OD	L	L1	R	T
1/2"	12.7	65.1	52.4	19.1	1.65
3/4"	19.1	65.1	52.4	28.6	1.65
1.0"	25.4	65.1	52.4	38.1	1.65
1.25"	31.8	76.7	64	47.7	1.65
1.5"	38.1	87.3	74.6	57.2	1.65
2.0"	50.8	115.9	103.2	76.2	1.65
2.5"	63.5	144.5	131.8	95.3	1.65
3.0"	76.2	173	160.3	114.3	1.65
4.0"	101.6	227	211.2	152.4	2.1
6.0"	152.4	313.6	292.1	228.6	2.77

SANITARY PIPE FITTINGS 3A SERIES

卫生级管件3A系列




45°夹式短弯头 / 45° Clamp Short Elbow				
Size	OD	L	R	T
1/2"	12.7	20.6	19.1	1.65
3/4"	19.1	24.6	28.6	1.65
1.0"	25.4	28.5	38.1	1.65
1.25"	31.8	32.5	47.7	1.65
1.5"	38.1	36.4	57.2	1.65
2.0"	50.8	44.3	76.2	1.65
2.5"	63.5	52.2	95.3	1.65
3.0"	76.2	60	114.3	1.65
4.0"	101.6	78.9	152.4	2.1
6.0"	152.4	116.2	228.6	2.77



90°夹式短弯头 / 90° Clamp Short Elbow				
Size	OD	L	R	T
1/2"	12.7	31.8	19.1	1.65
3/4"	19.1	41.3	28.6	1.65
1.0"	25.4	50.8	38.1	1.65
1.25"	31.8	60.4	47.7	1.65
1.5"	38.1	69.9	57.2	1.65
2.0"	50.8	88.9	76.2	1.65
2.5"	63.5	107.95	95.3	1.65
3.0"	76.2	127	114.3	1.65
4.0"	101.6	168.2	152.4	2.1
6.0"	152.4	250.1	228.6	2.77

SANITARY PIPE FITTINGS 3A SERIES


卫生级管件3A系列



焊式偏心大小头 / Weld Eccentric Reducer					
Size	ØD	Ød	L	T	T1
3/4"X1/2"	19.1	12.7	25.4	1.65	1.65
1.0"X1/2"	25.4	12.7	50.8	1.65	1.65
1.0"X3/4"	25.4	19.1	25.4	1.65	1.65
1.5"X1/2"	38.1	12.7	101.6	1.65	1.65
1.5"X3/4"	38.1	19.1	76.2	1.65	1.65
1.5"X1.0"	38.1	25.4	50.8	1.65	1.65
2.0"X1/2"	50.8	12.7	152.4	1.65	1.65
2.0"X3/4"	50.8	19.1	127	1.65	1.65
2.0"X1.0"	50.8	25.4	101.6	1.65	1.65
2.0"X1.5"	50.8	38.1	50.8	1.65	1.65
2.5"X1.0"	63.5	25.4	152.4	1.65	1.65
2.5"X1.5"	63.5	38.1	101.6	1.65	1.65
2.5"X2.0"	63.5	50.8	50.8	1.65	1.65
3.0"X1.0"	76.2	25.4	203.2	1.65	1.65
3.0"X1.5"	76.2	38.1	152.4	1.65	1.65
3.0"X2.0"	76.2	50.8	101.6	1.65	1.65
3.0"X2.5"	76.2	63.5	50.8	1.65	1.65
4.0"X1.0"	101.6	25.4	304.8	2.1	1.65
4.0"X1.5"	101.6	38.1	254	2.1	1.65
4.0"X2.0"	101.6	50.8	203.2	2.1	1.65
4.0"X2.5"	101.6	63.5	152.4	2.1	1.65
4.0"X3.0"	101.6	76.2	101.6	2.1	1.65
6.0"X2.0"	152.4	50.8	139.7	2.77	1.65
6.0"X3.0"	152.4	76.2	139.7	2.77	1.65
6.0"X4.0"	152.4	101.6	139.7	2.77	2.1

SANITARY PIPE FITTINGS 3A SERIES

卫生级管件3A系列




焊式同心大小头 / Welded Concentric Reducer					
Size	ØD	Ød	L	T	T1
3/4"X1/2"	19.1	12.7	25.4	1.65	1.65
1.0"X1/2"	25.4	12.7	50.8	1.65	1.65
1.0"X3/4"	25.4	19.1	25.4	1.65	1.65
1.5"X1/2"	38.1	12.7	101.6	1.65	1.65
1.5"X3/4"	38.1	19.1	76.2	1.65	1.65
1.5"X1.0"	38.1	25.4	50.8	1.65	1.65
2.0"X1/2"	50.8	12.7	152.4	1.65	1.65
2.0"X3/4"	50.8	19.1	127	1.65	1.65
2.0"X1.0"	50.8	25.4	101.6	1.65	1.65
2.0"X1.5"	50.8	38.1	50.8	1.65	1.65
2.5"X1.0"	63.5	25.4	152.4	1.65	1.65
2.5"X1.5"	63.5	38.1	101.6	1.65	1.65
2.5"X2.0"	63.5	50.8	50.8	1.65	1.65
3.0"X1.0"	76.2	25.4	203.2	1.65	1.65
3.0"X1.5"	76.2	38.1	152.4	1.65	1.65
3.0"X2.0"	76.2	50.8	101.6	1.65	1.65
3.0"X2.5"	76.2	63.5	50.8	1.65	1.65
4.0"X1.0"	101.6	25.4	304.8	2.1	1.65
4.0"X1.5"	101.6	38.1	254	2.1	1.65
4.0"X2.0"	101.6	50.8	203.2	2.1	1.65
4.0"X2.5"	101.6	63.5	152.4	2.1	1.65
4.0"X3.0"	101.6	76.2	101.6	2.1	1.65
6.0"X2.0"	152.4	50.8	139.7	2.77	1.65
6.0"X3.0"	152.4	76.2	139.7	2.77	1.65
6.0"X4.0"	152.4	101.6	139.7	2.77	2.1




焊式等径平口短三通 / Welded Equal Short Tee Without Straight End				
Size	ØD	L	L1	T/T1
1.0"	25.4	57.2	14.7	1.65
1.5"	38.1	84.2	21	1.65
2.0"	50.8	104.8	27.4	1.65
2.5"	63.5	119	33.7	1.65
3.0"	76.2	131.8	40.1	1.65
4.0"	101.6	174.6	52.8	2.1

SANITARY PIPE FITTINGS 3A SERIES


卫生级管件3A系列



焊式变径平口短三通 Weld Short Reducing Tee Without Straight End						
Size	OD	Od	L	L1	T	T1
1.5"x1.0"	38.1	25.4	84.2	21	1.65	1.65
2.0"x1.0"	50.8	25.4	104.8	27.4	1.65	1.65
2.0"x1.5"	50.8	38.1	104.8	27.4	1.65	1.65
2.5"x1.0"	63.5	25.4	119	33.75	1.65	1.65
2.5"x1.5"	63.5	38.1	119	33.75	1.65	1.65
2.5"x2.0"	63.5	50.8	119	33.75	1.65	1.65
3.0"x1.0"	76.2	25.4	131.8	40.1	1.65	1.65
3.0"x1.5"	76.2	38.1	131.8	40.1	1.65	1.65
3.0"x2.0"	76.2	50.8	131.8	40.1	1.65	1.65
3.0"x2.5"	76.2	63.5	131.8	40.1	1.65	1.65
4.0"x1.0"	101.6	25.4	174.6	52.8	1.65	2.1
4.0"x1.5"	101.6	38.1	174.6	52.8	1.65	2.1
4.0"x2.0"	101.6	50.8	174.6	52.8	1.65	2.1
4.0"x2.5"	101.6	63.5	174.6	52.8	1.65	2.1
4.0"x3.0"	101.6	76.2	174.6	52.8	1.65	2.1




焊式等径短三通 Weld Short Equal Tee			
Size	OD	L	T
1/2"	12.7	38.1	1.65
3/4"	19.1	57.2	1.65
1.0"	25.4	57.2	1.65
1.25"	31.8	76	1.65
1.5"	38.1	84.2	1.65
2.0"	50.8	104.8	1.65
2.5"	63.5	119	1.65
3.0"	76.2	131.8	1.65
4.0"	101.6	174.6	2.1
6.0"	152.4	254	2.77




焊式等径长三通 Weld Long Equal Tee			
Size	OD	L	T
1/2"	12.7	95.2	1.65
3/4"	19.1	95.2	1.65
1.0"	25.4	95.2	1.65
1.25"	31.8	110	1.65
1.5"	38.1	114.4	1.65
2.0"	50.8	152.4	1.65
2.5"	63.5	152.4	1.65
3.0"	76.2	165.2	1.65
4.0"	101.6	196.8	2.1
6.0"	152.4	285.8	2.77

SANITARY PIPE FITTINGS 3A SERIES

卫生级管件3A系列




焊式变径短三通 / Weld Short Reducing Tee					
Size	OD	Od	L	T	T1
3/4"x1/2"	19.1	12.7	57.2	1.65	1.65
1.0"x1/2"	25.4	12.7	57.2	1.65	1.65
1.0"x3/4"	25.4	19.1	57.2	1.65	1.65
1.5"x1/2"	38.1	12.7	84.2	1.65	1.65
1.5"x3/4"	38.1	19.1	84.2	1.65	1.65
1.5"x1.0"	38.1	25.4	84.2	1.65	1.65
2.0"x1/2"	50.8	12.7	104.8	1.65	1.65
2.0"x3/4"	50.8	19.1	104.8	1.65	1.65
2.0"x1.0"	50.8	25.4	104.8	1.65	1.65
2.0"x1.5"	50.8	38.1	104.8	1.65	1.65
2.5"x1.0"	63.5	25.4	119	1.65	1.65
2.5"x1.5"	63.5	38.1	119	1.65	1.65
2.5"x2.0"	63.5	50.8	119	1.65	1.65
3.0"x1.0"	76.2	25.4	131.8	1.65	1.65
3.0"x1.5"	76.2	38.1	131.8	1.65	1.65
3.0"x2.0"	76.2	50.8	131.8	1.65	1.65
3.0"x2.5"	76.2	63.5	131.8	1.65	1.65
4.0"x1.0"	101.6	25.4	174.6	2.1	1.65
4.0"x1.5"	101.6	38.1	174.6	2.1	1.65
4.0"x2.0"	101.6	50.8	174.6	2.1	1.65
4.0"x2.5"	101.6	63.5	174.6	2.1	1.65
4.0"x3.0"	101.6	76.2	174.6	2.1	1.65




焊式变径长三通 / Weld Long Reducing Tee					
Size	OD	Od	L	T	T1
1/2"x3/8"	12.7	9.4	95.2	1.65	1.65
3/4"x1/2"	19.1	12.7	95.2	1.65	1.65
1.0"x3/8"	25.4	9.5	95.2	1.65	1.65
1.0"x1/2"	25.4	12.7	95.2	1.65	1.65
1.0"x3/4"	25.4	19.1	95.2	1.65	1.65
1.5"x1/2"	38.1	12.7	114.4	1.65	1.65
1.5"x1.0"	38.1	25.4	114.4	1.65	1.65
2.0"x1/2"	50.8	12.7	114.4	1.65	1.65
2.0"x1.0"	50.8	25.4	152.4	1.65	1.65
2.0"x1.5"	50.8	38.1	152.4	1.65	1.65
2.5"x1.0"	63.5	25.4	152.4	1.65	1.65
2.5"x1.5"	63.5	38.1	152.4	1.65	1.65
2.5"x2.0"	63.5	50.8	152.4	1.65	1.65
3.0"x1.0"	76.2	25.4	152.4	1.65	1.65
3.0"x1.5"	76.2	38.1	165.2	1.65	1.65
3.0"x2.0"	76.2	50.8	165.2	1.65	1.65
3.0"x2.5"	76.2	63.5	165.2	1.65	1.65
4.0"x1.0"	101.6	25.4	165.2	2.1	1.65
4.0"x1.5"	101.6	38.1	196.8	2.1	1.65
4.0"x2.0"	101.6	50.8	196.8	2.1	1.65
4.0"x2.5"	101.6	63.5	196.8	2.1	1.65
4.0"x3.0"	101.6	76.2	196.8	2.1	1.65

SANITARY PIPE FITTINGS 3A SERIES


卫生级管件3A系列



对焊 "Y" 型三通 Butt Weld Y-Type Tee				
Size	ØA	L	T	
1/2"	12.7	50.8	1.65	
3/4"	19.1	50.8	1.65	
1"	25.4	76.2	1.65	
1 1/2"	38.1	76.2	1.65	
2"	50.8	101.6	1.65	
2 1/2"	63.5	127	1.65	
3"	76.2	152.4	1.65	
4"	101.6	203.2	2.1	
6"	152.4	203.2	2.77	



对焊 "R" 型三通 Butt Weld R-Type Tee (扫把型)				
Size	ØA	R	L	T
1"	25.4	38.1	65	1.65
1 1/2"	38.1	57.2	85	1.65
2"	50.8	76.2	110	1.65
2 1/2"	63.5	95.3	135	1.65
3"	76.2	114.3	155	1.65
4"	101.6	152.4	195	2.1
6"	152.4	228	268	2.77



90°夹式双弯管 90°Clamp Double Elbow					
Size	ØA	ØK	R	L	T
1"	25.4	50.5	38.1	50.8	1.65
1 1/4"	31.75	50.5	47.4	60.4	1.65
1 1/2"	38.1	50.5	57.2	69.9	1.65
2"	50.8	64	76.2	88.9	1.65
2 1/2"	63.5	77.5	95.3	107.9	1.65
3"	76.2	91	114.3	127	1.65
4"	101.6	119	152.4	168.4	2.1

SANITARY PIPE FITTINGS 3A SERIES


卫生级管件3A系列



对焊 "Y" 型三通 Butt Weld Y-Type Tee (45°)						
Size	ØA	L	L1	L2	T	
1/2"	12.7	152.4	127	25.4	1.65	
3/4"	19.1	152.4	127	25.4	1.65	
1"	25.4	152.4	127	25.4	1.65	
1 1/2"	38.1	187.3	173.1	30.2	1.65	
2"	50.8	222.2	180.9	41.3	1.65	
2 1/2"	63.5	254	215.9	38.1	1.65	
3"	76.2	273.1	225.4	47.6	1.65	
4"	101.6	325.5	273.1	52.4	2.1	
6"	152.4	419.1	317.5	101.6	2.77	





对焊 "Y" 型变径三通 Butt Weld Y-Type Tee (45°)						
Size	ØA x ØB	L	L1	L2	T x T1	
1 1/2" - 1"	38.1 x 25.4	187.3	157.2	30.2	1.65 x 1.65	
2" - 1"	50.8 x 25.4	222.2	181	41.3	1.65 x 1.65	
2" - 1 1/2"	50.8 x 38.1	222.2	181	41.3	1.65 x 1.65	
2 1/2" - 1"	63.5 x 25.4	254	215.9	38.1	1.65 x 1.65	
2 1/2" - 1 1/2"	63.5 x 38.1	254	215.9	38.1	1.65 x 1.65	
2 1/2" - 2"	63.5 x 50.8	254	215.9	38.1	1.65 x 1.65	
3" - 1"	76.2 x 25.4	273.1	225.4	47.6	1.65 x 1.65	
3" - 1 1/2"	76.2 x 38.1	273.1	225.4	47.6	1.65 x 1.65	
3" - 2"	76.2 x 50.8	273.1	225.4	47.6	1.65 x 1.65	
3" - 2 1/2"	76.2 x 63.5	273.1	225.4	47.6	1.65 x 1.65	
4" - 1"	101.6 x 25.4	325.5	273.1	52.4	2.1 x 1.65	
4" - 1 1/2"	101.6 x 38.1	325.5	273.1	52.4	2.1 x 1.65	
4" - 2"	101.6 x 50.8	274.7	273.1	52.4	2.1 x 1.65	
4" - 2 1/2"	101.6 x 63.5	325.5	273.1	52.4	2.1 x 1.65	
4" - 3"	101.6 x 76.2	325.5	273.1	52.4	2.1 x 1.65	



135°夹式 "Y" 型三通 135° clamped Y-Type Tee			
Size	ØA	L	ØK
1/2"	12.7	63.5	25.2
3/4"	19.1	63.5	25.2/50.5
1"	25.4	88.9	50.5
1 1/2"	38.1	88.9	50.5
2"	50.8	114.3	64
2 1/2"	63.5	139.7	77.5
3"	76.2	165.1	91
4"	101.6	219	119
6"	152.4	224.7	166.87

SANITARY PIPE FITTINGS 3A SERIES

卫生级管件3A系列






夹式偏心大小头 / Clamp Eccentric Reducer					
Size	OD	Od	L	T	T1
3/4"x1/2"	19.1	12.7	50.8	1.65	1.65
1.0"x1/2"	25.4	12.7	76.2	1.65	1.65
1.0"x3/4"	25.4	19.1	50.8	1.65	1.65
1.5"x1/2"	38.1	12.7	127	1.65	1.65
1.5"x3/4"	38.1	19.1	101.2	1.65	1.65
1.5"x1.0"	38.1	25.4	76.2	1.65	1.65
2.0"x1/2"	50.8	12.7	177.8	1.65	1.65
2.0"x1.0"	50.8	25.4	127	1.65	1.65
2.0"x1.5"	50.8	38.1	76.2	1.65	1.65
2.5"x1.0"	63.5	25.4	177.8	1.65	1.65
2.5"x1.5"	63.5	38.1	127	1.65	1.65
2.5"x2.0"	63.5	50.8	76.2	1.65	1.65
3.0"x1.0"	76.2	25.4	228.6	1.65	1.65
3.0"x1.5"	76.2	38.1	177.8	1.65	1.65
3.0"x2.0"	76.2	50.8	127	1.65	1.65
3.0"x2.5"	76.2	63.5	76.2	1.65	1.65
4.0"x1.0"	101.6	25.4	330.2	2.1	1.65
4.0"x1.5"	101.6	38.1	282.5	2.1	1.65
4.0"x2.0"	101.6	50.8	231.7	2.1	1.65
4.0"x2.5"	101.6	63.5	180.9	2.1	1.65
4.0"x3.0"	101.6	76.2	130.1	2.1	1.65

夹式同心大小头 / Clamp Concentric Reducer					
Size	OD	Od	L	T	T1
3/4"x1/2"	19.1	12.7	50.8	1.65	1.65
1.0"x1/2"	25.4	12.7	76.2	1.65	1.65
1.0"x3/4"	25.4	19.1	50.8	1.65	1.65
1.5"x1/2"	38.1	12.7	127	1.65	1.65
1.5"x3/4"	38.1	19.1	101.6	1.65	1.65
1.5"x1.0"	38.1	25.4	76.2	1.65	1.65
2.0"x1/2"	50.8	12.7	177.8	1.65	1.65
2.0"x3/4"	50.8	19.1	152.4	1.65	1.65
2.0"x1.0"	50.8	25.4	127	1.65	1.65
2.0"x1.5"	50.8	38.1	76.2	1.65	1.65
2.5"x1.0"	63.5	25.4	177.8	1.65	1.65
2.5"x1.5"	63.5	38.1	127	1.65	1.65
2.5"x2.0"	63.5	50.8	76.2	1.65	1.65
3.0"x1.0"	76.2	25.4	228.6	1.65	1.65
3.0"x1.5"	76.2	38.1	177.8	1.65	1.65
3.0"x2.0"	76.2	50.8	127	1.65	1.65
3.0"x2.5"	76.2	63.5	76.2	1.65	1.65
4.0"x1.0"	101.6	25.4	330.2	2.1	1.65
4.0"x1.5"	101.6	38.1	282.5	2.1	1.65
4.0"x2.0"	101.6	50.8	231.7	2.1	1.65
4.0"x2.5"	101.6	63.5	180.9	2.1	1.65
4.0"x3.0"	101.6	76.2	130.1	2.1	1.65

SANITARY PIPE FITTINGS 3A SERIES

卫生级管件3A系列



夹式等径长三通 / Clamp Long Equal Tee			
Size	OD	L	T
1/2"	12.7	120.6	1.65
3/4"	19.1	120.6	1.65
1.0"	25.4	120.6	1.65
1.25"	31.8	135.4	1.65
1.5"	38.1	130.8	1.65
2.0"	50.8	177.8	1.65
2.5"	63.5	177.8	1.65
3.0"	76.2	190.6	1.65
4.0"	101.6	228.4	2.1
6.0"	152.4	328.8	2.77

夹式变径长三通 / Clamp Long Reducing Tee					
Size	OD	Od	L	T	T1
1.5"x1.0"	38.1	25.4	139.8	1.65	1.65
2.0"x1.0"	50.8	25.4	177.8	1.65	1.65
2.0"x1.5"	50.8	38.1	177.8	1.65	1.65
2.5"x1.0"	63.5	25.4	177.8	1.65	1.65
2.5"x1.5"	63.5	38.1	177.8	1.65	1.65
2.5"x2.0"	63.5	50.8	177.8	1.65	1.65
3.0"x1.0"	76.2	25.4	190.6	1.65	1.65
3.0"x1.5"	76.2	38.1	190.6	1.65	1.65
3.0"x2.0"	76.2	50.8	190.6	1.65	1.65
3.0"x2.5"	76.2	63.5	190.6	1.65	1.65
4.0"x1.0"	101.6	25.4	228.4	2.1	1.65
4.0"x1.5"	101.6	38.1	228.4	2.1	1.65
4.0"x2.0"	101.6	50.8	228.4	2.1	1.65
4.0"x2.5"	101.6	63.5	228.4	2.1	1.65
4.0"x3.0"	101.6	76.2	228.4	2.1	1.65


夹式变径短三通 / Clamp Short Equal Tee					
Size	OD	Od	L	T	T1
1.5"x1.0"	38.1	25.4	109.6	1.65	1.65
2.0"x1.0"	50.8	25.4	130.2	1.65	1.65
2.0"x1.5"	50.8	38.1	130.2	1.65	1.65
2.5"x1.0"	63.5	25.4	144.4	1.65	1.65
2.5"x1.5"	63.5	38.1	144.4	1.65	1.65
2.5"x2.0"	63.5	50.8	144.4	1.65	1.65
3.0"x1.0"	76.2	25.4	157.2	1.65	1.65
3.0"x1.5"	76.2	38.1	157.2	1.65	1.65
3.0"x2.0"	76.2	50.8	157.2	1.65	1.65
3.0"x2.5"	76.2	63.5	157.2	1.65	1.65
4.0"x1.0"	101.6	25.4	206.2	2.1	1.65
4.0"x1.5"	101.6	38.1	206.2	2.1	1.65
4.0"x2.0"	101.6	50.8	206.2	2.1	1.65
4.0"x2.5"	101.6	63.5	206.2	2.1	1.65
4.0"x3.0"	101.6	76.2	206.2	2.1	1.65

SANITARY PIPE FITTINGS 3A SERIES


卫生级管件3A系列



焊式等径短四通 / Weld Short 4 Way Cross				
Size	ØD	L	T	
1/2"	12.7	38.1	1.65	
3/4"	19.1	57.2	1.65	
1.0"	25.4	57.2	1.65	
1.5"	38.1	84.2	1.65	
2.0"	50.8	104.8	1.65	
2.5"	63.5	119	1.65	
3.0"	76.2	131.8	1.65	
4.0"	101.6	174.6	2.1	
6.0"	152.4	254	2.77	




焊式等径长四通 / Weld Long 4 Way Cross				
Size	ØD	L	T	
1/2"	12.7	95.2	1.65	
3/4"	19.1	95.2	1.65	
1.0"	25.4	95.2	1.65	
1.5"	38.1	114.4	1.65	
2.0"	50.8	152.4	1.65	
2.5"	63.5	152.4	1.65	
3.0"	76.2	165.2	1.65	
4.0"	101.6	196.8	2.1	




夹式等径长四通 / Clamp Long 4 Way Cross				
Size	ØD	L	T	
1"	25.4	120.6	1.65	
1.5"	38.1	139.8	1.65	
2.0"	50.8	177.8	1.65	
2.5"	63.5	177.8	1.65	
3.0"	76.2	190.6	1.65	
4.0"	101.6	228.4	2.1	

SANITARY PIPE FITTINGS 3A SERIES

卫生级管件3A系列




180°焊式U型弯头 / 180° Weld U-Type Elbow					
Size	ØD	L	H	T	
1/2"	12.7	38.1	19.1	1.65	
3/4"	19.1	57.2	28.6	1.65	
1.0"	25.4	76.2	38.1	1.65	
1.5"	38.1	114.4	57.2	1.65	
2.0"	50.8	152.4	76.2	1.65	
2.5"	63.5	190.5	95.3	1.65	
3.0"	76.2	228.6	114.3	1.65	
4.0"	101.6	304.8	152.4	2.1	
6.0"	152.4	457.2	228.6	2.77	




180°夹式U型弯头 / 180° Clamp U-Type Elbow					
Size	ØD	L	H	T	
1/2"	12.7	38.1	31.8	1.65	
3/4"	19.1	57.2	41.3	1.65	
1.0"	25.4	76.2	50.8	1.65	
1.5"	38.1	114.4	69.9	1.65	
2.0"	50.8	152.4	88.9	1.65	
2.5"	63.5	190.5	108	1.65	
3.0"	76.2	228.6	127	1.65	
4.0"	101.6	304.8	168.2	2.1	
6.0"	152.4	457.2	250.1	2.77	

SANITARY PIPE FITTINGS 3A SERIES


卫生级管件3A系列



13PG 扁平卡箍垫圈 / Ferrule Gasket			
Size	ØA	ØD	
1/2"	9.9	21.8	
3/4"	16.3	21.8	
1.0"	22.7	50	
1.5"	35.9	50	
2.0"	48.6	63.5	
2.5"	61.3	76.2	
3.0"	74	88.9	
4.0"	98.6	118	
6.0"	147.8	165	
8.0"	198.6	216	




14MPW 卡箍接头 / 14 MPW Ferrule					
Size	ØA	ØB	ØD	L	
1/2"	8.2	12.7	25.2	41.3	
3/4"	14.6	19.1	25.2	41.3	




14MPW 长厚型卡箍接头 / 14 MPW Ferrule					
Size	ØA	ØB	ØC	ØD	L
1/2"	8.2	12.7	-	25.2	54
3/4"	14.6	19.1	-	25.2	54
1.0"	22.1	29.5	43.5	50.5	41.3
1.5"	34.8	42.6	43.5	50.5	41.3
2.0"	47.5	55.7	56.5	64	44.5
2.5"	60.2	68.8	70.5	77.5	44.5
3.0"	72.9	81.9	83.5	91	46.1
4.0"	97.4	108.1	110	119	54
6.0"	146.3	157.3	156.4	166.9	63.5
8.0"	197.1	208.1	207.2	217.7	63.5

SANITARY PIPE FITTINGS 3A SERIES

卫生级管件3A系列



14RMP 扩展式卡箍接头 / 14 RMP Expand Ferrule					
Size	ØA	ØB	ØC	ØD	L
1.0"	25.5	29.5	43.5	50.5	19.1
1.5"	38.2	42.6	43.5	50.5	28.6
2.0"	50.9	55.7	56.5	64	33.3
2.5"	63.6	68.8	70.5	77.5	34.9
3.0"	76.3	81.8	83.5	91	36.5
4.0"	101.7	108.1	110	119	38.1




14WI-I 型平接头 / 14WI-I Ferrule					
Size	ØA	ØB	ØC	ØD	L
1.0"	22.1	25.7	31.5	50.7	19.8
1.5"	34.8	38.4	44.2	50.7	23.8
2.0"	47.5	51.1	56.9	67.1	26.2
2.5"	60.2	63.8	69.6	84	29.4
3.0"	72.9	76.5	83.8	98.3	30.9
4.0"	97.4	101.9	109.1	123.7	34.1




14WMP/MMP/AMP 卡箍接头 / 14WMP/MMP/AMP Ferrule							
Size	ØA	ØB	ØC	ØD	系列I	系列II	系列III
1/4"	3.9	6.4	-	25.2	12.7	-	-
1/2"	9.4	12.7	-	25.2	12.7	21.5	28.6
3/4"	15.8	19.1	-	25.2	12.7	21.5	28.6
1.0"	22.1	25.4	43.5	50.5	12.7	21.5	28.6
1.25"	28.5	31.8	43.5	50.5	12.7	21.5	28.6
1.5"	34.8	38.1	43.5	50.5	12.7	21.5	28.6
2.0"	47.5	50.8	56.5	64	12.7	21.5	28.6
2.5"	60.2	63.5	70.5	77.5	12.7	21.5	28.6
3.0"	72.9	76.2	83.5	91	12.7	21.5	28.6
4.0"	97.4	101.6	110	119	15.8	21.5	28.6
5.0"	122.8	127	134.4	145	21.5	28.6	38.1
6.0"	146.8	152.4	156.4	166.9	21.5	28.6	38.1
8.0"	197.7	203.3	207.2	217.7	21.5	28.6	38.1
10.0"	247.2	254.1	258	268.5	21.5	28.6	38.1
12.0"	298	304.9	308.8	319.3	21.5	28.6	38.1

SANITARY PIPE FITTINGS 3A SERIES 卫生级管件3A系列



15WI-II型平接头 / 15 WI-II Liner					
Size	ØA	ØB	ØC	ØD	L
1.0"	22.1	25.7	31.9	50.7	19.8
1.5"	34.8	38.4	44.6	50.7	23.8
2.0"	47.5	51.1	57.3	67.1	26.2
2.5"	60.2	63.8	70	84.0	29.4
3.0"	72.9	76.5	84.2	98.3	30.9
4.0"	97.4	101.9	109.6	123.7	34.1



16AMP卡箍盲板 / 16AMP End Cap				
Size	A	ØC	E	L
1/4"-3/4"	25.2	-	3.6	5
1.0"-1.5"	50.5	43.5	2.85	6.3
2.0"	64	56.5	2.85	6.3
2.5"	77.5	70.5	2.85	6.3
3.0"	91	83.5	2.85	6.3
4.0"	119	110	2.85	7.9
6.0"	166.9	156.4	5.58	11.1
8.0"	217.7	207.2	5.58	11.1
10.0"	268.5	258	5.58	11.1
12.0"	319.3	308.8	5.58	11.1



SANITARY PIPE FITTINGS AS SERIES 卫生级管件AS系列

02



INDEX

SANITARY PIPE FITTINGS AS SERIES

卫生级管件AS系列



45°焊式弯头 / 45° Weld Elbow					
Size	ØD	L	R	H	T
1/2"	12.7	37.9	19.1	69.2	1.6
3/4"	19.1	41.9	28.6	78.2	1.6
1.0"	25.4	45.8	38.1	87.1	1.6
1.25"	31.8	49.8	47.7	96.2	1.6
1.5"	38.1	53.7	57.2	105	1.6
2.0"	50.8	61.6	76.2	123.1	1.6
2.5"	63.5	69.5	95.3	140.8	1.6
3.0"	76.2	77.3	114.3	158.9	1.6
4.0"	101.6	93.1	152.4	194.9	2



90°焊式短弯头 / 90° Weld Short Elbow					
Size	ØD	L	R	T	
1/2"	12.7	19.1	19.1	1.6	
3/4"	19.1	28.6	28.6	1.6	
1.0"	25.4	38.1	38.1	1.6	
1.25"	31.8	47.7	47.7	1.6	
1.5"	38.1	57.2	57.2	1.6	
2.0"	50.8	76.2	76.2	1.6	
2.5"	63.5	95.3	95.3	1.6	
3.0"	76.2	114.3	114.3	1.6	
4.0"	101.6	152.4	152.4	2	
5.0"	127	190.5	190.5	2.77	
6.0"	152.4	228.6	228.6	2.77	
8.0"	203.2	304.8	304.8	2.77	




90°焊式长弯头 / 90° Weld Long Elbow					
Size	ØD	L	R	T	
1/2"	12.7	49.1	19.1	1.6	
3/4"	19.1	58.6	28.6	1.6	
1.0"	25.4	68.1	38.1	1.6	
1.25"	31.8	77.7	47.7	1.6	
1.5"	38.1	87.2	57.2	1.6	
2.0"	50.8	106.2	76.2	1.6	
2.5"	63.5	125.3	95.3	1.6	
3.0"	76.2	144.3	114.3	1.6	
4.0"	101.6	182.4	152.4	2	
5.0"	127	230.5	190.5	2.77	
6.0"	152.4	268.6	228.6	2.77	
8.0"	203.2	344.8	304.8	2.77	

SANITARY PIPE FITTINGS AS SERIES


卫生级管件AS系列




焊式U型弯头 (加直端) / 180° Weld Elbow (With Straight End)					
Size	ØD	L	R	H	T
1.0"	25.4	76.2	38.1	68.1	1.6
1.5"	38.1	114.4	57.2	87.2	1.6
2.0"	50.8	152.4	76.2	106.2	1.6
2.5"	63.5	190.6	95.3	125.3	1.6
3.0"	76.2	228.6	114.3	144.3	1.6
4.0"	101.6	304.8	152.4	182.4	2



焊式等径平口三通 / Weld Equal Tee Without Straight End					
Size	ØD	L	L1	T	
1/2"	12.7	38.2	8.4	1.6	
3/4"	19.1	57.2	11.6	1.6	
1.0"	25.4	76.2	14.7	1.6	
1.25"	31.8	95.4	17.9	1.6	
1.5"	38.1	114.4	21	1.6	
2.0"	50.8	152.4	27.4	1.6	
2.5"	63.5	190.6	33.8	1.6	
3.0"	76.2	228.6	40.1	1.6	
4.0"	101.6	304.8	52.8	2	





焊式等径短三通 / Weld Short Equal Tee					
Size	ØD	L	L1	T	
1/2"	12.7	38.2	19.1	1.6	
3/4"	19.1	57.2	28.6	1.6	
1.0"	25.4	76.2	38.1	1.6	
1.25"	31.8	95.4	47.7	1.6	
1.5"	38.1	114.4	57.2	1.6	
2.0"	50.8	152.4	76.2	1.6	
2.5"	63.5	190.6	95.3	1.6	
3.0"	76.2	228.6	114.3	1.6	
4.0"	101.6	304.8	152.4	2	
5.0"	127	381	190.5	2.77	
6.0"	152.4	457.2	228.6	2.77	
8.0"	203.2	609.6	304.8	2.77	



焊式等径长三通 / Weld Long Equal Tee					
Size	ØD	L	L1	T	
1/2"	12.7	98.2	49.1	1.6	
3/4"	19.1	117.2	58.6	1.6	
1.0"	25.4	136.2	68.1	1.6	
1.25"	31.8	155.4	77.7	1.6	
1.5"	38.1	174.4	87.2	1.6	
2.0"	50.8	212.4	106.2	1.6	
2.5"	63.5	250.6	125.3	1.6	
3.0"	76.2	288.6	144.3	1.6	
4.0"	101.6	364.8	182.4	2	
5.0"	127	461	230.5	2.77	
6.0"	152.4	537.2	268.6	2.77	
8.0"	203.2	689.6	344.8	2.77	


SANITARY PIPE FITTINGS AS SERIES 卫生级管件AS系列




焊式偏心大小头 / Weld Eccentric Reducer					
Size	OD	ID	L	T	T1
1.0"x3/4"	25.4	19.1	25.4	1.6	1.6
1.5"x1.25"	38.1	31.8	38.1	1.6	1.6
1.5"x1.0"	38.1	25.4	38.1	1.6	1.6
2.0"x3/4"	50.8	19.1	50.8	1.6	1.6
2.0"x1.0"	50.8	25.4	50.8	1.6	1.6
2.0"x1.25"	50.8	31.8	50.8	1.6	1.6
2.0"x1.5"	50.8	38.1	50.8	1.6	1.6
2.5"x1.0"	63.5	25.4	63.5	1.6	1.6
2.5"x1.25"	63.5	31.8	63.5	1.6	1.6
2.5"x1.5"	63.5	38.1	63.5	1.6	1.6
3.0"x1.0"	76.2	25.4	76.2	1.6	1.6
3.0"x1.25"	76.2	31.8	76.2	1.6	1.6
3.0"x1.5"	76.2	38.1	76.2	1.6	1.6
3.0"x2.0"	76.2	50.8	76.2	1.6	1.6
3.0"x2.5"	76.2	63.5	76.2	1.6	1.6
4.0"x2.0"	101.6	50.8	101.6	2	1.6
4.0"x2.5"	101.6	63.5	101.6	2	1.6
4.0"x3.0"	101.6	76.2	101.6	2	1.6
5.0"x3.0"	127	76.2	127	2	1.6
5.0"x4.0"	127	101.6	127	2	2
6.0"x2.0"	152.4	50.8	152.4	2	1.6
6.0"x2.5"	152.4	63.5	152.4	2	1.6
6.0"x3.0"	152.4	76.2	152.4	2	1.6
6.0"x4.0"	152.4	101.6	152.4	2	2
6.0"x5.0"	152.4	127	152.4	2	2

焊式同心大小头 / Weld Eccentric Reducer					
Size	OD	ID	L	T	T1
3/4"x1/2"	19.1	12.7	19.1	1.6	1.6
1.0"x1/2"	25.4	12.7	25.4	1.6	1.6
1.0"x3/4"	25.4	19.1	25.4	1.6	1.6
1.25"x3/4"	31.8	19.1	31.8	1.6	1.6
1.25"x1.0"	31.8	25.4	31.8	1.6	1.6
1.5"x3/4"	38.1	19.1	38.1	1.6	1.6
1.5"x1.0"	38.1	25.4	38.1	1.6	1.6
1.5"x1.25"	38.1	31.8	38.1	1.6	1.6
2.0"x1/2"	50.8	12.7	50.8	1.6	1.6
2.0"x3/4"	50.8	19.1	50.8	1.6	1.6
2.0"x1.0"	50.8	25.4	50.8	1.6	1.6
2.0"x1.25"	50.8	31.8	50.8	1.6	1.6
2.0"x1.5"	50.8	38.1	50.8	1.6	1.6
2.5"x1.0"	63.5	25.4	63.5	1.6	1.6
2.5"x1.25"	63.5	31.8	63.5	1.6	1.6
2.5"x1.5"	63.5	38.1	63.5	1.6	1.6
2.5"x2.0"	63.5	50.8	63.5	1.6	1.6
3.0"x1.0"	76.2	25.4	76.2	1.6	1.6
3.0"x1.25"	76.2	31.8	76.2	1.6	1.6
3.0"x1.5"	76.2	38.1	76.2	1.6	1.6
3.0"x2.0"	76.2	50.8	76.2	1.6	1.6
3.0"x2.5"	76.2	63.5	76.2	1.6	1.6
4.0"x1.0"	101.6	25.4	101.6	2	1.6
4.0"x1.25"	101.6	31.8	101.6	2	1.6
4.0"x1.5"	101.6	38.1	101.6	2	1.6
4.0"x2.0"	101.6	50.8	101.6	2	1.6
4.0"x2.5"	101.6	63.5	101.6	2	1.6
4.0"x3.0"	101.6	76.2	101.6	2	1.6
5.0"x2.0"	127	50.8	127	2	1.6
5.0"x3.0"	127	76.2	127	2	1.6
5.0"x4.0"	127	101.6	127	2	2
6.0"x2.0"	152.4	50.8	152.4	2	1.6
6.0"x2.5"	152.4	63.5	152.4	2	1.6
6.0"x3.0"	152.4	76.2	152.4	2	1.6
6.0"x4.0"	152.4	101.6	152.4	2	2
6.0"x5.0"	152.4	127	152.4	2	2


SANITARY PIPE FITTINGS AS SERIES 卫生级管件AS系列




9WS焊式等径四通 / Weld Short 4 Way Equal Cross				
Size	OD	L	L1	T
1/2"	12.7	38.2	19.1	1.6
3/4"	19.1	57.2	28.6	
1.0"	25.4	76.2	38.1	
1.25"	31.8	95.4	47.7	
1.5"	38.1	114.0	57.0	
2.0"	50.8	152.4	76.2	
2.5"	63.5	190.0	95.0	
3.0"	76.2	288.4	144.2	2.0
4.0"	101.6	304.8	152.4	



9W焊式等径四通 / Weld Long 4 Way Equal Cross				
Size	OD	L	L1	T
1/2"	12.7	98.2	49.1	1.6
3/4"	19.1	117.2	58.6	
1.0"	25.4	136.2	68.1	
1.25"	31.8	155.4	77.7	
1.5"	38.1	174.2	87.2	
2.0"	50.8	212.4	106.2	
2.5"	63.5	250.6	125.3	
3.0"	76.2	288.6	144.3	2.0
4.0"	101.6	364.8	182.4	



焊式变径平口短三通 / Weld Reducing Tee Without Straight End					
Size	OD	ID	L	L1	T
1.5"x1.0"	38.1	25.4	114.0	21.0	1.6
2.0"x1.0"	50.8	25.4	152.4	27.4	
2.0"x1.5"	50.8	38.1	152.4	27.4	
2.5"x1.5"	63.5	38.1	190.0	33.8	
2.5"x2.0"	63.5	50.8	190.0	33.8	
3.0"x1.5"	76.2	38.1	288.4	40.1	
3.0"x2.0"	76.2	50.8	288.4	40.1	
3.0"x2.5"	76.2	63.5	288.4	40.1	2.0
4.0"x2.0"	101.6	50.8	304.8	52.8	
4.0"x2.5"	101.6	63.5	304.8	52.8	
4.0"x3.0"	101.6	76.2	304.8	52.8	




焊式变径长三通 / Weld Long Reducing Tee					
Size	OD	ID	L	L1	T
1.5"x1.0"	38.1	25.4	174.2	87.1	1.6
2.0"x1.0"	50.8	25.4	212.4	106.2	1.6
2.0"x1.5"	50.8	38.1	212.4	106.2	1.6
2.5"x1.5"	63.5	38.1	250.6	125.3	1.6
2.5"x2.0"	63.5	50.8	250.6	125.3	1.6
3.0"x1.5"	76.2	38.1	288.6	144.3	1.6
3.0"x2.0"	76.2	50.8	288.6	144.3	1.6
3.0"x2.5"	76.2	63.5	288.6	144.3	1.6
4.0"x2.0"	101.6	50.8	364.8	182.4	2.0
4.0"x2.5"	101.6	63.5	364.8	182.4	2.0
4.0"x3.0"	101.6	76.2	364.8	182.4	2.0

SANITARY PIPE FITTINGS BPE SERIES


卫生级管件BPE系列

03



SANITARY PIPE FITTINGS BPE SERIES


卫生级管件BPE系列




90° 弯式长弯头 / 90° Weld Long Elbow				
Size	ØD	L	T	R
1/2"	12.7	76.2	1.65	19.1
3/4"	19.1	76.2	1.65	28.5
1.0"	25.4	76.2	1.65	38.1
1.5"	38.1	95.3	1.65	57.2
2.0"	50.8	120.7	1.65	76.2
2.5"	63.5	139.7	1.65	95.3
3.0"	76.2	158.8	1.65	114.3
4.0"	101.6	203.2	2.1	152.4
6.0"	152.4	292.1	2.77	228.6



45° 弯式长弯头 / 45° Weld Long Elbow				
Size	ØD	L	T	R
1/2"	12.7	57.2	1.65	19.1
3/4"	19.1	57.2	1.65	28.5
1.0"	25.4	57.2	1.65	38.1
1.5"	38.1	63.5	1.65	57.2
2.0"	50.8	76.2	1.65	76.2
2.5"	63.5	86.7	1.65	95.3
3.0"	76.2	92.1	1.65	114.3
4.0"	101.6	114.3	2.1	152.4
6.0"	152.4	158.8	2.77	288.6



焊式等径三通 / Weld Equal Tee			
Size	ØD	L	T
1/2"	12.7	95.2	1.65
3/4"	19.1	101.6	1.65
1.0"	25.4	108	1.65
1.5"	38.1	120.6	1.65
2.0"	50.8	146	1.65
2.5"	63.5	158.8	1.65
3.0"	76.2	171.4	1.65
4.0"	101.6	209.6	2.1
6.0"	152.4	285.8	2.77




焊式等径四通 / Weld 4 Way Equal Cross			
Size	ØD	L	T
1/2"	12.7	95.2	1.65
3/4"	19.1	101.6	1.65
1.0"	25.4	108	1.65
1.5"	38.1	120.6	1.65
2.0"	50.8	146	1.65
2.5"	63.5	158.8	1.65
3.0"	76.2	171.4	1.65
4.0"	101.6	209.6	2.1
6.0"	152.4	285.8	2.77


INDEX

SANITARY PIPE FITTINGS BPE SERIES

卫生级管件BPE系列



焊式同心大小头 (加直端) / Weld Concentric Reducer (With Straight End)					
Size	OD	ID	L	T	T1
3/4"x1/2"	19.1	12.7	101.6	1.65	1.65
1.0"x1/2"	25.4	12.7	114.3	1.65	1.65
1.0"x3/4"	25.4	19.1	101.6	1.65	1.65
1.5"x1/2"	38.1	12.7	139.7	1.65	1.65
1.5"x3/4"	38.1	19.1	127	1.65	1.65
1.5"x1.0"	38.1	25.4	127	1.65	1.65
2.0"x1/2"	50.8	12.7	196.9	1.65	1.65
2.0"x3/4"	50.8	19.1	184.2	1.65	1.65
2.0"x1.0"	50.8	25.4	184.2	1.65	1.65
2.0"x1.5"	50.8	38.1	133.4	1.65	1.65
2.5"x1.5"	63.5	38.1	184.2	1.65	1.65
2.5"x2.0"	63.5	50.8	139.7	1.65	1.65
3.0"x1.5"	76.2	38.1	235	1.65	1.65
3.0"x2.0"	76.2	50.8	190.5	1.65	1.65
3.0"x2.5"	76.2	63.5	139.7	1.65	1.65
4.0"x1.5"	101.6	38.1	342.9	2.1	1.65
4.0"x2.0"	101.6	50.8	298.5	2.1	1.65
4.0"x2.5"	101.6	63.5	247.7	2.1	1.65
4.0"x3.0"	101.6	76.2	196.9	2.1	1.65
6.0"x3.0"	152.4	76.2	254	2.77	1.65
6.0"x4.0"	152.4	101.6	254	2.77	2.1



焊式偏心大小头 (加直端) / Weld Eccentric Reducer (With Straight End)					
Size	OD	ID	L	T	T1
3/4"x1/2"	19.1	12.7	101.6	1.65	1.65
1.0"x1/2"	25.4	12.7	114.3	1.65	1.65
1.0"x3/4"	25.4	19.1	101.6	1.65	1.65
1.5"x1/2"	38.1	12.7	139.7	1.65	1.65
1.5"x3/4"	38.1	19.1	127	1.65	1.65
1.5"x1.0"	38.1	25.4	127	1.65	1.65
2.0"x1/2"	50.8	12.7	196.9	1.65	1.65
2.0"x3/4"	50.8	19.1	184.2	1.65	1.65
2.0"x1.0"	50.8	25.4	184.2	1.65	1.65
2.0"x1.5"	50.8	38.1	133.4	1.65	1.65
2.5"x1.5"	63.5	38.1	184.2	1.65	1.65
2.5"x2.0"	63.5	50.8	139.7	1.65	1.65
3.0"x1.5"	76.2	38.1	235	1.65	1.65
3.0"x2.0"	76.2	50.8	190.5	1.65	1.65
3.0"x2.5"	76.2	63.5	139.7	1.65	1.65
4.0"x1.5"	101.6	38.1	342.9	2.1	1.65
4.0"x2.0"	101.6	50.8	298.5	2.1	1.65
4.0"x2.5"	101.6	63.5	247.7	2.1	1.65
4.0"x3.0"	101.6	76.2	196.9	2.1	1.65
6.0"x3.0"	152.4	76.2	254	2.77	1.65
6.0"x4.0"	152.4	101.6	254	2.77	2.1

SANITARY PIPE FITTINGS BPE SERIES


卫生级管件BPE系列




45°焊式弯头/Clamp-weld 45° Elbow							
Size	OD	ID	L	L1	R	H	T
1/2"	12.7	25.2	57.2	25.4	19.1	79.6	1.65
3/4"	19.1	25.2	57.2	25.4	28.5	81.9	1.65
1.0"	25.4	50.5	57.2	28.6	38.1	86.3	1.65
1.5"	38.1	50.5	63.5	36.5	57.2	103	1.65
2.0"	50.8	64	76.2	44.5	76.2	125.6	1.65
2.5"	63.5	77.5	85.7	52.4	95.25	145.1	1.65
3.0"	76.2	91	92.1	60.3	114.3	161.6	1.65
4.0"	101.6	119	114.3	79.4	152.4	206.3	2.1
6.0"	152.4	166.87	158.8	133.4	228.6	299.5	2.77



90°焊式弯头/Clamp-weld 90° Elbow						
Size	OD	L	L1	R	T	
1/2"	12.7	76.2	41.3	19.1	1.65	
3/4"	19.1	76.2	41.3	28.5	1.65	
1.0"	25.4	76.2	50.8	38.1	1.65	
1.5"	38.1	95.3	69.9	57.2	1.65	
2.0"	50.8	120.7	88.9	76.2	1.65	
2.5"	63.5	139.7	108	95.3	1.65	
3.0"	76.2	158.5	127	114.3	1.65	
4.0"	101.6	203.2	168.3	152.4	2.1	
6.0"	152.4	292.1	266.7	228.6	2.77	




90°夹式弯头/ 90° Clamp Elbow						
Size	OD	ID	L	R	T	
1/2"	12.7	25.2	41.3	19.1	1.65	
3/4"	19.1	25.2	41.3	28.5	1.65	
1.0"	25.4	50.5	50.8	38.1	1.65	
1.5"	38.1	50.5	69.9	57.2	1.65	
2.0"	50.8	64	88.9	76.2	1.65	
2.5"	63.5	77.5	108	95.3	1.65	
3.0"	76.2	91	127	114.3	1.65	
4.0"	101.6	119	168.3	152.4	2.1	
6.0"	152.4	166.87	266.7	228.6	2.77	




45°夹式弯头/ 45° Clamp Elbow					
Size	OD	ID	R	L	T
1/2"	12.7	25.2	19.1	25.4	1.65
3/4"	19.1	25.2	28.5	25.4	1.65
1.0"	25.4	50.5	38.1	28.6	1.65
1.5"	38.1	50.5	57.2	36.5	1.65
2.0"	50.8	64	76.2	44.5	1.65
2.5"	63.5	77.5	95.3	52.4	1.65
3.0"	76.2	91	114.3	60.3	1.65
4.0"	101.6	119	152.4	79.4	2.1
6.0"	152.4	166.87	228.6	133.4	2.77

SANITARY PIPE FITTINGS BPE SERIES


卫生级管件BPE系列



单夹式变径平口三通 / Short Outlet Weld-clamp Reducing Tee						
Size	OD	Ød	L	L1	T	T1
3/4"X1/2"	19.1	12.7	101.6	24.3	1.65	1.65
1.0"X1/2"	25.4	12.7	108	27.4	1.65	1.65
1.0"X3/4"	25.4	19.1	108	27.4	1.65	1.65
1.5"X1/2"	38.1	12.7	120.6	33.8	1.65	1.65
1.5"X3/4"	38.1	19.1	120.6	33.8	1.65	1.65
1.5"X1.0"	38.1	25.4	120.6	33.8	1.65	1.65
2.0"X1/2"	50.8	12.7	146	40.1	1.65	1.65
2.0"X3/4"	50.8	19.1	146	40.1	1.65	1.65
2.0"X1.0"	50.8	25.4	146	40.1	1.65	1.65
2.5"X1/2"	63.5	12.7	158.8	46.5	1.65	1.65
2.5"X3/4"	63.5	19.1	158.8	46.5	1.65	1.65
2.5"X1.0"	63.5	25.4	158.8	46.5	1.65	1.65
2.5"X1.5"	63.5	38.1	158.8	46.5	1.65	1.65
2.5"X2.0"	63.5	50.8	158.8	46.5	1.65	1.65
3.0"X1/2"	76.2	12.7	171.4	52.8	1.65	1.65
3.0"X3/4"	76.2	19.1	171.4	52.8	1.65	1.65
3.0"X1.0"	76.2	25.4	171.4	52.8	1.65	1.65
3.0"X1.5"	76.2	38.1	171.4	52.8	1.65	1.65
3.0"X2.0"	76.2	50.8	171.4	52.8	1.65	1.65
3.0"X2.5"	76.2	63.5	171.4	52.8	1.65	1.65
4.0"X1.0"	101.6	25.4	209.6	68.6	2.1	1.65
4.0"X1.5"	101.6	38.1	209.6	68.6	2.1	1.65
4.0"X2.0"	101.6	50.8	209.6	68.6	2.1	1.65
4.0"X2.5"	101.6	63.5	209.6	68.6	2.1	1.65
4.0"X3.0"	101.6	76.2	209.6	68.6	2.1	1.65




单夹式等径平口三通 / Short Outlet Weld-clamp Equal Tee					
Size	OD	ØK	L	L1	T
1/2"	12.7	25.2	95.2	21	1.65
3/4"	19.1	25.2	101.6	24.3	1.65
1.0"	25.4	50.5	108	27.4	1.65
1.5"	38.1	50.5	120.6	33.8	1.65
2.0"	50.8	64	146	40.1	1.65
2.5"	63.5	77.5	158.8	46.5	1.65
3.0"	76.2	91	171.4	52.8	1.65
4.0"	101.6	119	209.6	68.6	2.1
6.0"	152.4	166.8	285.8	99.7	2.77




夹式等径三通 / Clamp Equal Tee				
Size	OD	L	L1	T
1/2"	12.7	114.4	57.2	1.65
3/4"	19.1	120.6	60.3	1.65
1.0"	25.4	133.4	66.7	1.65
1.5"	38.1	146	73	1.65
2.0"	50.8	171.4	85.7	1.65
2.5"	63.5	184.2	92.1	1.65
3.0"	76.2	196.8	98.4	1.65
4.0"	101.6	241.4	120.7	2.1
6.0"	152.4	362.0	181.0	2.77

SANITARY PIPE FITTINGS BPE SERIES


卫生级管件BPE系列



夹式等径四通 / Clamp 4 Way Equal Cross				
Size	OD	L	L1	T
1/2"	12.7	114.4	57.2	1.65
3/4"	19.1	120.6	60.3	1.65
1.0"	25.4	133.4	66.7	1.65
1.5"	38.1	146	73	1.65
2.0"	50.8	171.4	85.7	1.65
2.5"	63.5	184.2	92.1	1.65
3.0"	76.2	196.8	98.4	1.65
4.0"	101.6	241.4	120.7	2.1
6.0"	152.4	362.0	181.0	2.77




焊式U型弯头 / 180° Weld Elbow (U-Type)				
Size	OD	L	L1	T
1/2"	12.7	114.3	76.2	1.65
3/4"	19.1	114.3	76.2	1.65
1.0"	25.4	76.2	76.2	1.65
1.5"	38.1	114.3	114.3	1.65
2.0"	50.8	152.4	127	1.65
2.5"	63.5	190.5	146.1	1.65
3.0"	76.2	228.6	165.1	1.65
4.0"	101.6	304.8	215.9	2.1
6.0"	152.4	457.2	292.1	2.77




夹式U型弯头 / 180° Clamp Elbow (U-Type)				
Size	OD	L	L1	T
1/2"	12.7	114.3	88.9	1.65
3/4"	19.1	114.3	88.9	1.65
1.0"	25.4	76.2	88.9	1.65
1.5"	38.1	114.3	127	1.65
2.0"	50.8	152.4	139.7	1.65
2.5"	63.5	190.5	158.8	1.65
3.0"	76.2	228.6	177.8	1.65
4.0"	101.6	304.8	231.7	2.1
6.0"	152.4	457.2	313.6	2.77

SANITARY PIPE FITTINGS BPE SERIES

卫生级管件BPE系列




夹式变径长三通 / Clamp Long Reducing Tee						
Size	OD	Od	L	L1	T	T1
3/4"x1/2"	19.1	12.7	127	63.5	1.65	1.65
1.0"x1/2"	25.4	12.7	133.4	66.7	1.65	1.65
1.0"x3/4"	25.4	19.1	133.4	66.7	1.65	1.65
1.5"x1/2"	38.1	12.7	146	73	1.65	1.65
1.5"x3/4"	38.1	19.1	146	73	1.65	1.65
1.5"x1.0"	38.1	25.4	146	73	1.65	1.65
2.0"x1.0"	50.8	25.4	171.4	79.4	1.65	1.65
2.0"x1.5"	50.8	38.1	171.4	79.4	1.65	1.65
2.5"x1.0"	63.5	25.4	184.2	85.7	1.65	1.65
2.5"x1.5"	63.5	38.1	184.2	85.7	1.65	1.65
2.5"x2.0"	63.5	50.8	184.2	85.7	1.65	1.65
3.0"x1.0"	76.2	25.4	196.8	92.1	1.65	1.65
3.0"x1.5"	76.2	38.1	196.8	92.1	1.65	1.65
3.0"x2.0"	76.2	50.8	196.8	92.1	1.65	1.65
3.0"x2.5"	76.2	63.5	196.8	92.1	1.65	1.65
4.0"x1.0"	101.6	25.4	241.4	104.8	2.1	1.65
4.0"x1.5"	101.6	38.1	241.4	104.8	2.1	1.65
4.0"x2.0"	101.6	50.8	241.4	111.1	2.1	1.65
4.0"x2.5"	101.6	63.5	241.4	111.1	2.1	1.65
4.0"x3.0"	101.6	76.2	241.4	111.1	2.1	1.65




夹式变径平口三通 / Short Outlet Clamp Reducing Tee						
Size	OD	Od	L	L1	T	T1
3/4"x1/2"	19.1	12.7	127	24.3	1.65	1.65
1.0"x1/2"	25.4	12.7	133.4	27.4	1.65	1.65
1.0"x3/4"	25.4	19.1	133.4	27.4	1.65	1.65
1.5"x1/2"	38.1	12.7	146	33.8	1.65	1.65
1.5"x3/4"	38.1	19.1	146	33.8	1.65	1.65
1.5"x1.0"	38.1	25.4	146	33.8	1.65	1.65
2.0"x1.0"	50.8	25.4	171.4	40.1	1.65	1.65
2.0"x1.5"	50.8	38.1	171.4	40.1	1.65	1.65
2.5"x1.0"	63.5	25.4	184.2	46.5	1.65	1.65
2.5"x1.5"	63.5	38.1	184.2	46.5	1.65	1.65
2.5"x2.0"	63.5	50.8	184.2	46.5	1.65	1.65
3.0"x1.0"	76.2	25.4	196.8	52.8	1.65	1.65
3.0"x1.5"	76.2	38.1	196.8	52.8	1.65	1.65
3.0"x2.0"	76.2	50.8	196.8	52.8	1.65	1.65
3.0"x2.5"	76.2	63.5	196.8	52.8	1.65	1.65
4.0"x1.0"	101.6	25.4	241.4	68.6	2.1	1.65
4.0"x1.5"	101.6	38.1	241.4	68.6	2.1	1.65
4.0"x2.0"	101.6	50.8	241.4	68.6	2.1	1.65
4.0"x2.5"	101.6	63.5	241.4	68.6	2.1	1.65
4.0"x3.0"	101.6	76.2	241.4	68.6	2.1	1.65

SANITARY PIPE FITTINGS BPE SERIES

卫生级管件BPE系列





夹式同心大小头 / Clamp Concentric Reducer							
Size	OD	Od	Ok	Ok1	L	T	T1
3/4"x1/2"	19.1	12.7	25.2	25.2	50.8	1.65	1.65
1.0"x1/2"	25.4	12.7	50.5	25.2	63.5	1.65	1.65
1.0"x3/4"	25.4	19.1	50.5	25.2	50.8	1.65	1.65
1.5"x1/2"	38.1	12.7	50.5	25.2	88.9	1.65	1.65
1.5"x3/4"	38.1	19.1	50.5	25.2	76.2	1.65	1.65
1.5"x1.0"	38.1	25.4	50.5	25.2	76.2	1.65	1.65
2.0"x1.0"	50.8	25.4	64	50.5	127	1.65	1.65
2.0"x1.5"	50.8	38.1	64	50.5	76.2	1.65	1.65
2.5"x1.0"	63.5	25.4	77.5	50.5	177.8	1.65	1.65
2.5"x1.5"	63.5	38.1	77.5	50.5	127	1.65	1.65
2.5"x2.0"	63.5	50.8	77.5	64	76.2	1.65	1.65
3.0"x1.0"	76.2	25.4	91	50.5	228.6	1.65	1.65
3.0"x1.5"	76.2	38.1	91	50.5	177.8	1.65	1.65
3.0"x2.0"	76.2	50.8	91	64	127	1.65	1.65
3.0"x2.5"	76.2	63.5	91	77.5	76.2	1.65	1.65
4.0"x1.5"	101.6	38.1	119	50.5	282.6	2.1	1.65
4.0"x2.0"	101.6	50.8	119	64	231.8	2.1	1.65
4.0"x2.5"	101.6	63.5	119	77.5	181	2.1	1.65
4.0"x3.0"	101.6	76.2	119	91	130.2	2.1	1.65



夹式偏心大小头 / Clamp Eccentric Reducer							
Size	OD	Od	Ok	Ok1	L	T	T1
3/4"x1/2"	19.1	12.7	25.2	25.2	50.8	1.65	1.65
1.0"x1/2"	25.4	12.7	50.5	25.2	63.5	1.65	1.65
1.0"x3/4"	25.4	19.1	50.5	25.2	50.8	1.65	1.65
1.5"x1/2"	38.1	12.7	50.5	25.2	88.9	1.65	1.65
1.5"x3/4"	38.1	19.1	50.5	25.2	76.2	1.65	1.65
1.5"x1.0"	38.1	25.4	50.5	25.2	76.2	1.65	1.65
2.0"x1.0"	50.8	25.4	64	50.5	127	1.65	1.65
2.0"x1.5"	50.8	38.1	64	50.5	76.2	1.65	1.65
2.5"x1.0"	63.5	25.4	77.5	50.5	177.8	1.65	1.65
2.5"x1.5"	63.5	38.1	77.5	50.5	127	1.65	1.65
2.5"x2.0"	63.5	50.8	77.5	64	76.2	1.65	1.65
3.0"x1.0"	76.2	25.4	91	50.5	228.6	1.65	1.65
3.0"x1.5"	76.2	38.1	91	50.5	177.8	1.65	1.65
3.0"x2.0"	76.2	50.8	91	64	127	1.65	1.65
3.0"x2.5"	76.2	63.5	91	77.5	76.2	1.65	1.65
4.0"x1.5"	101.6	38.1	119	50.5	282.6	2.1	1.65
4.0"x2.0"	101.6	50.8	119	64	231.8	2.1	1.65
4.0"x2.5"	101.6	63.5	119	77.5	181	2.1	1.65
4.0"x3.0"	101.6	76.2	119	91	130.2	2.1	1.65

SANITARY PIPE FITTINGS BPE SERIES

卫生级管件BPE系列





焊变式同心大小头(加直端) / Clamp-weld Concentric Reducer (With Straight End)						
Size	ØD	Ød	L	T	T1	
3/4"X1/2"	19.1	12.7	76.2	1.65	1.65	
1.0"X1/2"	25.4	12.7	88.9	1.65	1.65	
1.0"X3/4"	25.4	19.1	76.2	1.65	1.65	
1.5"X1/2"	38.1	12.7	114.3	1.65	1.65	
1.5"X3/4"	38.1	19.1	101.6	1.65	1.65	
1.5"X1.0"	38.1	25.4	101.6	1.65	1.65	
2.0"X1/2"	50.8	12.7	165.1	1.65	1.65	
2.0"X3/4"	50.8	19.1	152.4	1.65	1.65	
2.0"X1.0"	50.8	25.4	152.4	1.65	1.65	
2.0"X1.5"	50.8	38.1	101.6	1.65	1.65	
2.5"X1.5"	63.5	38.1	152.4	1.65	1.65	
2.5"X2.0"	63.5	50.8	107.9	1.65	1.65	
3.0"X1.5"	76.2	38.1	203.2	1.65	1.65	
3.0"X2.0"	76.2	50.8	158.8	1.65	1.65	
3.0"X2.5"	76.2	63.5	108	1.65	1.65	
4.0"X1.5"	101.6	38.1	308	2.1	1.65	
4.0"X2.0"	101.6	50.8	263.5	2.1	1.65	
4.0"X2.5"	101.6	63.5	212.7	2.1	1.65	
4.0"X3.0"	101.6	76.2	161.9	2.1	1.65	

焊变式偏心大小头(加直端) / Clamp-weld Eccentric Reducer (With Straight End)						
Size	ØD	Ød	L	T	T1	
3/4"X1/2"	19.1	12.7	76.2	1.65	1.65	
1.0"X1/2"	25.4	12.7	88.9	1.65	1.65	
1.0"X3/4"	25.4	19.1	76.2	1.65	1.65	
1.5"X1/2"	38.1	12.7	114.3	1.65	1.65	
1.5"X3/4"	38.1	19.1	101.6	1.65	1.65	
1.5"X1.0"	38.1	25.4	101.6	1.65	1.65	
2.0"X1/2"	50.8	12.7	165.1	1.65	1.65	
2.0"X3/4"	50.8	19.1	152.4	1.65	1.65	
2.0"X1.0"	50.8	25.4	152.4	1.65	1.65	
2.0"X1.5"	50.8	38.1	101.6	1.65	1.65	
2.5"X1.5"	63.5	38.1	152.4	1.65	1.65	
2.5"X2.0"	63.5	50.8	108	1.65	1.65	
3.0"X1.5"	76.2	38.1	203.2	1.65	1.65	
3.0"X2.0"	76.2	50.8	158.8	1.65	1.65	
3.0"X2.5"	76.2	63.5	108	1.65	1.65	
4.0"X1.5"	101.6	38.1	308	2.1	1.65	
4.0"X2.0"	101.6	50.8	263.5	2.1	1.65	
4.0"X2.5"	101.6	63.5	212.7	2.1	1.65	
4.0"X3.0"	101.6	76.2	161.9	2.1	1.65	

SANITARY PIPE FITTINGS BPE SERIES

卫生级管件BPE系列




单变式变径平口四通 / Short Outlet Single Clamp-Weld 4 Way Reducing Cross						
Size	Ød	ØD	L	L1	T	T1
1.0"X1/2"	12.7	25.4	127	27.4	1.65	1.65
1.0"X3/4"	19.1	25.4	127	27.4	1.65	1.65
1.5"X1/2"	12.7	38.1	127	33.8	1.65	1.65
1.5"X3/4"	19.1	38.1	127	33.8	1.65	1.65
1.5"X1.0"	25.4	38.1	127	33.8	1.65	1.65
2.0"X1/2"	12.7	50.8	139.8	40.1	1.65	1.65
2.0"X3/4"	19.1	50.8	139.8	40.1	1.65	1.65
2.0"X1.0"	25.4	50.8	139.8	40.1	1.65	1.65
2.0"X1.5"	38.1	50.8	139.8	40.1	1.65	1.65
2.5"X1/2"	12.7	63.5	170	46.5	1.65	1.65
2.5"X3/4"	19.1	63.5	170	46.5	1.65	1.65
2.5"X1.0"	25.4	63.5	170	46.5	1.65	1.65
2.5"X1.5"	38.1	63.5	170	46.5	1.65	1.65
2.5"X2.0"	50.8	63.5	170	46.5	1.65	1.65
3.0"X1/2"	12.7	76.2	180	52.8	1.65	1.65
3.0"X3/4"	19.1	76.2	180	52.8	1.65	1.65
3.0"X1.0"	25.4	76.2	180	52.8	1.65	1.65
3.0"X1.5"	38.1	76.2	180	52.8	1.65	1.65
3.0"X2.0"	50.8	76.2	180	52.8	1.65	1.65
3.0"X2.5"	63.5	76.2	180	52.8	1.65	1.65
4.0"X1/2"	12.7	101.6	220	68.6	1.65	1.65
4.0"X3/4"	19.1	101.6	220	68.6	2.1	1.65
4.0"X1.0"	25.4	101.6	220	68.6	2.1	1.65
4.0"X1.5"	38.1	101.6	220	68.6	2.1	1.65
4.0"X2.0"	50.8	101.6	220	68.6	2.1	1.65
4.0"X2.5"	63.5	101.6	220	68.6	2.1	1.65
4.0"X3.0"	76.2	101.6	220	68.6	2.1	1.65



单变式变径平口四通 / Short Outlet Single Weld Clamp 4 Way Reducing Cross						
Size	Ød	ØD	L	L1	T	T1
1.0"X1/2"	12.7	25.4	154	27.4	1.65	1.65
1.0"X3/4"	19.1	25.4	154	27.4	1.65	1.65
1.5"X1/2"	12.7	38.1	152.4	33.8	1.65	1.65
1.5"X3/4"	19.1	38.1	152.4	33.8	1.65	1.65
1.5"X1.0"	25.4	38.1	152.4	33.8	1.65	1.65
2.0"X1/2"	12.7	50.8	165.2	40.1	1.65	1.65
2.0"X3/4"	19.1	50.8	165.2	40.1	1.65	1.65
2.0"X1.0"	25.4	50.8	165.2	40.1	1.65	1.65
2.0"X1.5"	38.1	50.8	165.2	40.1	1.65	1.65
2.5"X1/2"	12.7	63.5	194	46.5	1.65	1.65
2.5"X3/4"	19.1	63.5	194	46.5	1.65	1.65
2.5"X1.0"	25.4	63.5	194	46.5	1.65	1.65
2.5"X1.5"	38.1	63.5	194	46.5	1.65	1.65
2.5"X2.0"	50.8	63.5	194	46.5	1.65	1.65
3.0"X1/2"	12.7	76.2	204	52.8	1.65	1.65
3.0"X3/4"	19.1	76.2	204	52.8	1.65	1.65
3.0"X1.0"	25.4	76.2	204	52.8	1.65	1.65
3.0"X1.5"	38.1	76.2	204	52.8	1.65	1.65
3.0"X2.0"	50.8	76.2	204	52.8	1.65	1.65
3.0"X2.5"	63.5	76.2	204	52.8	1.65	1.65
4.0"X1/2"	12.7	101.6	244	68.6	1.65	1.65
4.0"X3/4"	19.1	101.6	244	68.6	2.1	1.65
4.0"X1.0"	25.4	101.6	244	68.6	2.1	1.65
4.0"X1.5"	38.1	101.6	244	68.6	2.1	1.65
4.0"X2.0"	50.8	101.6	244	68.6	2.1	1.65
4.0"X2.5"	63.5	101.6	244	68.6	2.1	1.65
4.0"X3.0"	76.2	101.6	244	68.6	2.1	1.65

SANITARY PIPE FITTINGS BPE SERIES

卫生级管件BPE系列




焊式变径三通 / Weld Reducing Tee						
Size	OD	Od	L	L1	T	t
3/4"x1/2"	19.1	12.7	101.6	50.8	1.65	
1.0"x1/2"	25.4	12.7	108	54		
1.0"x3/4"	25.4	19.1	108	54		
1.5"x1/2"	38.1	12.7	120.6	60.3		
1.5"x3/4"	38.1	19.1	120.6	60.3		
1.5"x1.0"	38.1	25.4	120.6	60.3		
2.0"x1/2"	50.8	12.7	145.8	72.9		
2.0"x3/4"	50.8	19.1	145.8	72.9		
2.0"x1.0"	50.8	25.4	145.8	72.9		
2.0"x1.5"	50.8	38.1	145.8	72.9		
2.5"x1/2"	63.5	12.7	158.5	79.3	1.65	
2.5"x3/4"	63.5	19.1	158.5	79.3		
2.5"x1.0"	63.5	25.4	158.5	79.3		
2.5"x1.5"	63.5	38.1	158.5	79.3		
2.5"x2.0"	63.5	50.8	158.5	79.3		
3.0"x1/2"	76.2	12.7	171.2	85.6		
3.0"x3/4"	76.2	19.1	171.2	85.6		
3.0"x1.0"	76.2	25.4	171.2	85.6		
3.0"x1.5"	76.2	38.1	171.2	85.6		
3.0"x2.0"	76.2	50.8	171.2	85.6		
3.0"x2.5"	76.2	63.5	171.2	85.6	2.1	
4.0"x1.0"	101.6	25.4	209.3	104.7		
4.0"x1.5"	101.6	38.1	209.3	104.7		
4.0"x2.0"	101.6	50.8	209.3	104.7		
4.0"x2.5"	101.6	63.5	209.3	104.7		
4.0"x3.0"	101.6	76.2	209.3	104.7		




夹式等径平口三通 / Short Outlet Clamp Equal Tee					
Size	OD	OK	L	L1	T
1/2"	12.7	25.2	114.4	21	1.65
3/4"	19.1	25.2	120.6	24.3	
1.0"	25.4	50.5	133.4	27.4	
1.5"	38.1	50.5	146.0	33.8	
2.0"	50.8	64	171.4	40.1	
2.5"	63.5	77.5	184.2	46.5	
3.0"	76.2	91	196.8	52.8	
4.0"	101.6	119	241.4	68.6	2.1
6.0"	152.4	166.8	362.0	99.7	2.77

SANITARY PIPE FITTINGS BPE SERIES

卫生级管件BPE系列



卡箍接头 / Female						
Size	OA	OB	OD	系列II	系列III	系列III
1/2"	9.4	12.7	25.2	12.7	28.7	44.5
3/4"	15.8	19.1	25.2	12.7	28.7	44.5
1.0"	22.1	25.4	50.5	12.7	28.7	44.5
1.5"	34.8	38.1	50.5	12.7	28.7	44.5
2.0"	47.5	50.8	64	12.7	28.7	57.2
2.5"	60.2	63.5	77.5	12.7	28.7	57.2
3.0"	72.9	76.2	91	12.7	28.7	57.2
4.0"	97.4	101.6	119	15.8	28.7	57.2
6.0"	146.8	152.4	166.9	21.5	38.1	76.2



卡箍盲板 / End Cap		
Size	OA	L
1/2"	25.2	5.0
3/4"	25.2	5.0
1.0"	50.5	6.4
1.5"	50.5	6.4
2.0"	64	6.4
2.5"	77.5	6.4
3.0"	91	6.4
4.0"	119	8.9

SANITARY PIPE FITTINGS BS SERIES

卫生级管件BS系列

04



SANITARY PIPE FITTINGS BS SERIES

卫生级管件BS系列



45° 焊式长弯头 / 45° Weld Long Elbow				
Size	ØD	L	R	T
1.0"	25.4	43.5	38.1	1.65
1.5"	38.1	63.5	57.2	1.65
2.0"	50.8	88.5	76.2	1.65
2.5"	63.5	113.5	95.3	1.65
3.0"	76.2	133.5	114.3	1.65
4.0"	101.6	173.5	152.4	2.1



90° 焊式短弯头 / 90° Weld Short Elbow				
Size	ØD	L	R	T
1.0"	25.4	43.5	38.1	1.65
1.5"	38.1	63.5	57.2	1.65
2.0"	50.8	88.5	76.2	1.65
2.5"	63.5	113.5	95.3	1.65
3.0"	76.2	133.5	114.3	1.65
4.0"	101.6	173.5	152.4	2.1



90° 焊式长弯头 / 90° Weld Long Elbow				
Size	ØD	L	R	T
1/2"	12.7	45	19.1	1.65
3/4"	19.1	60	28.6	1.65
1.0"	25.4	65	38.1	1.65
1.5"	38.1	85	57.2	1.65
2.0"	50.8	110	76.2	1.65
2.5"	63.5	135	95.3	1.65
3.0"	76.2	155	114.3	1.65
4.0"	101.6	195	152.4	2.1




焊式等径平口短三通 / Weld Short Equal Tee				
Size	ØD	L	L1	T
1.0"	25.4	87	14.7	1.65
1.5"	38.1	127	21	1.65
2.0"	50.8	177	27.4	1.65
2.5"	63.5	227	33.8	1.65
3.0"	76.2	267	40.1	1.65
4.0"	101.6	347	52.8	2.1


INDEX

SANITARY PIPE FITTINGS BS SERIES


卫生级管件BS系列



焊式变径平口三通 / Weld Reducing Tee Without Straight End					
Size	OD	Od	L	L1	T
1.5"x1.0"	38.1	25.4	127	21	1.65
2.0"x1.0"	50.8	25.4	177	27.4	1.65
2.0"x1.5"	50.8	38.1	177	27.4	1.65
2.5"x1.0"	63.5	25.4	227	33.8	1.65
2.5"x1.5"	63.5	38.1	227	33.8	1.65
2.5"x2.0"	63.5	50.8	227	33.8	1.65
3.0"x1.0"	76.2	25.4	267	40.1	1.65
3.0"x1.5"	76.2	38.1	267	40.1	1.65
3.0"x2.0"	76.2	50.8	267	40.1	1.65
3.0"x2.5"	76.2	63.5	267	40.1	1.65
4.0"x2.0"	101.6	50.8	347	52.8	2.1
4.0"x2.5"	101.6	63.5	347	52.8	2.1
4.0"x3.0"	101.6	76.2	347	52.8	2.1




焊式等径短三通 / Weld Equal Tee				
Size	OD	L	L1	T
1.0"	25.4	87	43.5	1.65
1.5"	38.1	127	63.5	1.65
2.0"	50.8	177	88.5	1.65
2.5"	63.5	227	113.5	1.65
3.0"	76.2	267	133.5	1.65
4.0"	101.6	347	173.5	2.1




焊式等径长四通 / Weld Long 4 Way Equal Cross			
Size	OD	L	T
1.0"	25.4	130	1.65
1.5"	38.1	170	1.65
2.0"	50.8	220	1.65
2.5"	63.5	270	1.65
3.0"	76.2	310	1.65
4.0"	101.6	390	2.1

SANITARY PIPE FITTINGS BS SERIES

卫生级管件BS系列



焊式同心大小头 / Weld Concentric Reducer					
Size	OD	Od	L	T	T1
1.5"x1.0"	38.1	25.4	28	1.65	1.65
2.0"x1.0"	50.8	25.4	49	1.65	1.65
2.0"x1.5"	50.8	38.1	31	1.65	1.65
2.5"x1.0"	63.5	25.4	76	1.65	1.65
2.5"x1.5"	63.5	38.1	48	1.65	1.65
2.5"x2.0"	63.5	50.8	41	1.65	1.65
3.0"x1.0"	76.2	25.4	100	1.65	1.65
3.0"x1.5"	76.2	38.1	74	1.65	1.65
3.0"x2.0"	76.2	50.8	50	1.65	1.65
3.0"x2.5"	76.2	63.5	40	1.65	1.65
4.0"x1.5"	101.6	38.1	128	2.1	1.65
4.0"x2.0"	101.6	50.8	100	2.1	1.65
4.0"x2.5"	101.6	63.5	75	2.1	1.65
4.0"x3.0"	101.6	76.2	51	2.1	1.65




焊式偏心大小头 / Weld Eccentric Reducer					
Size	OD	Od	L	T	T1
1.5"x1.0"	38.1	25.4	29	1.65	1.65
2.0"x1.0"	50.8	25.4	48	1.65	1.65
2.0"x1.5"	50.8	38.1	39	1.65	1.65
2.5"x1.0"	63.5	25.4	73	1.65	1.65
2.5"x1.5"	63.5	38.1	47	1.65	1.65
2.5"x2.0"	63.5	50.8	44	1.65	1.65
3.0"x1.0"	76.2	25.4	95	1.65	1.65
3.0"x1.5"	76.2	38.1	70	1.65	1.65
3.0"x2.0"	76.2	50.8	46	1.65	1.65
3.0"x2.5"	76.2	63.5	36	1.65	1.65
4.0"x1.5"	101.6	38.1	115	2.1	1.65
4.0"x2.0"	101.6	50.8	91	2.1	1.65
4.0"x2.5"	101.6	63.5	69	2.1	1.65
4.0"x3.0"	101.6	76.2	78	2.1	1.65

SANITARY PIPE FITTINGS BS SERIES
卫生级管件BS系列



45°焊式短弯头 / 45° Weld Short Elbow				
Size	D	L	R	T
1"	25.4	15.8	38.1	1.65
1½"	38.1	23.7	57.2	1.65
2"	50.8	31.6	76.2	1.65
2½"	63.5	39.5	95.3	1.65
3"	76.2	47.3	114.3	1.65
4"	101.6	63.1	152.4	2.1



焊式等径三通 / Weld Equal Tee				
Size	D	L	L1	T
½"	12.7	95.2	47.6	1.65
¾"	19.1	101.6	50.8	1.65
1"	25.4	130	65	1.65
1½"	38.1	170	85	1.65
2"	50.8	220	110	1.65
2½"	63.5	270	135	1.65
3"	76.2	310	155	1.65
4"	101.6	390	195	2.1



**SANITARY
PIPE FITTINGS
DIN SERIES**
卫生级管件DIN系列

05



SANITARY PIPE FITTINGS DIN SERIES


卫生级管件DIN系列



45°焊式短弯头 / 45° Weld Short Elbow					
Size	OD	L	R	T	
DN10	12	13	10.8	26	1.5
DN15	18	19	14.5	35	1.5
DN20	22	23	16.5	40	1.5
DN25	28	29	20.7	50	1.5
DN32	34	35	22.8	55	1.5
DN40	40	41	24.9	60	1.5
DN50	52	53	29	70	1.5
DN65	70	70	33.1	80	2
DN80	85	85	37.3	90	2
DN100	104	104	41.4	100	2
DN125	129	129	77.5	187	2
DN150	154	154	93.2	225	2
DN200	204	204	124.3	300	2
DN250	254	-	155.3	325	2



45°焊式长弯头 / 45° Weld Long Elbow					
Size	OD	L	R	T	
DN10	12	13	35.8	26	1.5
DN15	18	19	39.5	35	1.5
DN20	22	23	41.6	40	1.5
DN25	28	29	60.7	50	1.5
DN32	34	35	62.8	55	1.5
DN40	40	41	64.9	60	1.5
DN50	52	53	69	70	1.5
DN65	70	70	73.1	80	2
DN80	85	85	92.3	90	2
DN100	104	104	96.4	100	2
DN125	129	129	160.2	187	2
DN150	154	154	193.2	225	2
DN200	204	204	124.3	300	2



90°焊式短弯头 / 90° Weld Short Elbow					
Size	OD	L	R	T	
DN10	12	13	26	26	1.5
DN15	18	19	35	35	1.5
DN20	22	23	40	40	1.5
DN25	28	29	50	50	1.5
DN32	34	35	55	55	1.5
DN40	40	41	60	60	1.5
DN50	52	53	70	70	1.5
DN65	70	70	80	80	2
DN80	85	85	90	90	2
DN100	104	104	100	100	2
DN125	129	129	187	187	2
DN150	154	154	225	225	2
DN200	204	204	300	300	2

SANITARY PIPE FITTINGS DIN SERIES

卫生级管件DIN系列



90°焊式长弯头 / 90° Weld Long Elbow					
Size	OD	L	R	T	
DN10	12	13	38	26	1.5
DN15	18	19	47	35	1.5
DN20	22	23	52	40	1.5
DN25	28	29	70	50	1.5
DN32	34	35	78	55	1.5
DN40	40	41	85	60	1.5
DN50	52	53	97	70	1.5
DN65	70	70	110	80	2
DN80	85	85	118	90	2
DN100	104	104	140	100	2
DN125	129	129	227	187	2
DN150	154	154	265	225	2




45°夹式短弯头 / 45° Clamp Short Elbow					
Size	OD	L	R	T	
DN10	12	13	26.8	26	1.5
DN15	18	19	32.5	35	1.5
DN20	22	23	34.5	40	1.5
DN25	28	29	42.2	50	1.5
DN32	34	35	44.3	55	1.5
DN40	40	41	46.4	60	1.5
DN50	52	53	50.5	70	1.5
DN65	70	70	61.1	80	2
DN80	85	85	65.3	90	2
DN100	104	104	69.1	100	2
DN125	129	129	105.5	187	2
DN150	154	154	121.2	225	2



90°夹式长弯头 / 90° Clamp Long Elbow					
Size	OD	L	R	T	
DN10	12	13	44	26	1.5
DN15	18	19	53	35	1.5
DN20	22	23	58	40	1.5
DN25	28	29	71.5	50	1.5
DN32	34	35	76.5	55	1.5
DN40	40	41	81.5	60	1.5
DN50	52	53	91.5	70	1.5
DN65	70	70	108	80	2
DN80	85	85	118	90	2
DN100	104	104	128	100	2
DN125	129	129	215	187	2
DN150	154	154	253	225	2

SANITARY PIPE FITTINGS DIN SERIES

卫生级管件DIN系列




焊式偏心大小头 / Weld Eccentric Reducer							
Size	ØD		Ød		L	T	T1
DN32xDN25	34	35	28	29	16.5	1.5	1.5
DN40xDN25	40	41	28	29	33	1.5	1.5
DN40xDN32	40	41	34	35	16.5	1.5	1.5
DN50xDN25	52	53	28	29	66	1.5	1.5
DN50xDN32	52	53	34	35	49.3	1.5	1.5
DN50xDN40	52	53	40	41	33	1.5	1.5
DN65xDN40	70	70	40	41	77	2	1.5
DN65xDN50	70	70	52	53	44	2	1.5
DN80xDN40	85	85	40	41	78	2	1.5
DN80xDN50	85	85	52	53	85	2	1.5
DN80xDN65	85	85	70	70	41.2	2	2
DN100xDN50	104	104	52	53	137.5	2	1.5
DN100xDN65	104	104	70	70	93.5	2	2
DN100xDN80	104	104	85	85	52.5	2	2



焊式同心大小头 / Weld Concentric Reducer							
Size	ØD		Ød		L	T	T1
DN20xDN15	22	23	18	19	7	1.5	1.5
DN25xDN15	28	29	18	19	18	1.5	1.5
DN25xDN20	28	29	22	23	11	1.5	1.5
DN32xDN20	34	35	22	23	22	1.5	1.5
DN32xDN25	34	35	28	29	11	1.5	1.5
DN40xDN20	40	41	22	23	33	1.5	1.5
DN40xDN25	40	41	28	29	22	1.5	1.5
DN40xDN32	40	41	34	35	22	1.5	1.5
DN50xDN20	52	53	22	23	27	1.5	1.5
DN50xDN25	52	53	28	29	44	1.5	1.5
DN50xDN32	52	53	34	35	33	1.5	1.5
DN50xDN40	52	53	40	41	22	1.5	1.5
DN65xDN25	70	70	28	29	73	2	1.5
DN65xDN32	70	70	34	35	62	2	1.5
DN65xDN40	70	70	40	41	51	2	1.5
DN65xDN50	70	70	52	53	29	2	1.5
DN80xDN40	85	85	40	41	78	2	1.5
DN80xDN50	85	85	52	53	56	2	1.5
DN80xDN65	85	85	70	70	27	2	2
DN100xDN50	104	104	52	53	90	2	1.5
DN100xDN65	104	104	70	70	61	2	2
DN100xDN80	104	104	85	85	34	2	2

SANITARY PIPE FITTINGS DIN SERIES

卫生级管件DIN系列



焊式变径三通 / Weld Long Reducing Tee							
Size	ØD		Ød		L	L1	T
DN15xDN10	18	19	12	13	70	35	1.5
DN20xDN15	22	23	18	19	80	40	1.5
DN25xDN15	28	29	18	19	100	50	1.5
DN25xDN20	28	29	22	23	100	50	1.5
DN32xDN25	34	35	28	29	110	55	1.5
DN40xDN25	40	41	28	29	120	60	1.5
DN40xDN32	40	41	34	35	120	60	1.5
DN50xDN25	52	53	28	29	140	70	1.5
DN50xDN32	52	53	34	35	140	70	1.5
DN50xDN40	52	53	40	41	140	70	1.5
DN65xDN25	70	70	28	29	160	80	2
DN65xDN32	70	70	34	35	160	80	2
DN65xDN40	70	70	40	41	160	80	2
DN65xDN50	70	70	52	53	160	80	2
DN80xDN25	85	85	28	29	180	90	2
DN80xDN40	85	85	40	41	180	90	2
DN80xDN50	85	85	52	53	180	90	2
DN80xDN65	85	85	70	70	180	90	2
DN100xDN25	104	104	28	29	200	100	2
DN100xDN40	104	104	40	41	200	100	2
DN100xDN50	104	104	52	53	200	100	2
DN100xDN65	104	104	70	70	200	100	2
DN100xDN80	104	104	85	85	200	100	2
DN125xDN25	129	129	28	29	375	187	2
DN125xDN40	129	129	40	41	375	187	2
DN125xDN50	129	129	52	53	375	187	2
DN125xDN65	129	129	70	70	375	187	2
DN125xDN80	129	129	85	85	375	187	2
DN125xDN100	129	129	104	104	375	187	2
DN150xDN25	154	154	28	29	450	225	2
DN150xDN40	154	154	40	41	450	225	2
DN150xDN50	154	154	52	53	450	225	2
DN150xDN79	154	154	70	70	450	225	2
DN150xDN80	154	154	85	85	450	225	2
DN150xDN100	154	154	104	104	450	225	2
DN150xDN125	154	154	129	129	450	225	2
DN200xDN65	204	204	70	70	600	300	2
DN200xDN100	204	204	104	104	600	300	2

SANITARY PIPE FITTINGS DIN SERIES

卫生级管件DIN系列





焊式变径平口三通 / Weld Long Reducing Tee Without Straight End

Size	ØD		Ød		L	L1	T	T1
DN15XDN10	18	19	12	13	70	11	1.5	1.5
DN20XDN15	22	23	18	19	80	13	1.5	1.5
DN25XDN15	28	29	18	19	100	16	1.5	1.5
DN25XDN20	28	29	22	23	100	16	1.5	1.5
DN32XDN25	34	35	28	29	110	19	1.5	1.5
DN40XDN25	40	41	28	29	120	22	1.5	1.5
DN40XDN32	40	41	34	35	120	22	1.5	1.5
DN50XDN25	52	53	28	29	140	28	1.5	1.5
DN50XDN32	52	53	34	35	140	28	1.5	1.5
DN50XDN40	52	53	40	41	140	28	1.5	1.5
DN65XDN25	70	70	28	29	160	37	2	1.5
DN65XDN40	70	70	40	41	160	37	2	1.5
DN65XDN50	70	70	52	53	160	37	2	1.5
DN80XDN25	85	85	28	29	180	44.5	2	1.5
DN80XDN40	85	85	40	41	180	44.5	2	1.5
DN80XDN50	85	85	52	53	180	44.5	2	1.5
DN80XDN65	85	85	70	70	180	44.5	2	2
DN100XDN25	104	104	28	29	200	54	2	1.5
DN100XDN40	104	104	40	41	200	54	2	1.5
DN100XDN50	104	104	52	53	200	54	2	1.5
DN100XDN65	104	104	70	70	200	54	2	2
DN100XDN80	104	104	85	85	200	54	2	2
DN125XDN25	129	129	28	29	375	66.5	2	1.5
DN125XDN40	129	129	40	41	375	66.5	2	1.5
DN125XDN50	129	129	52	53	375	66.5	2	1.5
DN125XDN65	129	129	70	70	375	66.5	2	2
DN125XDN80	129	129	85	85	375	66.5	2	2
DN125XDN100	129	129	104	104	375	66.5	2	2
DN150XDN25	154	154	28	29	450	79	2	1.5
DN150XDN40	154	154	40	41	450	79	2	1.5
DN150XDN50	154	154	52	53	450	79	2	1.5
DN150XDN79	154	154	70	70	450	79	2	2
DN150XDN80	154	154	85	85	450	79	2	2
DN150XDN100	154	154	104	104	450	79	2	2
DN150XDN125	154	154	129	129	450	79	2	2


SANITARY PIPE FITTINGS DIN SERIES

卫生级管件DIN系列

夹式等径三通 / Clamp Long Equal Tee

Size	ØD		L	T
DN10	12	13	88	1.5
DN15	18	19	106	1.5
DN20	22	23	116	1.5
DN25	28	29	143	1.5
DN32	34	35	152	1.5
DN40	40	41	162	1.5
DN50	52	53	182	1.5
DN65	70	70	202	2
DN80	85	85	222	2
DN100	104	104	242	2
DN125	129	129	430	2
DN150	154	154	506	2
DN200	204	204	656	2
DN250	254	254	806	2
DN300	304	304	806	3





焊式等径四通 / Weld Long 4 Way Equal Cross


Size	ØD		L	T
DN10	12	13	52	1.5
DN15	18	19	70	1.5
DN20	22	23	80	1.5
DN25	28	29	100	1.5
DN32	34	35	110	1.5
DN40	40	41	120	1.5
DN50	52	53	140	1.5
DN65	70	70	160	2
DN80	85	85	180	2
DN100	104	104	200	2
DN125	129	129	375	2
DN150	154	154	450	2
DN200	204	204	600	2
DN250	254	254	750	2
DN300	304	304	750	3

SANITARY PIPE FITTINGS DIN SERIES

卫生级管件DIN系列




焊式等径平口四通 / Weld Short 4 Way Equal Cross					
Size	ØD	L	L1	T	
DN10	12	52	8	1.5	
DN15	18	70	11	1.5	
DN20	22	80	13	1.5	
DN25	28	100	16	1.5	
DN32	34	110	19	1.5	
DN40	40	120	22	1.5	
DN50	52	140	28	1.5	
DN65	70	160	37	2	
DN80	85	180	44.5	2	
DN100	104	200	54	2	
DN125	129	375	66.5	2	
DN150	154	450	79	2	
DN200	204	600	104	2	
DN250	254	750	129	2	
DN300	304	750	155	3	




180°焊式U型弯头 / 180° Weld U-Type Elbow					
Size	ØD	L	H	T	
DN10	12	52	26		
DN15	18	70	35		
DN20	22	80	40		
DN25	28	100	50		1.5
DN32	34	110	55		
DN40	40	120	60		
DN50	52	140	70		
DN65	70	160	80		
DN80	85	180	90		
DN100	104	200	100		2
DN125	129	374	187		
DN150	154	450	225		
DN200	204	600	300		
DN250	254	750	375		

SANITARY PIPE FITTINGS DIN SERIES

卫生级管件DIN系列




焊式等径三通 / Weld Short Equal Tee					
Size	ØD	L	L1	T	
DN10	12	52	26		
DN15	18	70	35		
DN20	22	80	40		1.6
DN25	28	100	50		
DN32	34	110	55		
DN40	40	120	60		
DN50	52	140	70		
DN65	70	160	80		
DN80	85	180	90		
DN100	104	200	100		2
DN125	129	374	187		
DN150	154	450	225		
DN200	204	600	300		
DN250	254	750	375		
DN300	304	750	375	3	




焊式等径平口三通 / Weld Short Equal Tee					
Size	ØD	L	L1	T	
DN10	12	52	8		
DN15	18	70	11		
DN20	22	80	13		1.5
DN25	28	100	16		
DN32	34	110	19		
DN40	40	120	22		
DN50	52	140	28		
DN65	70	160	37		
DN80	85	180	44.5		
DN100	104	200	54		2
DN125	129	374	66.5		
DN150	154	450	79		
DN200	204	600	104		
DN250	254	750	129		
DN300	304	750	155	3	

SANITARY PIPE FITTINGS DIN SERIES

卫生级管件DIN系列



焊式偏心大小头(加直端) / Weld Eccentric Reducer (With Straight End)						
Size	OD	OD	L	T		
DN20XDN15	22	23	18	19	60	1.5
DN25XDN20	28	29	22	23	60	
DN32XDN20	34	35	22	23	80	
DN32XDN25	34	35	28	29	80	
DN40XDN20	40	41	22	23	102	
DN40XDN25	40	41	28	29	102	
DN40XDN32	40	41	34	35	102	
DN50XDN25	52	53	28	29	115	
DN50XDN32	52	53	34	35	115	
DN50XDN40	52	53	40	41	115	
DN65XDN25	70	71	28	29	125	2
DN65XDN32	70	71	34	35	125	
DN65XDN40	70	71	40	41	120	
DN65XDN50	70	71	52	53	120	
DN80XDN40	85	86	40	41	140	
DN80XDN50	85	86	52	53	125	
DN80XDN65	85	86	70	71	120	
DN100XDN50	104	105	52	53	160	
DN100XDN65	104	105	70	71	127	
DN100XDN80	104	105	85	86	120	
DN125XDN80	129	130	85	86	150	
DN125XDN100	129	130	104	105	150	
DN150XDN100	154	155	104	105	170	
DN150XDN125	154	155	129	130	170	




焊式同心大小头(加直端) / Weld Concentric Reducer (With Straight End)						
Size	OD	OD	L	T		
DN20XDN15	22	23	18	19	60	1.5
DN25XDN20	28	29	22	23	60	
DN32XDN20	34	35	22	23	80	
DN32XDN25	34	35	28	29	80	
DN40XDN20	40	41	22	23	102	
DN40XDN25	40	41	28	29	102	
DN40XDN32	40	41	34	35	102	
DN50XDN25	52	53	28	29	115	
DN50XDN32	52	53	34	35	115	
DN50XDN40	52	53	40	41	115	
DN65XDN25	70	71	28	29	125	2
DN65XDN32	70	71	34	35	125	
DN65XDN40	70	71	40	41	120	
DN65XDN50	70	71	52	53	120	
DN80XDN40	85	86	40	41	140	
DN80XDN50	85	86	52	53	125	
DN80XDN65	85	86	70	71	120	
DN100XDN50	104	105	52	53	160	
DN100XDN65	104	105	70	71	127	
DN100XDN80	104	105	85	86	120	
DN125XDN80	129	130	85	86	150	
DN125XDN100	129	130	104	105	150	
DN150XDN100	154	155	104	105	170	
DN150XDN125	154	155	129	130	170	
DN200XDN150	204	205	154	155	180	

SANITARY PIPE FITTINGS DIN SERIES

卫生级管件DIN系列




夹式变径三通 / Clamp Long Reducing Tee									
Size	OD	OD	L	L1	T	t			
DN15XDN10	18	19	12	13	70	35			
DN20XDN15	22	23	18	19	80	40			
DN25XDN15	28	29	18	19	100	50			
DN25XDN20	28	29	22	23	100	50			
DN32XDN25	34	35	28	29	110	55	1.5	1.5	
DN40XDN25	40	41	28	29	120	60			
DN40XDN32	40	41	34	35	120	60			
DN50XDN25	52	53	28	29	140	70			
DN50XDN32	52	53	34	35	140	70			
DN50XDN40	52	53	40	41	140	70			
DN65XDN25	70	71	28	29	160	80			
DN65XDN40	70	71	40	41	160	80			
DN65XDN50	70	71	52	53	160	80	1.5	1.5	
DN80XDN25	85	86	28	29	180	90			
DN80XDN40	85	86	40	41	180	90			
DN80XDN50	85	86	52	53	180	90			
DN80XDN65	85	86	70	71	180	90	2	2	
DN100XDN25	104	105	28	29	200	100			1.5
DN100XDN40	104	105	40	41	200	100			1.5
DN100XDN50	104	105	52	53	200	100			1.5
DN100XDN65	104	105	70	71	200	100	2	2	
DN100XDN80	104	105	85	86	200	100			2
DN125XDN25	129	130	28	29	375	187	2	2	1.5
DN125XDN40	129	130	40	41	375	187			1.5
DN125XDN50	129	130	52	53	375	187			1.5
DN125XDN65	129	130	70	71	375	187	2	2	
DN125XDN80	129	130	85	86	375	187			2
DN125XDN100	129	130	104	105	375	187			2
DN150XDN25	154	155	28	29	450	225			1.5
DN150XDN40	154	155	40	41	450	225			1.5
DN150XDN50	154	155	52	53	450	225			1.5
DN150XDN65	154	155	70	71	450	225	2	2	
DN150XDN80	154	155	85	86	450	225			2
DN150XDN100	154	155	104	105	450	225			2
DN150XDN125	154	155	129	130	450	225			2




SANITARY PIPE FITTINGS DIN SERIES

卫生级管件DIN系列




卡箍接头 / Ferrule									
Size	推荐系列		第1系列		第2系列		第3系列		
	OA	OB	OA	OB	OA	OB	OA	OB	OD L
DN10	9	12	10	12	10	13	11	14	34 18
DN15	15	18	16	18	16	19	17	20	34 18
DN20	19	22	20	22	20	23	21	24	34 18
DN25	25	28	26	28	26	29	27	30	50.5 21.5
DN32	31	34	32	34	32	35	33	36	50.5 21.5
DN40	37	40	38	40	38	41	38	42	50.5 21.5
DN50	49	52	50	52	50	53	50	54	64 21.5
DN65	66	70	66	70	66	70	66	70	91 28
DN80	81	85	81	85	81	85	81	85	106 28
DN100	100	104	100	104	100	104	100	104	119 28
DN125	125	129	125	129	125	129	125	129	144.5 28
DN125	125	129	125	129	125	129	125	129	155 28
DN150	150	154	150	154	150	154	150	154	183 28
DN200	200	204	200	204	200	204	200	204	233.5 28
DN250	250	254	250	254	250	254	250	254	270 28
DN300	300	304	300	304	300	304	300	304	319.3 28



卡箍盲板 / End Cap		
Size	OD	L
DN10	34	6.3
DN15	34	
DN20	34	
DN25	50.5	
DN32	50.5	
DN40	50.5	
DN50	64	7.9
DN65	91	
DN80	106	
DN100	119	11.1
DN125	155	
DN125	144.5	
DN150	183	
DN200	233.5	
DN250	270	

SANITARY PIPE FITTINGS ISO SERIES

卫生级管件ISO系列




06




INDEX

SANITARY PIPE FITTINGS ISO SERIES

卫生级管件ISO系列




焊式同心大小头(加直端) / Weld Concentric Reducer (With Straight End)						
Size	L	OD	OD1	T	T1	
25×19	38	25.4	19.1	1.5	1.5	
32×25	50	31.8	25.4	1.5	1.5	
38×32	50	38.1	31.8	1.5	1.5	
38×25	50	38.1	25.4	1.5	1.5	
51×38	67	50.8	38.1	1.5	1.5	
51×32	67	50.8	31.8	1.5	1.5	
51×25	67	50.8	25.4	1.5	1.5	
63×51	67	63.5	50.8	2.0	1.5	
63×38	67	63.5	38.1	2.0	1.5	
63×25	67	63.5	25.4	2.0	1.5	
76×63	67	76.2	63.5	2.0	2.0	
76×51	67	76.2	50.8	2.0	1.5	
76×38	67	76.2	38.1	2.0	1.5	
89×76	67	89	76.2	2.0	2.0	
89×63	67	89	63.5	2.0	2.0	
89×51	67	89	50.8	2.0	1.5	
102×89	87	101.6	89	2.0	2.0	
102×76	87	101.6	76.2	2.0	2.0	
102×63	87	101.6	63.5	2.0	2.0	
102×51	87	101.6	50.8	2.0	1.5	




焊式偏心大小头(加直端) / Weld Eccentric Reducer (With Straight End)						
Size	L	OD	OD1	T	T1	
25×19	38	25.4	19.1	1.5	1.5	
32×25	50	31.8	25.4	1.5	1.5	
38×32	50	38.1	31.8	1.5	1.5	
38×25	50	38.1	25.4	1.5	1.5	
51×38	67	50.8	38.1	1.5	1.5	
51×32	67	50.8	31.8	1.5	1.5	
51×25	67	50.8	25.4	1.5	1.5	
63×51	67	63.5	50.8	2.0	1.5	
63×38	67	63.5	38.1	2.0	1.5	
63×25	67	63.5	25.4	2.0	1.5	
76×63	67	76.2	63.5	2.0	2.0	
76×51	67	76.2	50.8	2.0	1.5	
76×38	67	76.2	38.1	2.0	1.5	
89×76	67	89	76.2	2.0	2.0	
89×63	67	89	63.5	2.0	2.0	
89×51	67	89	50.8	2.0	1.5	
102×89	87	101.6	89	2.0	2.0	
102×76	87	101.6	76.2	2.0	2.0	
102×63	87	101.6	63.5	2.0	2.0	
102×51	87	101.6	50.8	2.0	1.5	

SANITARY PIPE FITTINGS ISO SERIES

卫生级管件ISO系列




夹式偏心大小头 / Clamp Eccentric Reducer							
Size	OD	OD1	OK	OK1	L	T	T1
25×19	25.4	19.1	50.5	34	80	1.5	1.5
32×25	31.8	25.4	50.5	50.5	92	1.5	1.5
38×32	38.1	31.8	50.5	50.5	92	1.5	1.5
38×25	38.1	25.4	50.5	50.5	92	1.5	1.5
51×38	50.8	38.1	64	50.5	109	1.5	1.5
51×32	50.8	31.8	64	50.5	109	1.5	1.5
51×25	50.8	25.4	64	50.5	109	1.5	1.5
63×51	63.5	50.8	77.5	64	109	2.0	1.5
63×38	63.5	38.1	77.5	50.5	109	2.0	1.5
63×25	63.5	25.4	77.5	50.5	109	2.0	1.5
76×63	76.2	63.5	91	77.5	109	2.0	2.0
76×51	76.2	50.8	91	64	109	2.0	1.5
76×38	76.2	38.1	91	50.5	109	2.0	1.5
89×76	89	76.2	106	91	109	2.0	2.0
89×63	89	63.5	106	77.5	109	2.0	2.0
89×51	89	50.8	106	64	109	2.0	1.5
102×89	101.6	89	119	106	129	2.0	2.0
102×76	101.6	76.2	119	91	129	2.0	2.0
102×63	101.6	63.5	119	77.5	129	2.0	2.0
102×51	101.6	50.8	119	64	129	2.0	1.5




夹式同心大小头 / Clamp Concentric Reducer							
Size	OD	OD1	OK	OK1	L	T	T1
25×19	25.4	19.1	50.5	34	80	1.5	1.5
32×25	31.8	25.4	50.5	50.5	92	1.5	1.5
38×32	31.8	31.8	50.5	50.5	92	1.5	1.5
38×25	31.8	25.4	50.5	50.5	92	1.5	1.5
51×38	50.8	38.1	64	50.5	109	1.5	1.5
51×32	50.8	31.8	64	50.5	109	1.5	1.5
51×25	50.8	25.4	64	50.5	109	1.5	1.5
63×51	63.5	50.8	77.5	64	109	2.0	1.5
63×38	63.5	38.1	77.5	50.5	109	2.0	1.5
63×25	63.5	25.4	77.5	50.5	109	2.0	1.5
76×63	76.2	63.5	91	77.5	109	2.0	2.0
76×51	76.2	50.8	91	64	109	2.0	1.5
76×38	76.2	38.1	91	50.5	109	2.0	1.5
89×76	89	76.2	106	91	109	2.0	2.0
89×63	89	63.5	106	77.5	109	2.0	2.0
89×51	89	50.8	106	64	109	2.0	1.5
102×89	101.6	89	119	106	129	2.0	2.0
102×76	101.6	76.2	119	91	129	2.0	2.0
102×63	101.6	63.5	119	77.5	129	2.0	2.0
102×51	101.6	50.8	119	64	129	2.0	1.5

SANITARY PIPE FITTINGS ISO SERIES


卫生级管件ISO系列



焊式等径四通 / Weld 4 Way Equal Cross				
Size	ØD	L	T	
12.7	12.7	38	1.5	
19.1	19.1	57	1.5	
25	25.4	67	1.5	
32	31.8	76	1.5	
38	38.1	97	1.5	
45	45	108	1.5	
51	50.8	121	1.5	
57	57	144	2	
63	63.5	167	2	
76	76.2	177	2	
89	89	207	2	
102	101.6	254	2	



焊式变径三通 / Weld Reducing Tee						
Size	L	L1	ØD	Ød	T	T1
32×25	76	38	31.8	25.4	1.5	1.5
38×25	97	48.5	38.1	25.4	1.5	1.5
38×32	97	48.5	38.1	31.8	1.5	1.5
51×32	121	60.5	50.8	31.8	1.5	1.5
51×38	121	60.5	50.8	38.1	1.5	1.5
63×51	167	83.5	63.5	50.8	2	1.5
76×51	177	88.5	76.2	50.8	2	1.5
76×63	177	88.5	76.2	63.5	2	2
102×51	254	127	101.6	50.8	2	1.5
102×63	254	127	101.6	63.5	2	2
102×76	254	127	101.6	76.2	2	2



焊式等径平口三通 / Weld Equal Tee (Without Straight End)					
Size	ØD	L	L1	T	
25	25.4	67	14.7	1.5	
32	31.8	76	17.9	1.5	
38	38.1	97	21	1.5	
51	50.8	121	27.4	1.5	
63	63.5	167	33.8	2	
76	76.2	177	40.1	2	
89	89	207	46.5	2	
102	101.6	254	52.8	2	



90°夹式短弯头 / 90° Clamp Short Elbow					
Size	L	ØK	ØD	R	T
12.7	31.8	34	12.7	19.1	1.5
19.1	41.2	34	19.1	28.5	1.5
25	55	50.5	25.4	33.5	1.5
32	59.5	50.5	31.8	38	1.5
38	70	50.5	38.1	48.5	1.5
45	75.5	64	45	54	1.5
51	82	64	50.8	60.5	1.5
57	89.5	77.5	57	68	2
63	105	77.5	63.5	83.5	2
76	110	91	76.2	88.5	2
89	125	106	89	103.5	2
102	148.5	119	101.6	127	2
127	212	145	127	190.5	2
152	250	166.9	152	228.6	2

SANITARY PIPE FITTINGS ISO SERIES


卫生级管件ISO系列



90°焊式弯头 / 90° Weld Elbow				
Size	L	ØD	R	T
12.7	19.1	12.7	19.1	1.5
19.1	28.5	19.1	28.5	1.5
25	33.5	25.4	33.5	1.5
32	38	31.8	38	1.5
38	48.5	38.1	48.5	1.5
45	54	45	54	1.5
51	60.5	50.8	60.5	1.5
57	68	57	68	2
63	83.5	63.5	83.5	2
76	88.5	76.2	88.5	2
89	103.5	89	103.5	2
102	127	101.6	127	2
127	190.5	127	190.5	2
152	228.6	152.4	228.6	2



45°焊式短弯头 / 45° Weld Short Elbow				
Size	L	ØD	R	T
12.7	7.9	12.7	19.1	1.5
19.1	11.8	19.1	28.5	1.5
25	13.9	25.4	33.5	1.5
32	15.7	31.8	38	1.5
38	20.1	38.1	48.5	1.5
45	23.8	45	54	1.5
51	25.1	50.8	60.5	1.5
57	28.1	57	68	2
63	34.6	63.5	83.5	2
76	36.7	76.2	88.5	2
89	42.9	89	103.5	2
102	52.6	101.6	127	2



45°夹式弯头 / 45° Tri Clamp Elbow					
Size	L	ØD	ØK	R	T
12.7	20.6	12.7	34	19.1	1.5
19.1	24.5	19.1	34	28.5	1.5
25	26.6	25.4	50.5	33.5	1.5
32	28.4	31.8	50.5	38	1.5
38	32.8	38.1	50.5	48.5	1.5
45	36.5	45	64	54	1.5
51	37.8	50.8	64	60.5	1.5
63	47.3	63.5	77.5	83.5	2
76	49.4	76.2	91	88.5	2
89	55.6	89	106	103.5	2
102	68.4	101.6	119	127	2

SANITARY PIPE FITTINGS ISO SERIES


卫生级管件ISO系列



45°焊式长弯头 / 45° Weld Long Elbow					
Size	L	L1	OD	R	T
25	30.2	16.3	25.4	33.5	1.5
38	41.3	21.2	38.1	48.5	1.5
51	58.7	33.6	50.8	60.5	1.5
63	76.2	41.6	63.5	83.5	2
76	93.7	57	76.2	88.5	2
102	122.2	69.6	101.6	127	2



焊式等径三通 / Weld Equal Tee				
Size	OD	L	L1	T
12.7	12.7	38.2	19.1	1.5
19.1	19.1	57	28.5	1.5
25	25.4	67	33.5	1.5
32	31.8	76	38	1.5
38	38.1	97	48.5	1.5
45	45	108	54	1.5
51	50.8	121	60.5	1.5
57	57	136	68	2
63	63.5	167	83.5	2
76	76.2	177	88.5	2
89	89	207	103.5	2
102	101.6	254	127	2




夹式等径三通 / Clamp Equal Tee					
Size	OD	OK	L	L1	T
25	25.4	50.5	110	55	1.5
32	31.8	50.5	119	59.5	1.5
38	38.1	50.5	140	70	1.5
51	50.8	64	164	82	1.5
63	63.5	77.5	210	105	2
76	76.2	91	220	110	2
89	89	106	252	126	2
102	101.6	119	297	148.5	2




SANITARY PIPE FITTINGS ISO SERIES

卫生级管件ISO系列




14AMP卡箍接头 / ISO1127 14AMP Ferrule				
DN	OA	OB	OD	L
8	10.3	13.5	34.0	28.6
12	14.0	17.2	34.0	
15	18.1	21.3	34.0	
20	23.7	26.9	50.5	
25	30.5	33.7	50.5	
32	39.2	42.4	50.5	
40	45.1	48.3	64.0	
50	56.3	60.3	77.5	
65	72.1	76.1	91.0	
80	84.9	88.9	106.0	
100	109.1	114.3	130.0	
125	133.7	139.7	155.0	
150	162.3	168.3	183.0	
200	211.1	219.1	233.5	



14AMP卡箍接头 / ISO2037 14AMP Ferrule				
DN	OA	OB	OD	L
19	16	19	34.0	28.6
25	22.4	25.4	50.5	
32	29	32	50.5	
38	35.1	38.1	50.5	
45	41	45	64.0	
48	45	48	64.0	
51	47.8	50.8	64.0	
57	53	57	77.5	
63	59.5	63.5	77.5	
76	72.2	76.2	91.0	
80	81	85	106.0	
89	85	89	106.0	
102	97.6	101.6	130.0	
108	104	108	130.0	
133	127	133	155.0	
159	153	159	183.0	
219	211	219	233.5	

SANITARY PIPE FITTINGS ISO SERIES
卫生级管件ISO系列



卡箍盲板 / End Cap		
DN	ØA	L
8-15	34.0	6.3
20	50.5	
25	50.5	
32	50.5	
40	64.0	
50	77.5	
65	91.0	7.9
80	106.0	
100	130.0	
125	155.0	11.1
150	183.0	
200	233.5	



**SANITARY
PIPE FITTINGS
SMS SERIES**
卫生级管件SMS系列



07



INDEX

SANITARY PIPE FITTINGS SMS SERIES

卫生级管件SMS系列




90°焊式短弯头 / 90° Weld Short Elbow				
Size	ØD	L	R	T
25	25.4	38.1	38.1	1.25
32	31.8	47.7	47.7	1.25
38	38.1	57.2	57.2	1.25
51	50.8	76.2	76.2	1.25
63.5	63.5	95.3	95.3	1.6
76	76.2	114.3	114.3	1.6
101.6	101.6	152.4	152.4	2
104	104	152.4	152.4	2



90°焊式长弯头 / 90° Weld Long Elbow						
Size	ØD	L	R=1D		R=1.5D	
			L	R	L	T
25	25.4	55	25.4	52.4	38.1	1.25
32	31.8	64	31.8	64	47.7	1.25
38	38.1	70	38.1	74.6	57.2	1.25
51	50.8	82	50.5	103.2	76.2	1.25
63.5	63.5	105	63.5	131.8	95.3	1.6
76	76.2	110	76.2	160.3	114.3	1.6
101.6	101.6	150	101.6	211.1	152.4	2
104	104	150	101.6	211.1	152.4	2




45°焊式长弯头 / 45° Weld Long Elbow				
Size	ØD	L	R	T
25	25.4	30.2	38.1	1.25
32	31.8	35.8	47.7	1.25
38	38.1	41.3	57.2	1.25
51	50.8	58.7	76.2	1.25
63.5	63.5	76.2	95.3	1.6
76	76.2	93.7	114.3	1.6
101.6	101.6	122.2	152.4	2
104	104	122.2	152.4	2




夹式等径三通 / Clamp Equal Tee			
Size	ØD	L	T
25	25.4	135.4	1.25
32	31.8	135.4	1.25
38	38.1	165.4	1.25
51	50.8	189.4	1.25
63.5	63.5	235.4	1.6
76	76.2	245.4	1.6
104	101.6	331.6	2

SANITARY PIPE FITTINGS SMS SERIES


卫生级管件SMS系列




焊式等径三通 / Weld Equal Tee			
Size	ØD	L	T
25	25.4	110	1.25
38	38.1	140	1.25
51	50.8	164	1.25
63.5	63.5	210	1.5
76	76.2	220	1.6
101.6	101.6	300	2



焊式等径平口三通 / Weld Equal Tee (Without Straight End)				
Size	ØD	L	L1	T
25	25.4	110	14.7	1.25
38	38.1	140	21	1.25
51	50.8	164	27.5	1.25
63.5	63.5	210	33.8	1.5
76	76.2	220	40.1	1.6
101.6	101.6	300	52.8	2




焊式变径平口三通 / Weld Equal Tee (Without Straight End)					
Size	ØD	Ød	L	L1	T
38X25	38.1	25.4	140	21	1.25
51X25	50.8	25.4	164	27.5	1.25
51X38	50.8	38.1	164	27.5	1.25
63.5X25	63.5	25.4	210	33.8	1.5
63.5X38	63.5	38.1	210	33.8	1.5
63.5X51	63.5	50.8	210	33.8	1.5
76X25	76.2	25.4	220	40.1	1.6
76X38	76.2	38.1	220	40.1	1.6
76X51	76.2	50.8	220	40.1	1.6
76X63.5	76.2	63.5	220	40.1	1.6
104X25	104	25.4	300	52.8	2
104X38	104	38.1	300	52.8	2
104X51	104	50.8	300	52.8	2
104X63.5	104	63.5	300	52.8	2
104X76	104	76.2	300	52.8	2



焊式等径平口四通 / Weld 4 Way Equal Cross (Without Straight End)				
Size	ØD	L	L1	T
25	25.4	110	14.7	1.25
38	38.1	140	21	1.25
51	50.8	164	27.5	1.25
63.5	63.5	210	33.8	1.5
76	76.2	220	40.1	1.6
101.6	101.6	300	52.8	2

SANITARY PIPE FITTINGS SMS SERIES


卫生级管件SMS系列



焊式偏心大小头(加直端) / Weld Eccentric Reducer (With Straight End)						
Size	ØD	Ød	L	T	T1	
38X25	38.1	25.4	46	1.25	1.25	
51X25	50.8	25.4	68	1.25	1.25	
51X38	50.8	38.1	47	1.25	1.25	
63.5X25	63.5	25.4	92	1.5	1.25	
63.5X38	63.5	38.1	70	1.5	1.25	
63.5X51	63.5	50.8	44	1.5	1.25	
76X38	76.2	38.1	92	1.6	1.25	
76X51	76.2	50.8	68	1.6	1.25	
76X63.5	76.2	63.5	47	1.6	1.5	
101.6X51	101.6	50.8	117	2	1.25	
101.6X63.5	101.6	63.5	94	2	1.5	
101.6X76	101.6	76.2	74	2	1.6	



焊式同心大小头(加直端) / Weld Concentric Reducer (With Straight End)						
Size	ØD	Ød	L	T	T1	
38X25	38.1	25.4	46	1.25	1.25	
51X25	50.8	25.4	68	1.25	1.25	
51X38	50.8	38.1	47	1.25	1.25	
63.5X25	63.5	25.4	92	1.5	1.25	
63.5X38	63.5	38.1	70	1.5	1.25	
63.5X51	63.5	50.8	44	1.5	1.25	
76X38	76.2	38.1	92	1.6	1.25	
76X51	76.2	50.8	68	1.6	1.25	
76X63.5	76.2	63.5	47	1.6	1.5	
101.6X38	101.6	38.1	117	2	1.6	
101.6X51	101.6	50.8	117	2	1.25	
101.6X63.5	101.6	63.5	94	2	1.5	
101.6X76	101.6	76.2	74	2	1.6	



夹式同心大小头 / Clamp Concentric Reducer						
Size	ØD	Ød	L	T	T1	
38X25	38.1	25.4	64.4	1.25	1.25	
51X25	50.8	25.4	82.4	1.25	1.25	
51X38	50.8	38.1	64.4	1.25	1.25	
63.5X25	63.5	25.4	99.4	1.5	1.25	
63.5X38	63.5	38.1	82.4	1.5	1.25	
63.5X51	63.5	50.8	64.4	1.5	1.25	
76X38	76.2	38.1	99.4	1.6	1.25	
76X51	76.2	50.8	82.4	1.6	1.25	
76X63.5	76.2	63.5	64.4	1.6	1.5	
101.6X51	101.6	50.8	123.5	2	1.25	
101.6X63.5	101.6	63.5	106.5	2	1.5	
101.6X76	101.6	76.2	88.5	2	1.6	

SANITARY PIPE FITTINGS SMS SERIES

卫生级管件SMS系列



45°焊式短弯头 / 45° Weld Short Elbow					
Size	ØD	L	R	T	
25	25.4	15.8	38.1		
32	31.8	19.8	47.7		1.25
38	38.1	23.7	57.2		
51	50.8	31.6	76.2		
63.5	63.5	39.5	95.3		1.6
76	76.2	47.3	114.3		
101.6	101.6	63.1	152.4		2
104	104	63.1	152.4		




45°夹式弯头 / 45° Clamp Elbow							
Size	ØD	ØK	L	L1	R	T	
25	25.4	50.5	28.5	12.7	38.1		
32	31.8	50.5	32.5	12.7	47.7		1.25
38	38.1	50.5	36.4	12.7	57.2		
51	50.8	64	44.3	12.7	76.2		
63.5	63.5	77.5	52.2	12.7	95.3		1.6
76	76.2	91	60	12.7	114.3		
101.6	101.6	119	78.9	15.8	152.4		2
104	104	119	78.9	15.8	152.4		



90°夹式弯头 / 90° Clamp Elbow							
Size	ØD	ØK	L	L1	R	T	
25	25.4	50.5	50.8	12.7	38.1		
32	31.8	50.5	60.4	12.7	47.7		1.25
38	38.1	50.5	69.9	12.7	57.2		
51	50.8	64	88.9	12.7	76.2		
63.5	63.5	77.5	108	12.7	95.3		1.6
76	76.2	91	127	12.7	114.3		
101.6	101.6	119	168.2	15.8	152.4		2
104	104	119	168.2	15.8	152.4		

SANITARY PIPE FITTINGS SMS SERIES
卫生级管件**SMS**系列



卡箍接头 / Ferrule								
Size	QA			L				
系列II	系列III	ØB	ØD	系列II	系列III	系列III		
12.7	9.7	10.2	12.7	25.2	12.7	21.5	28.6	
19	16.1	16.6	19.1	25.2	12.7	21.5	28.6	
25	22.4	22.9	25.4	50.5	12.7	21.5	28.6	
38	35.1	35.6	38.1	50.5	12.7	21.5	28.6	
51	47.8	48.3	50.8	64	12.7	21.5	28.6	
63	59.5	60.5	63.5	77.5	12.7	21.5	28.6	
76	72.2	73	76.2	91	12.7	21.5	28.6	
102	97.6	97.6	101.6	119	15.8	21.5	28.6	



**HOSE
BARB ADAPTER
3A SERIES**
软管接头3A系列



08




INDEX

HOSE BARB ADAPTER 3A SERIES 软管接头3A系列



卡箍式90°软管接头 / 90° Clamp Hose Barb Adapter						
Size	ØD	ØA	ØB	L	H	
3/8"	25.2	50.5	64	6.7	10	39.8
1/2"	25.2	50.5	64	9.7	12.7	31.8
5/8"	25.2	50.5	64	11	14	35
5/8"	25.2	50.5	64	13	16	40
3/4"	25.2	50.5	64	16	19.1	41.3
7/8"	50.5	64	19	22	52.7	72.1
1"	50.5	64	21.4	25.4	50.8	58.8 70.2 84.4
1.25"	50.5	64	27.8	31.8	50.7	79.4
1.5"	50.5	64	34.1	38.1	61.2	89.9
2"	64	77.5	46.8	50.8	82	101.8



卡箍式软管接头 / Clamp Hose Barb Adapter					
Size	ØD	ØA	ØB	L	
1/8"	25.2	50.5	1.5	3	35.5
1/4"	25.2	50.5	3	6	35.5
5/16"	25.2	50.5	5	8	54
3/8"	25.2	50.5	6.7	10	54
1/2"	25.2	50.5	9.7	12.7	54
5/8"	25.2	50.5	13	16	54
3/4"	25.2	50.5	16	19.1	54
7/8"	50.5	64	19	22	54
1"	50.5	64	21.4	25.4	54 101.6
1.5"	50.5	64	34.1	38.1	54 101.6
2"	64	77.5	46.8	50.8	101.6
2.5"	77.5	91	59.5	63.5	80
3"	91	72.2	76.2	80	



THREAD ADAPTER 螺纹接头



快装NPT外丝 / Clamp NPT outer wire				
Size	ØA	ØD	L	NPT
1/2"NPT1/8"	25.2	5	30	1/8"
1/2"NPT1/4"	25.2	8	35	1/4"
1/2"NPT1/2"	25.2	9.4	45	1/2"
3/4"NPT3/8"	25.2	11	35	3/8"
3/4"NPT1/2"	25.2	15	47	1/2"
3/4"NPT3/4"	25.2	15.8	44	3/4"
1"NPT1.5"	50.5	22	50	1.5"
1.5"NPT1/4"	50.5	8	35	1/4"
1.5"NPT3/8"	50.5	11	35	3/8"
1.5"NPT1/2"	50.5	15	35	1/2"
1.5"NPT3/4"	50.5	15.8	44	3/4"
1.5"NPT1"	50.5	22	50	1"
1.5"NPT1.25"	50.5	28.5	50	1.25"
1.5"NPT1.5"	50.5	34.8	50	1.5"
1.5"NPT2"	50.5	34.8	50	2"
2"NPT3/8"	64	11	35	3/8"
2"NPT1/2"	64	15	35	1/2"
2"NPT3/4"	64	15.8	44	3/4"
2"NPT1"	64	22	50	1"
2"NPT1.5"	64	34.8	50	1.5"
2"NPT2"	64	47.6	55	2"
2.5"NPT2.5"	77.5	60.2	55	2.5"
3"NPT1/2"	91	15	35	1/2"
3"NPT1"	91	22	50	1"
3"NPT1.5"	91	34.8	50	1.5"
3"NPT3"	91	72.9	60	3"



螺纹接头



快装NPT内丝 / Clamp NPT Endoflament				
Size	QA	QD	L	NPT
1/2" NPT1/4"	25.2	11.2	30	1/4"
1/2" NPT1/2"	25.2	9.4	35	1/2"
3/4" NPT1/2"	25.2	15.8	42	1/2"
3/4" NPT3/4"	25.2	15.8	40	3/4"
1.5" NPT1/4"	50.5	11.2	30	1/4"
1.5" NPT3/8"	50.5	14	30	3/8"
1.5" NPT1/2"	50.5	16	30	1/2"
1.5" NPT3/4"	50.5	16	40	3/4"
1.5" NPT1"	50.5	22	40	1"
1.5" NPT1.25"	50.5	28.5	40	1.25"
1.5" NPT1.5"	50.5	34.8	45	1.5"
1.5" NPT2"	50.5	34.8	45	2"
1.5" NPT2.5"	50.5	35	60	2.5"
2" NPT1/4"	64	11.2	31	1/4"
2" NPT1/2"	64	16	35	1/2"
2" NPT3/4"	64	16	40	3/4"
2" NPT1"	64	22	40	1"
2" NPT1.5"	64	34.8	45	1.5"
2" NPT2"	64	47.6	45	2"
3" NPT1/2"	91	16	30	1/2"
3" NPT1"	91	22	40	1"
3" NPT3"	91	35	60	3"

尺寸较多, 仅只列出部分, 具体要求可详阅


SANITARY UNION SERIES

卫生级由任系列


09




SANITARY UNION SERIES 卫生级由任系列




3A短型螺纹接头 / 3A Short Male					
Size	ØA	ØB	ØG		H
1"	22.1	25.4	37.13*8TPI ACME		18.3
1.5"	34.8	38.1	50.65*8TPI ACME		18.3
2"	47.5	50.8	64.16*8TPI ACME		19.1
2.5"	60.2	63.5	77.67*8TPI ACME		22.3
3"	72.9	76.2	91.19*8TPI ACME		23.1
4"	97.6	101.6	119.25*6TPI ACME		26.2



3A短型平接头 / 3A Short Liner					
Size	ØA	ØB	ØD		H
1"	22.1	25.4	33.3		18.3
1.5"	34.8	38.1	46.8		18.3
2"	47.5	50.8	60.3		19.1
2.5"	60.2	63.5	73.8		22.3
3"	72.9	76.2	87.3		23.1
4"	97.6	101.6	114.3		26.2




3A堵板 / 3A End Cap				
Size	ØA	ØB		H
1"	29.5	33.3		11.9
1.5"	42.6	46.8		14.3
2"	55.7	60.3		15.9
2.5"	68.8	73.8		16.7
3"	81.9	87.3		18.3
4"	108.1	114.3		20.6




3A圆螺母 / 3A Round Nut					
Size	ØA	G	ØD		H
1"	30.3	38.02*8TPI ACME	46		23
1.5"	43.4	51.54*8TPI ACME	61.1		24.6
2"	56.5	65.05*8TPI ACME	76.2		27
2.5"	69.6	78.56*8TPI ACME	91.3		29.6
3"	82.7	92.08*8TPI ACME	106.4		32.5
4"	108.9	120.14*6TPI ACME	137.6		38.1

SANITARY UNION SERIES 卫生级由任系列




3A长型螺纹接头 / 3A Long Male					
Size	ØA	ØB	G		H
1"	22.1	25.4	37.13*8TPI ACME		34.9
1.5"	34.8	38.1	50.65*8TPI ACME		38.1
2"	47.5	50.8	64.16*8TPI ACME		38.1
2.5"	60.2	63.5	77.67*8TPI ACME		44.5
3"	72.9	76.2	91.19*8TPI ACME		44.5
4"	97.6	101.6	119.25*6TPI ACME		44.5



3A长型平接头 / 3A Long Liner					
Size	ØA	ØB	ØD		H
1"	22.1	25.4	33.3		34.9
1.5"	34.8	38.1	46.8		38.1
2"	47.5	50.8	60.3		38.1
2.5"	60.2	63.5	73.8		44.5
3"	72.9	76.2	87.3		44.5
4"	97.6	101.6	114.3		44.5




3A六角螺母 / 3A Hexagon Nut					
Size	ØA	G	ØD		H
1"	30.3	38.02*8TPI ACME	53		23
1.5"	43.4	51.54*8TPI ACME	70.6		24.6
2"	56.5	65.05*8TPI ACME	88		27
2.5"	69.6	78.56*8TPI ACME	105.5		29.6
3"	82.7	92.08*8TPI ACME	122.9		32.5
4"	108.9	120.14*6TPI ACME	158.9		38.1




3A六角盲螺母 / 3A Hexagon Blank Nut			
Size	G	ØD	H
1"	38.02*8TPI ACME	52	23
1.5"	51.54*8TPI ACME	70.6	24.6
2"	65.05*8TPI ACME	88	27
2.5"	78.56*8TPI ACME	105.5	29.6
3"	92.08*8TPI ACME	122.9	32.5
4"	120.14*6TPI ACME	158.9	38.1

SANITARY UNION SERIES

卫生级由任系列



3A扩展螺纹接头 / 3A Expand Male					
Size	ØA	ØB	G	H	
1"	25.5	29.5	37.13*8TPI ACME	20.6	
1.5"	38.2	42.6	50.65*8TPI ACME	28.6	
2"	50.9	55.7	64.16*8TPI ACME	34.9	
2.5"	63.6	68.8	77.67*8TPI ACME	38.1	
3"	76.3	81.9	91.19*8TPI ACME	41.3	
4"	101.7	108.1	119.25*6TPI ACME	41.3	



3A扩展平接头 / 3A Expand Liner					
Size	ØA	ØB	ØD	H	
1"	25.5	29.5	33.3	19.1	
1.5"	38.2	42.6	46.8	28.6	
2"	50.9	55.7	60.3	33.3	
2.5"	63.6	68.8	73.8	34.9	
3"	76.3	81.9	87.3	36.5	
4"	101.7	108.1	114.3	38.1	




SANITARY UNION SERIES


卫生级由任系列



DIN 11864-1 14A 无菌型平接头 / DIN11864-1 14A Aseptic Liner					
Size	ØA	ØB	ØD	H	
DN10	10	13	21.9	39	
DN15	16	19	27.9	39	
DN20	20	23	35.9	38	
DN25	26	29	42.9	40	
DN32	32	33	46.9	47	
DN40	38	41	54.9	47	
DN50	50	53	66.9	48	
DN65	66	70	84.9	61	
DN80	81	85	98.9	61	
DN100	100	104	118.9	66	




DIN 11864-1 15A 无菌型螺纹接头 / DIN11864-1 15A Aseptic Male					
Size	ØA	ØB	G	H	
DN10	10	13	Ø27.5 RD28*1/8	41	
DN15	16	19	Ø33.5 RD34*1/8	41	
DN20	20	23	Ø43.5 RD44*1/6	43	
DN25	26	29	Ø51.5 RD52*1/6	43	
DN32	32	35	Ø57.5 RD58*1/6	48	
DN40	38	41	Ø64.5 RD65*1/6	48	
DN50	50	53	Ø77.5 RD78*1/6	48	
DN65	66	70	Ø94.5 RD95*1/6	60	
DN80	81	85	Ø109.5 RD110*1/4	64	
DN100	100	104	Ø129.5 RD130*1/4	64	




DIN 11864-1 16A 无菌型盲平接头 / DIN11864-1 16A Aseptic Bland Liner					
Size	ØA	ØD	H		
DN10	18	21.9	9		
DN15	24	27.9	9		
DN20	30	35.9	10		
DN25	35	42.9	12		
DN32	41	48.9	13		
DN40	48	54.9	13		
DN50	61	66.9	14		
DN65	79	84.9	16		
DN80	93	98.9	16		
DN100	114	118.9	20		

SANITARY UNION SERIES


卫生级由任系列



DIN 英制-14A无菌平接头 / DIN-14A Aseptic Liner				
Size	ØA	ØB	ØD	H
1/2"	9.4	12.7	21.9	39
3/4"	15.8	19.1	27.9	39
1.0"	22.1	25.4	42.9	40
1.5"	34.8	38.1	54.9	46.5
2.0"	47.5	50.8	66.9	47.5
2.5"	60.2	63.5	84.9	63
3.0"	72.9	76.2	98.9	61
4.0"	97.4	101.6	118.9	65




DIN 英制-15A无菌型螺纹接头 / DIN-15A Aseptic Liner				
Size	ØA	ØB	G	H
1/2"	9.4	12.7	Ø27.5 RD28*1/8	41
3/4"	15.8	19.1	Ø33.5 RD34*1/8	41
1.0"	22.1	25.4	Ø51.5 RD52*1/6	43
1.5"	34.8	38.1	Ø64.5 RD65*1/6	48.5
2.0"	47.5	50.8	Ø77.5 RD78*1/6	48.5
2.5"	60.2	63.5	Ø94.5 RD95*1/6	60
3.0"	72.9	76.2	Ø109.5 RD110*1/4	64
4.0"	97.4	101.6	Ø129.5 RD130*1/4	64




DIN 英制-16A无菌型盲平接头 / DIN-16A Aseptic Blind Liner			
Size	ØA	ØD	H
1/2"	18	21.9	9
3/4"	24	27.9	9
1.0"	35	42.9	12
1.5"	48	54.9	13
2.0"	61	66.9	14
2.5"	79	84.9	16
3.0"	93	98.9	16
4.0"	114	118.9	20

SANITARY UNION SERIES


卫生级由任系列



DIN 英制-16无菌型螺纹盲板 / DIN-16 Aseptic Male Thread Blind Cap			
Size	ØA	G	H
1/2"	20	Ø27.5 RD28*1/8	24
3/4"	26	Ø33.5 RD34*1/8	24
1.0"	43	Ø51.5 RD52*1/6	24
1.5"	55	Ø64.5 RD65*1/6	24
2.0"	69	Ø77.5 RD78*1/6	24
2.5"	84	Ø94.5 RD95*1/6	28
3.0"	96	Ø109.5 RD110*1/4	28
4.0"	116	Ø129.5 RD130*1/4	30




DIN 14DC长厚台阶型平接头 / DIN 14DC Weld Liner				
Size	ØA	ØB	ØD	H
DN10	10	15	22.5	17
DN15	16	21	28.5	17
DN20	20	25	36.5	18
DN25	26	31	44	22
DN32	32	37	50	25
DN40	38	43	56	26
DN50	50	55	68	28
DN65	66	72	86	32
DN80	81	87	100	37
DN100	100	106	121	44
DN125	125	132	150	34
DN150	150	157	176	37




DIN 15DC长厚型螺纹接头 / DIN 15DC Weld Male				
Size	ØA	ØB	G	H
DN10	10	15	Ø27.5 RD28*1/8	21
DN15	16	21	Ø33.5 RD34*1/8	21
DN20	20	25	Ø43.5 RD44*1/6	24
DN25	26	31	Ø51.5 RD52*1/6	29
DN32	32	37	Ø57.5 RD58*1/6	32
DN40	38	43	Ø64.5 RD65*1/6	33
DN50	50	55	Ø77.5 RD78*1/6	35
DN65	66	72	Ø94.5 RD95*1/6	40
DN80	81	87	Ø109.5 RD110*1/4	45
DN100	100	106	Ø129.5 RD130*1/4	54
DN125	125	132	Ø159.3 RD160*1/4	46
DN150	150	157	Ø189.3 RD190*1/4	50

SANITARY UNION SERIES


卫生级由任系列



DIN 14R扩展式平推头 / DIN 14R Expand Liner				
Size	ØA	ØB	ØD	H
DN10	10	18	22.5	17
DN15	16	24	28.5	17
DN20	20	30	36.5	18
DN25	26	35	44	22
DN32	32	41	50	25
DN40	38	48	56	26
DN50	50	61	68	28
DN65	66	79	86	32
DN80	81	93	100	37
DN100	100	114	121	44




DIN 15R扩展式螺纹接头 / DIN 15R Expand Male				
Size	ØA	ØB	G	H
DN10	12.2	18	Ø27.5 RD28*1/8	21
DN15	18.2	24	Ø33.5 RD34*1/8	21
DN20	22.2	30	Ø43.5 RD44*1/6	24
DN25	28.2	35	Ø51.5 RD52*1/6	29
DN32	34.2	41	Ø57.5 RD58*1/6	32
DN40	40.2	48	Ø64.5 RD65*1/6	33
DN50	52.2	61	Ø77.5 RD78*1/6	35
DN65	70.3	79	Ø94.5 RD95*1/6	40
DN80	85.3	93	Ø109.5 RD110*1/4	45
DN100	104.3	114	Ø129.5 RD130*1/4	54
DN125	129.3	137	Ø159.3 RD160*1/4	46
DN150	154.3	163	Ø189.3 RD190*1/4	50




DIN 15T加厚型螺纹接头 / DIN 15T Weld Male				
Size	ØA	ØB	G	H
DN10	10	18	Ø27.5 RD28*1/8	21
DN15	16	24	Ø33.5 RD34*1/8	21
DN20	20	30	Ø43.5 RD44*1/6	24
DN25	26	35	Ø51.5 RD52*1/6	29
DN32	32	41	Ø57.5 RD58*1/6	32
DN40	38	48	Ø64.5 RD65*1/6	33
DN50	50	61	Ø77.5 RD78*1/6	35
DN65	66	79	Ø94.5 RD95*1/6	40
DN80	81	93	Ø109.5 RD110*1/4	45
DN100	100	114	Ø129.5 RD130*1/4	54
DN125	125	137	Ø159.3 RD160*1/4	46
DN150	150	163	Ø189.3 RD190*1/4	50

SANITARY UNION SERIES


卫生级由任系列



DIN 14T加厚型平推头 / DIN 14T Weld Liner				
Size	ØA	ØB	ØD	H
DN10	10	18	22.5	17
DN15	16	24	28.5	17
DN20	20	30	36.5	18
DN25	26	35	44	22
DN32	32	41	50	25
DN40	38	48	56	26
DN50	50	61	68	28
DN65	66	79	86	32
DN80	81	93	100	37
DN100	100	114	121	44
DN125	125	137	150	34
DN150	150	163	176	37




DIN 14DA/14DB长型台阶型平推头 / DIN 14DA/14DB Long Stepped Liner				
Size	ØA	ØB	ØD	H
DN10	9	10	12	22.5
DN15	15	16	18	28.5
DN20	19	20	22	36.5
DN25	25	26	28	44
DN32	31	32	34	50
DN40	37	38	40	56
DN50	49	50	52	68
DN65	66	70	86	32
DN80	81	85	100	37
DN100	100	104	121	44
DN125	125	129	150	34
DN150	150	154	176	37




DIN 15DA/15DB长型螺纹接头 / DIN 15DA/15DB Long Male				
Size	ØA	ØB	G	H
DN10	9	10	12	22.5
DN15	15	16	18	28.5
DN20	19	20	22	36.5
DN25	25	26	28	44
DN32	31	32	34	50
DN40	37	38	40	56
DN50	49	50	52	68
DN65	66	70	86	32
DN80	81	85	100	37
DN100	100	104	121	44
DN125	125	129	150	34
DN150	150	154	176	37

SANITARY UNION SERIES

卫生级由任系列



DIN 14S 短型平接头 / DIN 14S Short Liner					
Size	ØA	ØB	ØD	H	
DN10	9	10	12	13	22.5
DN15	15	16	18	19	28.5
DN20	19	20	22	23	36.5
DN25	25	26	28	29	44
DN32	31	32	34	35	50
DN40	37	38	40	41	56
DN50	49	50	52	53	68
DN65	66	66	70	70	86
DN80	81	81	85	85	100
DN100	100	100	104	104	121
DN125	125	125	129	129	150
DN150	150	150	154	154	176




DIN 15S 短型螺纹接头 / DIN 15S Short Male					
Size	ØA	ØB	G	H	
DN10	9	12	Ø27.5 RD28*1/8	17	
DN15	15	18	Ø33.5 RD34*1/8	17	
DN20	19	22	Ø43.5 RD44*1/6	19	
DN25	25	28	Ø51.5 RD52*1/6	22	
DN32	31	34	Ø57.5 RD58*1/6	22	
DN40	37	40	Ø64.5 RD65*1/6	22	
DN50	49	52	Ø77.5 RD78*1/6	23	
DN65	66	70	Ø94.5 RD95*1/6	25	
DN80	81	85	Ø109.5 RD110*1/4	25	
DN100	100	104	Ø129.5 RD130*1/4	30	
DN125	125	129	Ø159.3 RD160*1/4	35.5	
DN150	150	154	Ø189.3 RD190*1/4	40	





DIN 14B 盲平接头 / DIN 14B End Cap			
Size	ØA	ØD	H
DN10	18	22.5	9
DN15	24	28.5	9
DN20	30	36.5	11
DN25	35	44	13
DN32	41	50	13
DN40	48	56	13
DN50	61	68	14
DN65	79	86	16
DN80	93	100	16
DN100	114	121	20
DN125	137	150	22
DN150	163	176	24

SANITARY UNION SERIES

卫生级由任系列



DIN 15I 英制螺纹接头 / DIN 15I Male					
Size	ØA	ØB	G	H	
1.0"	22.1	25.4	Ø51.5 RD52*1/6	29	
1.25"	28.5	31.8	Ø57.5 RD58*1/6	32	
1.5"	34.8	38.1	Ø64.5 RD65*1/6	33	
2.0"	47.5	50.8	Ø77.5 RD78*1/6	34	
2.5"	60.2	63.5	Ø94.5 RD95*1/6	40	
3.0"	72.9	76.2	Ø109.5 RD110*1/4	45	
4.0"	97.6	101.6	Ø129.5 RD130*1/4	54	



DIN 14I 英制平接头 / DIN 14I Liner					
Size	ØA	ØB	ØD	H	
1.0"	22.1	25.4	44	22	
1.25"	28.5	31.8	50	25	
1.5"	34.8	38.1	56	26	
2.0"	47.5	50.8	68	28	
2.5"	60.2	63.5	86	32	
3.0"	72.9	76.2	100	37	
4.0"	97.6	101.6	121	44	




SANITARY UNION SERIES 卫生级由任系列



DIN 13RBN圆形盲螺母 / DIN Round Blind Nut With Chain			
Size	ØD	G	H
DN10	38	RD28*1/8	18
DN15	44	RD34*1/8	18
DN20	54	RD44*1/6	21
DN25	63	RD52*1/6	21
DN32	70	RD58*1/6	21
DN40	78	RD65*1/6	21
DN50	92	RD78*1/6	22
DN65	112	RD95*1/6	25
DN80	127	RD110*1/4	30
DN100	148	RD130*1/4	31
DN125	178	RD160*1/4	35
DN150	210	RD190*1/4	40




DIN 13R圆螺母 / DIN 13R Round nut			
Size	ØA	ØD	H
DN10	19	38	RD28*1/8
DN15	25	44	RD34*1/8
DN20	31	54	RD44*1/6
DN25	36	63	RD52*1/6
DN32	42	70	RD58*1/6
DN40	49	78	RD65*1/6
DN50	62	92	RD78*1/6
DN65	80	112	RD95*1/6
DN80	94	127	RD110*1/4
DN100	115	148	RD130*1/4
DN125	138	178	RD160*1/4
DN150	164	210	RD190*1/4



DIN 13SR由任垫圈 / DIN 13SR Seal Ring			
Size	ØA	ØB	H
DN10	12	20	4.5
DN15	18	26	
DN20	23	33	
DN25	30	40	
DN32	36	46	5
DN40	42	52	
DN50	54	64	
DN65	71	81	
DN80	85	95	7
DN100	104	114	
DN125	130	142	
DN150	155	167	

SANITARY UNION SERIES 卫生级由任系列




DIN无菌O型圈 / DIN Aseptic O-Ring			ISO无菌O型圈 / ISO Aseptic O-Ring			英制无菌O型圈 / British Standard Aseptic O-Ring		
Size	ØD	S	Size	ØD	S	Size	ØD	S
DN10	12	3.5	13.5	12	3.5	1/2"	12	3.5
DN15	18		17.2	16		3/4"	18	
DN20	22		21.3	20		1.0"	24	
DN25	28		26.9	26		1.5"	37	
DN32	34	5	33.7	32	5	2.0"	50	5
DN40	40		42.4	40.5		2.5"	62	
DN50	52		48.3	46.5		3.0"	75	
DN65	68		60.3	58.5		4.0"	100	
DN80	83		76.1	73.5				
DN100	102		88.9	86.5				

SANITARY UNION SERIES

卫生级由任系列

法兰式云头/法兰式云头堵板 DIN英制 DIN11864-2 NF A型 / Nut Flange/Blind Nut Flange							
Size	Ød ₁	Ød	Ød ₁₀	Ød ₁₂	Ød ₁₃	b ₁	c
1/2"	9.4	9.45	54	12.7	4-Ø9	11.5	41.5
3/4"	15.75	15.8	59	19.05	4-Ø9	11.5	41.5
1"	22.1	22.15	66	25.4	4-Ø9	11.5	41.5
1.5"	34.8	34.85	79	36.1	4-Ø9	11.5	46.5
2"	47.5	47.55	92	50.8	4-Ø9	11.5	46.5
2.5"	60.2	60.25	107	63.5	8-Ø9	11.5	55.5
3"	72.9	72.95	125	76.2	8-Ø11	13.5	57.5
4"	97.38	97.43	157	101.6	8-Ø11	15.5	59.5




法兰式云头/法兰式云头堵板-DIN公制 DIN11864-2 NF A型 / Nut Flange/Blind Nut Flange							
Size	Ød ₁	Ød	Ød ₁₀	Ød ₁₂	Ød ₁₃	b ₁	c
DN10	10	10.05	54	13	4-Ø9	11.5	41.5
DN15	16	16.05	59	19	4-Ø9	11.5	41.5
DN20	20	20.05	64	23	4-Ø9	11.5	41.5
DN25	26	26.05	70	29	4-Ø9	11.5	41.5
DN32	32	32.05	76	35	4-Ø9	11.5	46.5
DN40	38	38.05	82	41	4-Ø9	11.5	46.5
DN50	50	50.05	94	53	4-Ø9	11.5	46.5
DN65	66	66.05	113	70	8-Ø9	11.5	55.5
DN80	81	81.05	133	85	8-Ø11	13.5	59.5
DN100	100	100.05	159	104	8-Ø11	15.5	59.5
DN125	125	125.05	183	129	8-Ø11	15.5	61.5
DN150	150	150.05	213	154	8-Ø14	17.5	61.5

SANITARY UNION SERIES

卫生级由任系列

法兰式平接头/法兰式平接头堵板 DIN英制 DIN11864-2 BF A型 / Liner Flange/Blind Liner Flange							
Size	Ød ₁	Ød ₁₂	Ød	Ød ₁₀	Ød ₁₃	b ₂	h
1/2"	9.4	12.7	9.45	54	4-Ø9	10	40
3/4"	15.75	19.05	15.8	59	4-Ø9	10	40
1"	22.1	25.4	22.15	66	4-Ø9	10	40
1.5"	34.8	38.1	34.85	79	4-Ø9	10	45
2"	47.5	50.8	47.55	92	4-Ø9	10	45
2.5"	60.2	63.5	60.25	107	8-Ø9	10	54
3"	72.9	76.2	72.95	125	8-Ø11	12	56
4"	97.38	101.6	97.43	157	8-Ø11	14	58




法兰式平接头/法兰式平接头堵板-DIN公制 DIN11864-2 BF A型 / Liner Flange/Blind Liner Flange							
Size	Ød ₁	Ød ₁₂	Ød	Ød ₁₀	Ød ₁₃	b ₂	h
DN10	10	13	10.05	54	4-Ø9	10	40
DN15	16	19	16.05	59	4-Ø9	10	40
DN20	20	23	20.05	64	4-Ø9	10	40
DN25	26	29	26.05	70	4-Ø9	10	40
DN32	32	35	32.05	76	4-Ø9	10	45
DN40	38	41	38.05	82	4-Ø9	10	45
DN50	50	53	50.05	94	4-Ø9	10	45
DN65	66	70	66.05	113	8-Ø9	10	54
DN80	81	85	81.05	133	8-Ø11	12	58
DN100	100	104	100.05	159	8-Ø11	14	58
DN125	125	129	125.05	183	8-Ø11	14	60
DN150	150	154	150.05	213	8-Ø14	16	60


INDEX

SANITARY UNION SERIES


卫生级由任系列



DS 14L 长型台阶式平接头 / DS 14L Long stepped Liner			
Size	ØD	ØD1	H
1/2"	12.7	22	12
3/4"	19.1	28	12
1"	25.4	39.5	16
1.25"	31.8	47.5	16
1.5"	38.1	53.5	18
2"	50.8	67.5	20
2.5"	63.5	83.5	22
3"	76.2	95.5	24
4"	101.6	123.5	24
5"	127	150	25
6"	152.4	174	25




DS 15L 长型螺纹接头 / DS 15L Long Male			
Size	ØD	G	H
1/2"	12.7	RD28*1/8	17
3/4"	19.1	RD34*1/8	17
1"	25.4	RD44*1/6	20
1.25"	31.8	RD52*1/6	20
1.5"	38.1	RD58*1/6	22
2"	50.8	RD72*1/6	24
2.5"	63.5	RD88*1/6	26
3"	76.2	RD100*1/6	28
4"	101.6	RD130*1/4	34
5"	127	RD160*1/6	35
6"	152.4	RD180*1/6	35




DS 14S 短型台阶式平接头 / DS 14S Short Stepped Liner			
Size	ØD	ØD1	H
1/2"	12.7	22	11
3/4"	19.1	28	11
1"	25.4	39.5	11
1.25"	31.8	47.5	11
1.5"	38.1	53.5	11
2"	50.8	67.5	11
2.5"	63.5	83.5	12
3"	76.2	95.5	12
4"	101.6	123.5	12
5"	127	150	18
6"	152.4	174	18

SANITARY UNION SERIES


卫生级由任系列



DS 15S 短型螺纹接头 / DS 15S Short Male			
Size	ØD	G	H
1/2"	12.7	RD28*1/8	15
3/4"	19.1	RD34*1/8	15
1"	25.4	RD44*1/6	18.5
1.25"	31.8	RD52*1/6	18.5
1.5"	38.1	RD58*1/6	20
2"	50.8	RD72*1/6	20
2.5"	63.5	RD88*1/6	24
3"	76.2	RD100*1/6	24
4"	101.6	RD130*1/4	24
5"	127	RD160*1/6	-
6"	152.4	RD180*1/6	-




DS 14R 扩展式平接头 / DS 14R Expand Liner			
Size	ØD1	ØD	H
1"	39.5	33.8	16
1.25"	47.8	41.5	16
1.5"	53.5	47.5	18
2"	67.5	61.5	20
2.5"	83.5	75.5	22
3"	95.5	87.5	24
4"	123.5	115	29



DS 15R 扩展式螺纹接头 / DS 15R Expand Male			
Size	ØD	G	H
1"	34	RD44*1/6	20
1.25"	41.5	RD52*1/6	20
1.5"	47.5	RD58*1/6	22
2"	61.5	RD72*1/6	24
2.5"	75.5	RD88*1/6	26
3"	87.5	RD100*1/6	28
4"	115	RD130*1/4	34

SANITARY UNION SERIES 卫生级由任系列




DS 13SR由任垫圈 / DS 13SR Seal Ring		
Size	ØD	H
1/2"	19.8	5
3/4"	25.8	5
1"	31.8	5.5
1.25"	40.8	5.5
1.5"	46.8	5.5
2"	58.8	5.5
2.5"	74.3	5.5
3"	87.8	5.5
4"	115.8	5.5




DS 13RG盲螺母垫圈 / DS 13RG Blind Nut Gasket	
Size	ØD
1/2"	24.5
3/4"	30.5
1"	39.5
1.25"	47.5
1.5"	53.5
2"	67.5
2.5"	83.5
3"	95.5
4"	123.5




SANITARY UNION SERIES 卫生级由任系列



DS 13R圆形螺母 / DS 13R Round Nut				
Size	ØD	ØA	G	H
1/2"	38	19	RD28×1.8	18
3/4"	44	25	RD34×1.8	18
1"	57	35	RD44×1.6	20
1.25"	65	42	RD52×1.6	20
1.5"	71	48.5	RD58×1.6	20
2"	86	62.5	RD72×1.6	22
2.5"	103	76.5	RD88×1.6	24
3"	115	88.5	RD100×1.6	25
4"	148	117	RD130×1.4	32
5"	178	138	RD160×1.6	34
6"	197	164	RD180×1.6	32




DS 13RBN圆形盲盖螺母(不带柄) / DS 13RBN Round Blank Nut			
Size	ØD	G	H
1/2"	38	RD28×1.8	18
3/4"	44	RD34×1.8	18
1"	57	RD44×1.6	20
1.25"	65	RD52×1.6	20
1.5"	71	RD58×1.6	20
2"	86	RD72×1.6	22
2.5"	103	RD88×1.6	24
3"	115	RD100×1.6	25
4"	148	RD130×1.4	32
5"	178	RD160×1.6	34
6"	197	RD180×1.6	32




DS 13RBN盲盖螺母 / DS 13RBN Blank Nut			
Size	ØD	G	H
1/2"	38	RD28×1.8	18
3/4"	44	RD34×1.8	18
1"	57	RD44×1.6	20
1.25"	65	RD52×1.6	20
1.5"	71	RD58×1.6	20
2"	86	RD72×1.6	22
2.5"	103	RD88×1.6	24
3"	115	RD100×1.6	25
4"	148	RD130×1.4	32
5"	178	RD160×1.6	34
6"	197	RD180×1.6	32


SANITARY UNION SERIES 卫生级由任系列



IDF 14平接头 / IDF 14 Liner				
Size	ØA	ØB	ØD	H
1"	22.4	25.4	33.8	21.5
1.5"	35.1	38.1	47	21.5
2"	47.8	50.8	60.5	21.5
2.5"	59.5	63.5	74	21.5
3"	72.2	76.2	87.5	21.5
4"R	97.6	101.6	114.1	21.5
4"H	97.6	101.6	120.5	30




IDF 15螺纹接头 / IDF 15 Male			
Size	ØD	G	H
1"	25.4	37.13*8T ACME	21.5
1.5"	38.1	50.65*8T ACME	21.5
2"	50.8	64.16*8T ACME	21.5
2.5"	63.5	77.67*8T ACME	21.5
3"	76.2	91.19*8T ACME	21.5
4"R	101.6	118.2*8T ACME	21.5
4"H	101.6	125.9*6T ACME	30




IDF 14B堵板 / IDF 14B End Cap			
Size	ØA	ØB	H
1"	29.2	33.8	10.5
1.5"	42.7	47	10.5
2"	56.2	60.5	10.5
2.5"	69.9	74	10.5
3"	82.6	87.5	10.5
4"R	111.1	114.1	12.6
4"H	111.1	120.6	12.6


SANITARY UNION SERIES 卫生级由任系列



IDF 14R扩展式平接头 / IDF 14R Expand Liner				
Size	ØA	ØB	ØD	H
1"	25.5	29.2	33.8	20
1.5"	38.2	42.7	47	20
2"	50.9	56.2	60.5	25
2.5"	63.6	69.9	74	30
3"	76.3	82.6	87.5	30
4"R	101.7	108.4	114.1	30
4"H	101.7	111.1	120.5	30



IDF 15R扩展式螺纹接头 / IDF 15R Expand Male			
Size	ØD	G	H
1"	25.5	37.13*8T ACME	19.5
1.5"	38.2	50.65*8T ACME	19.5
2"	50.9	64.16*8T ACME	19.5
2.5"	63.6	77.67*8T ACME	25
3"	76.3	91.19*8T ACME	30
4"R	101.7	118.2*8T ACME	35
4"H	101.7	125.9*6T ACME	35



IDF 13SR由任垫圈 / IDF 13SR Seal Ring				
Size	ØA	ØB	H1	H
1"	23	32.5	3	7
1.5"	36	46	3	7
2"	49	59.5	3	7
2.5"	60.7	73	3	7
3"	73.2	86.5	3	7
4"R	98	113.1	3	7
4"H	98	119.6	5	9.6

SANITARY UNION SERIES


卫生级由任系列



IDF 13H六角螺母 / IDF 13H Hexagonal Nut				
Size	ØA	G	ØD	H
1.0"	30.5	34.34*8T ACME	53.1	30
1.5"	43.5	47.86*8T ACME	69.3	30
2.0"	57	61.37*8T ACME	86.6	30
2.5"	70.7	74.88*8T ACME	103.9	30
3.0"	83.3	88.40*8T ACME	121.2	30
4.0"	112	122.05*6T ACME	153.6	34.9




IDF 13R圆形螺母 / IDF 13R Round Nut				
Size	ØA	G	ØD	H
1.0"	30.5	34.34*8T ACME	48	30
1.5"	43.5	47.86*8T ACME	64	30
2.0"	57	61.37*8T ACME	77	30
2.5"	70.7	74.88*8T ACME	91	30
3.0"	83.3	88.40*8T ACME	106	30
4.0"	112	115.41*8T ACME	135	34.9



IDF 13HBN六角盲盖螺母 / IDF 13HBN Hexagonal Blank Nut				
Size	G	ØD	H	
1.0"	34.34*8T ACME	53.1	30	
1.5"	47.86*8T ACME	69.3	30	
2.0"	61.37*8T ACME	86.6	30	
2.5"	74.88*8T ACME	103.9	30	
3.0"	88.4*8T ACME	121.2	30	
4.0"	122.05*6T ACME	153.6	34.9	

SANITARY UNION SERIES

卫生级由任系列



ISO 13HBN六角盲盖螺母 / ISO 13HBN Hexagonal Bland Nut				
Size	G	ØD	H	
1"	34.34*8T ACME	53.1	30	
1.5"	47.86*8T ACME	69.3	30	
2"	61.37*8T ACME	86.6	30	
2.5"	74.88*8T ACME	103.9	30	
3"	88.40*8T ACME	121.2	30	
4"	122.05*6T ACME	153.6	34.9	




ISO 13H六角螺母 / ISO 13H Hexagonal Nut				
Size	ØA	G	ØD	H
1"	30.5	34.34*8T ACME	53.1	30
1.5"	43.5	47.86*8T ACME	69.3	30
2"	57	61.37*8T ACME	86.6	30
2.5"	70.7	74.88*8T ACME	103.9	30
3"	83.3	88.40*8T ACME	121.2	30
4"	112	122.05*6T ACME	153.6	34.9




ISO 13R圆形螺母 / ISO 13R Round Nut				
Size	ØA	G	ØD	H
1"	30.5	34.34*8T ACME	48	30
1.5"	43.5	47.86*8T ACME	64	30
2"	57	61.37*8T ACME	77	30
2.5"	70.7	74.88*8T ACME	91	30
3"	83.3	88.40*8T ACME	106	30
4"	112	122.05*6T ACME	135	34.9

SANITARY UNION SERIES 卫生级由任系列



ISO 13SR 由任垫圈 / ISO 13SR Seal Ring				
Size	ØA	ØD	H	
1"	23.2	32.5	7	
1.5"	35.9	46	7	
2"	48.6	59.5	7	
2.5"	61.3	73	7	
3"	74	86.5	7	
4"	98.6	113.1	7	
4"	98.6	119.6	9.6	



ISO 14B 堵板 / ISO 14B End Cap				
Size	ØA	ØD	H	
1"	29.2	33.8	10.5	
1.5"	42.7	47	10.5	
2"	56.2	60.5	10.5	
2.5"	69.9	74	10.5	
3"	82.6	87.5	10.5	
4"	111.1	114.1	12.6	
4"	111.1	120.6	12.6	



ISO 14 平接头 / ISO 14 Liner					
Size	ØA	ØB	ØD	H	
1"	22.6	25.6	33.8	21.5	
1.5"	35.6	38.6	47	21.5	
2"	48.6	51.6	60.5	21.5	
2.5"	60.3	64.1	74	21.5	
3"	72.9	76.7	87.5	21.5	
4"	97.6	101.6	114.1	21.5	
4"	97.6	102.5	120.6	30	


SANITARY UNION SERIES 卫生级由任系列



ISO 15 螺纹接头 / ISO 15 Male					
Size	ØA	ØB	G	H	
1"	22.6	25.6	37.13*8T ACME	21.5	
1.5"	35.6	38.6	50.65*8T ACME	21.5	
2"	48.6	51.6	64.16*8T ACME	21.5	
2.5"	60.3	64.1	77.67*8T ACME	21.5	
3"	72.9	76.7	91.19*8T ACME	21.5	
4"	97.6	101.6	118.2*8T ACME	21.5	
4"	97.6	102.5	125.9*6T ACME	30	



SANITARY UNION SERIES 卫生级由任系列



RJT 13HBN六角盲盖螺母 / RJT 13HBN Hexagonal Blank Nut				
Size	G	OD	H	
1/2"	19.6*10T WHIT	-	16	
3/4"	26.2*10T WHIT	-	16	
1"	42.6*8T WHIT	58.7	22.2	
1.5"	55.3*8T WHIT	75.1	22.2	
2"	68.3*6T WHIT	91.6	22.2	
2.5"	80.9*6T WHIT	106.2	22.2	
3"	93.6*6T WHIT	120.9	22.2	
4"	119.1*6T WHIT	150.1	22.2	
6"	169.6*6T WHIT	212.5	23.8	




RJT 13H六角螺母 / RJT 13H Hexagonal Nut				
Size	OA	G	OD	H
1"	33.3	42.6*8T WHIT	58.7	22.2
1.5"	46	55.3*8T WHIT	75.1	22.2
2"	58.7	68.3*6T WHIT	91.6	22.2
2.5"	71.4	80.9*6T WHIT	106.2	22.2
3"	84.1	93.6*6T WHIT	120.9	22.2
4"	109.5	119.1*6T WHIT	150.1	22.2
6"	163.3	169.6*6T WHIT	212.5	23.8




RJT 13R圆螺母 / RJT 13R Round Nut				
Size	OA	G	OD	H
1"	33.3	42.6*8T WHIT	58.5	22.2
1.5"	46	55.3*8T WHIT	74	22.2
2"	58.7	68.3*6T WHIT	85.5	22.2
2.5"	71.4	80.9*6T WHIT	98.5	22.2
3"	84.1	93.6*6T WHIT	111.6	22.2
4"	109.5	119.1*6T WHIT	138	22.2
6"	163.3	169.6*6T WHIT	197	23.5


SANITARY UNION SERIES 卫生级由任系列




RJT 13SRL由任垫圈(L型) / RJT 13SRL Seal Ring (L-Type)		
Size	OA	OB
1"	33.3	22.2
1.5"	46	34.9
2"	58.7	47.6
2.5"	71.4	60.3
3"	84.1	73.6
4"	109.5	97.5
6"	162.6	148.5



RJT 13SRU由任垫圈(U型) / RJT 13SRU Seal Ring (U-Type)			
Size	OD1	OA	OD
1"	33.3	22.2	40
1.5"	46	34.9	53
2"	58.7	47.6	65
2.5"	71.4	60.3	78
3"	84.1	73.6	91
4"	109.5	97.5	116
6"	162.6	148.5	170




RJT 15R扩展螺纹接头 / RJT 15R Expand Male				
Size	OA	OB	G	H
1"	25.5	32.5	45.72*8T WHIT	20
1.5"	38.2	45.2	58.42*8T WHIT	24
2"	50.9	57.9	72.72*6T WHIT	28
2.5"	63.6	70.6	85.42*6T WHIT	32
3"	76.3	83.3	98.12*6T WHIT	32
4"	101.7	108.7	123.52*6T WHIT	32




RJT 14R扩展式平接头 / RJT 14R Expand Liner				
Size	OA	OB	OD	H
1"	25.5	32.5	41.3	20
1.5"	38.2	45.2	54	24
2"	50.9	57.9	66.7	28
2.5"	63.6	70.6	79.4	32
3"	76.3	83.3	92.1	32
4"	101.7	108.7	117.5	32

SANITARY UNION SERIES 卫生级由任系列



RJT 14平接头 / RJ/T 14 Liner				
Size	ØA	ØB	ØD	H
1"	22.2	25.4	41.3	19.5
1.5"	34.9	38.1	54	19.5
2"	47.6	50.8	66.7	19.5
2.5"	60.3	63.5	79.4	19.5
3"	73	76.2	92.1	19.5
4"	97.6	101.6	117.5	19.5
6"	148	152.4	169.1	23.5




RJT 15螺纹接头 / RJ/T 15 Male				
Size	ØA	ØB	G	H
1"	22.2	25.4	45.72*8T WHIT	27
1.5"	34.9	38.1	58.42*8T WHIT	27
2"	47.6	50.8	72.72*6T WHIT	27
2.5"	60.3	63.5	85.42*6T WHIT	27
3"	73	76.2	98.12*6T WHIT	27
4"	97.6	101.6	123.52*6T WHIT	27
6"	148	152.4	174.32*6T WHIT	24




RJT 14B堵板 / RJ/T 14B End Cap		
Size	ØD	ØA
1"	41.3	32.5
1.5"	54	45.2
2"	66.7	57.9
2.5"	79.4	70.6
3"	92.1	83.3
4"	117.5	108.7
6"	169.5	161


SANITARY UNION SERIES 卫生级由任系列



SMS 13RBN圆形盲盖螺母 / SMS 13RBN Round Bland Nut			
Size	ØD	ØG	H
12.7/19	44	RD34*1/8	18
25	51	RD40*1/6	19
32	60	RD48*1/6	22
38	74	RD60*1/6	23
51	84	RD70*1/6	24
63	100	RD85*1/6	28
76	114	RD98*1/6	30
101.6小	138	RD125*1/4	31
101.6大	150	RD132*1/6	31
127	178	RD160*1/6	34
152.4	197	RD180*1/6	32




SMS 13RBN圆形盲盖螺母 / SMS 13RBN Round Bland Nut				
Size	ØA	ØG	ØD	H
12.7/19	25	RD34*1/8	44	18
25	32	RD40*1/6	51	19
32	40	RD48*1/6	60	22
38	48.5	RD60*1/6	74	23
51	60.5	RD70*1/6	84	24
63	74	RD85*1/6	100	28
76	87	RD98*1/6	114	30
101.6小	113	RD125*1/4	138	31
101.6大	117	RD132*1/6	150	31
127	138	RD160*1/6	178	34
152.4	164	RD180*1/6	197	32




SMS 13SRL由任垫圈(L型) / SMS 13SRL Seal Ring (L-Type)				
Size	ØA	ØB	ØD	H
25	22.8	25.1	31.8	5.3
32	29.1	32.1	39.8	5.3
38	35.8	38.1	47.8	5.3
51	48.8	51.1	60.8	5.3
63	61	63.6	73.3	5.3
76	73.4	76.1	85.8	5.3
101.6	100.5	104.1	115.7	5.3
127	123.8	130.2	141.7	5.3
152.4	149.2	155.2	166.7	5.3

SANITARY UNION SERIES

卫生级由任系列



SMS 14GL长型台阶平接头 / SMS 14GL Long Stepped Liner				
Size	ØA	ØB	ØD	H
12.7	9.4	12.7	30	13
19	15.8	19.1	30	13
25	22.4	25.4	35.5	15.5
32	28.8	31.8	43.5	15.5
38	35.1	38.1	55	16
51	47.8	50.8	65	17
63	60.5	63.5	80	17
76	73.2	76.2	93	19
89	84.9	88.9	101.5	19
101.6小	97.6	101.6	119	19
101.6大	97.6	101.6	126.5	19
127	123	127	150	25
152.4	148.4	152.4	174	25




SMS 15L长型螺纹接头 / SMS 15L Long Male				
Size	ØA	ØB	G	H
12.7	9.4	12.7	RD34*1/8	17
19	15.8	19.1	RD34*1/8	17
25	22.4	25.4	RD40*1/6	19
32	28.8	31.8	RD48*1/6	23
38	35.1	38.1	RD60*1/6	23
51	47.8	50.8	RD70*1/6	23
63	60.5	63.5	RD85*1/6	27
76	73.2	76.2	RD98*1/6	27
101.6小	97.6	101.6	RD125*1/4	30
101.6大	97.6	101.6	RD132*1/6	30
127	123	127	RD160*1/6	35
152.4	148.4	152.4	RD180*1/6	35

SANITARY UNION SERIES

卫生级由任系列




SMS 15R扩展式螺纹接头 / SMS 15R Expanding Male				
Size	ØA	ØB	G	H
19	19.2	25	RD34*1/6	20
25	25.2	32	RD40*1/6	20
32	32.2	40	RD48*1/6	20
38	38.2	47.9	RD60*1/6	23
40	40.2	48	RD60*1/6	23
51	51.2	60.4	RD70*1/6	25
63	63.7	73.5	RD85*1/6	30
76	76.2	86.5	RD98*1/6	35
101.6	101.8	112.5	RD125*1/4	30
104	104.2	112.5	RD132*1/6	30




SMS 14R扩展式平接头 / SMS 14R Expanding Liner				
Size	ØA	ØB	ØD	H
25	25.2	31.5	35.5	17
32	32.2	39.5	43.5	17
38	38.2	47.9	55	20
40	40.2	47.5	55	20
51	51.2	60	65	20
63	63.7	73.5	80	25
76	76.2	86.5	93	30
101.6	101.8	112.5	119	27
104	104.2	112.5	126.5	27


SANITARY UNION SERIES 卫生级由任系列



SMS 14GS短型台阶平接头 / SMS 14GS Short Stepped Liner				
Size	ØA	ØB	ØD	H
12.7	9.4	12.7	30	10
19	15.8	19.1	30	10
25	22.4	25.4	35.5	10
32	28.8	31.8	43.5	10
38	35.1	38.1	55	11
51	47.8	50.8	65	13
63	60.5	63.5	80	13
76	73.2	76.2	93	14
89	84.9	88.9	101.5	16
101.6小	97.6	101.6	119	16
101.6大	97.6	101.6	126.5	16
127	123	127	150	23
152.4	148.4	152.4	174	23




SMS 14S短型无台阶平接头 / SMS 14S Short Liner (Without Step)				
Size	ØA	ØB	ØD	H
12.7	9.4	12.7	30	8
19	15.8	19.1	30	8
25	22.4	25.4	35.5	7.5
32	28.8	31.8	43.5	7.5
38	35.1	38.1	55	9
51	47.8	50.8	65	9
63	60.5	63.5	80	9
76	73.2	76.2	93	10
101.6小	97.6	101.6	119	12
101.6大	97.6	101.6	126.5	12




SMS 15S短型螺紋接头 / SMS 15S Short Male				
Size	ØA	ØB	G	H
12.7	9.4	12.7	RD34*1/8	16
19	15.8	19.1	RD34*1/8	16
25	22.4	25.4	RD40*1/6	18
32	28.8	31.8	RD48*1/6	19
38	35.1	38.1	RD60*1/6	20
51	47.8	50.8	RD70*1/6	20
63	60.5	63.5	RD85*1/6	24
76	73.2	76.2	RD98*1/6	24
101.6小	97.6	101.6	RD125*1/4	27
101.6大	97.6	101.6	RD132*1/6	30
127	123	127	RD160*1/6	33
152.4	148.4	152.4	RD180*1/6	33

SANITARY UNION SERIES 卫生级由任系列



SMS 13SRU由任施圈(U型) / SMS 13SRU Seal Ring (U-Type)			
Size	Ød	ØD	H
25	24.9	32	5.5
32	31.9	40	5.5
38	37.9	48	5.5
51	50.9	61	5.5
63	63.4	73.4	5.5
76	75.9	86	6
89	87.9	98	6
101.6	103.9	116	6
127	130	142	6
152.4	155	167	6



SMS 14B堵板 / SMS 14B End Cap			
Size	ØA	ØB	H
25	31.5	35.5	7.5
32	39.5	43.5	7.5
38	47.5	55	9
51	59.5	65	10
63	73.5	80	10
76	86	93	11
101.6小	112	119	11
101.6大	116	126.5	11



SANITARY VACUUM PIPE FITTINGS SERIES

卫生级真空管件系列

10




SANITARY VACUUM PIPE FITTINGS SERIES

卫生级真空管件系列



真空法兰式45°弯头 / KF 45° Elbow

Size	ØA	ØD	T	L	R
KF10	30	13	1.5	21.2	15
KF16	30	19		25.4	25
KF25	40	28		29.5	35
KF40	55	44	2	35.7	50
KF50	75	54		37.8	55




真空法兰式90°弯头 / KF 90° Elbow

Size	ØA	ØD	T	L	R
KF10	30	13	1.5	30	15
KF16	30	19		40	25
KF25	40	28		50	35
KF40	55	44	2	65	50
KF50	75	54		70	55



真空法兰式变径三通 / KF Reducer Tee

Size	ØA	ØD	T	ØB	ØC	t	L	L1	L3
KF25-KF16	40	28	1.5	30	19		100	50	33.2
KF40-KF16	55	44		30	19		130	60	35.2
KF40-KF25	55	44		40	28	1.5	130	60	35.2
KF50-KF16	75	54	2	30	19		140	65	35.2
KF50-KF25	75	54		40	28		140	65	35.2
KF50-KF40	75	54		55	44	2	140	65	35.2



真空法兰式大小头 / KF Concentric Reducer

Size	ØA	ØD	ØB	Ød	L±0.1
KF25/KF16	40	28	30	19	39.9
KF40/KF25	55	44	40	28	39.9

INDEX


Beyond Fluid

104

103 Beyond Fluid

SANITARY VACUUM PIPE FITTINGS SERIES


卫生级真空管件系列



真空法兰式等径三通 / KF Equal Tee							
Size	ØA	ØD	T	L	L1	L3	
KF16	30	19	1.5	80	40	27.7	
KF25	40	28		100	50	33.2	
KF40	55	44	2	130	65	40.2	
KF50	75	54		140	70	40.2	



真空法兰式等径四通 / KF 4 Way Cross					
Size	ØA	ØD	T	L	L1
KF16	30	19	1.5	80	40
KF25	40	28		100	50
KF40	55	44	2	130	65
KF50	75	54		140	70




真空盲板法兰 / KF Blank Flange			
Size	ØA	ØB	L
KF10	30	12.2	5
KF16	30	17.2	
KF25	40	26.2	
KF40	55	41.2	
KF50	75	52.2	




SANITARY VACUUM PIPE FITTINGS SERIES


卫生级真空管件系列



KF-卡箍 / KF Single Pin Clamp			
Size	ØA	B	L
10/16	35	45	62
20/25	45	55	73
32/40	60	70	90
50	80	96	123



真空密封圈 / ISO Center Ring + O-Ring						
Size	ØA	ØB	C	D	ØE	
ISO-63-V-U	67	69.6	8	3.9	91	
ISO-80-V-U	80	82.6	8	3.9	104	
ISO-100-V-U	100	101.6	8	3.9	123	
ISO-160-V-U	150	152.6	8	3.9	170	
ISO-200-V-U	210	212.6	8	3.9	234	
ISO-250-V-U	257.5	260.4	8	3.9	285	
ISO-320-V-U	312	317.3	12	5.6	340	
ISO-400-V-U	394	399.2	12	5.6	416	
ISO-500-V-U	494	500.2	12	5.6	555	



真空密封圈 / KF Center Ring + O-Ring				
Size	ØA	ØB	C	D
KF-10	10	12	8	3.9
KF-16	16	17	8	3.9
KF-25	25	26	8	3.9
KF-40	40	41	8	3.9
KF-50	50	52	8	3.9


SANITARY VACUUM PIPE FITTINGS SERIES 卫生级真空管件系列




承插焊式真空法兰 / KF Weld Socket Flange						
Size	OA	OB	OD	L		
KF10	30	12.2	13	12.7	40	
KF16	30	17.2	19.3			
KF25	40	26.2	25.7			
KF40	55	41.2	38.4	19.1		
KF50	75	52.2	51.1			



承插焊式真空法兰盲板 / KF Weld Socket Blank Flange					
Size	OA	OB	OD	L	
KF10	30	12.2	13	5	
KF16	30	17.2	19.3		
KF25	40	26.2	25.7		
KF40	55	41.2	38.4		
KF50	75	52.2	51.1		




直通真空法兰式大小头 / Straight-through vacuum flange type head and head					
Size	OA	OB	OD	L±0.1	
KF25/KF16	40	30	19	39.9	
KF40/KF25	55	40	28	39.9	



对焊式真空法兰 / KF Short Weld Flange					
Size	OA	OB	OD	L	
KF10	30	12.2	12.7	12.7	12.7
KF16	30	17.2	19.1		12.7
KF25	40	26.2	25.4		12.7
KF40	55	41.2	38.1	19.1	19.1
KF50	75	52.2	50.8		19.1

CLEANING BALL SERIES 清洗球系列




11




INDEX

CLEANING BALL SERIES 清洗球系列




插销旋转式清洗球 / Bolt rotary cleaning ball						
DIN	ØA	3A	ØA	ISO/SMS	ØA	SOD
DN15	18.5	1/2"	13.2	12.7	13.2	38
DN20	22.5	3/4"	19.6	19	19.6	53
DN25	28.5	1.0"	26	25	26	53
DN32	35.5	1.25"	32.3	32	32.3	53
DN40	40.5	1.5"	38.6	38	38.6	63
DN50	52.5	2.0"	51.3	51	51.3	76



焊接旋转式清洗球 / Weld rotary cleaning ball									
DIN	ØA	ØB	3A	ØA	ØB	ISO/SMS	ØA	ØB	SOD
DN15	15	18	1/2"	9.4	12.7	12.7	9.7	12.7	38
DN20	19	22	3/4"	15.8	19.1	19	16.1	19.1	53
DN25	25	28	1.0"	22.1	25.4	25	22.4	25.4	53
DN32	31	34	1.25"	28.5	31.8	32	28.8	31.8	53
DN40	37	40	1.5"	34.8	38.1	38	35.1	38.1	63
DN50	49	52	2.0"	47.5	50.8	51	47.8	50.8	76


CLEANING BALL SERIES 清洗球系列




夹式旋转式清洗球 / Clamp Rotary Cleaning Ball							
DIN	ØA	3A	ØA	ISO/SMS	ØA	ØK	SOD
DN15	15	1/2"	9.4	12.7	9.7	25.2/K34	38
DN20	19	3/4"	15.8	19	16.1	50.5	53
DN25	25	1.0"	22.1	25	22.4	50.5	53
DN32	31	1.25"	28.5	32	28.8	50.5	53
DN40	37	1.5"	34.8	38	35.1	50.5	63
DN50	49	2.0"	47.5	51	47.8	64	76

内螺纹旋转式清洗球 / Female Thread Rotary Cleaning Ball		
3A	ØA	SOD
1/4"	BSP 1/4"	38
1/2"	BSP 1/2"	38
3/4"	BSP 3/4"	53
1.0"	BSP 1"	53
1.25"	BSP 1.25"	53
1.5"	BSP 1.5"	63
2.0"	BSP 2"	76

CLEANING BALL SERIES 清洗球系列



插销固定式清洗球 / Bolt fixed cleaning ball						
DIN	ØA	3A	ØA	ISO/SMS	ØA	SOD
DN15	18.5	1/2"	13.2	12.7	13.2	40
DN20	22.5	3/4"	19.6	19	19.6	40
DN25	28.5	1.0"	26	25	26	65
DN32	35.5	1.25"	32.3	32	32.3	65
DN40	40.5	1.5"	38.6	38	38.6	65
DN50	52.5	2.0"	51.3	51	51.3	76



焊接固定式清洗球 / Weld Fixed cleaning ball									
DIN	ØA	ØB	3A	ØA	ØB	ISO/SMS	ØA	ØB	SOD
DN15	15	18	1/2"	9.4	12.7	12.7	9.7	12.7	40
DN20	19	22	3/4"	15.8	19.1	19	16.1	19.1	40
DN25	25	28	1.0"	22.1	25.4	25	22.4	25.4	65
DN32	31	34	1.25"	28.5	31.8	32	28.8	31.8	65
DN40	37	40	1.5"	34.8	38.1	38	35.1	38.1	65
DN50	49	52	2.0"	47.5	50.8	51	47.8	50.8	76

CLEANING BALL SERIES 清洗球系列



夹式固定式清洗球 / Clamp Fixed Cleaning Ball										
DIN	ØA	ØB	3A	ØA	ØB	ISO/SMS	ØA	ØB	ØK	SOD
DN15	15	18	1/2"	9.4	12.7	12.7	9.7	12.7	25.2/K34	40
DN20	19	22	3/4"	15.8	19.1	19	16.1	19.1	25.2/K34	40
DN25	25	28	1.0"	22.1	25.4	25	22.4	25.4	50.5	65
DN32	31	34	1.25"	28.5	31.8	32	28.8	31.8	50.5	65
DN40	37	40	1.5"	34.8	38.1	38	35.1	38.1	50.5	65
DN50	49	52	2.0"	47.5	50.8	51	47.8	50.8	64	76


以上尺寸仅供参考，未尽尺寸以我司实物为准，另：球体大小及总长可按要求订制。



SANITARY GRADE MANHOLE SERIES

卫生级人孔系列

12



SANITARY GRADE MANHOLE SERIES

卫生级人孔系列

椭圆形孔盖(压力型) / Oval manhole cover (With pressure)		
A	A1	高度(Height)
435.0	335.0	75.0
535.0	435.0	75.0
635.0	525.0	75.0

圆形孔盖(压力型) / Round manhole cover (With pressure)	
D	高度(Height)
400.0	120.0
430.0	120.0
450.0	120.0
500.0	120.0
600.0	120.0

圆形孔盖(非压力型) / Round manhole cover (Without pressure)		
D	H	T
400.0	100.0	2.0
430.0	100.0	2.5
450.0	100.0	2.5
500.0	100.0	3.5
600.0	100.0	3.5

长方形孔盖(非压力型) / Rectangular manhole cover (Without pressure)		
A	A1	高度(Height)
335.0	435.0	65.0
435.0	512.0	65.0

INDEX


PIPE SUPPORT SERIES

管支架系列


13



PIPE SUPPORT SERIES 管支架系列




Size	D	H
1/2"	12.7	58.4
3/4"	19.1	62.5
1"	25.4	65.7
1 1/4"	38.1	72
2"	50.8	78.4
2 1/2"	63.5	84.8
3"	76.2	91
4"	101.6	103.8
5"	129	117.5
6"	154	130
8"	204	155
10"	254	180
12"	304	205



Size	D	L
1"	25.4	87
1 1/4"	38.1	101.6
2"	50.8	114.3
2 1/2"	63.5	120.6
3"	76.2	139.7
4"	101.6	171.4




Size	D	L
1"	25.4	61
1 1/4"	38.1	76
2"	50.8	90
2 1/2"	63.5	106
3"	76.2	120
4"	101.6	146




Size	D	L	H
1"	25.4	87	28
1 1/4"	38.1	101.6	40
2"	50.8	114.3	52
2 1/2"	63.5	120.6	66
3"	76.2	139.7	77
4"	101.6	171.4	104

INDEX


PIPE SUPPORT SERIES 管支架系列




Size	D	L
1"	25.4	61
1½"	38.1	76
2"	50.8	90
2½"	63.5	106
3"	76.2	120
4"	101.6	146



Size	D	L
21.3	21.3	68
26.9	26.9	74
33.7	33.7	82
42.4	42.4	93
48.3	48.3	101
60.3	60.3	114
88.9	88.9	149
114.3	114.3	177




Size	D	L	H
1"	25.4	61	28
1½"	38.1	76	40
2"	50.8	90	52
2½"	63.5	106	66
3"	76.2	120	77
4"	101.6	146	104




Size	D	L	H
1"	25.4	61	28
1½"	38.1	76	40
2"	50.8	90	52
2½"	63.5	106	66
3"	76.2	120	77
4"	101.6	146	104

PIPE SUPPORT SERIES 管支架系列




Size	D	H
1/2"	12.7	35.9
3/4"	19.1	39
1/2"NB	21.3	40.2
1"	25.4	42.2
3/4"NB	26.7	42.9
1¼"	32	45.5
1"NB	33.4	46.2
1½"	38.1	48.6
1¼"NB	42.2	50.6
1½"NB	48.3	53.7
2"	50.8	55
2"NB	60.3	59.7
2½"	63.5	62
2½"NB	73	66.5
3"	76.2	68
3"NB	89	74.5
4"	102	82
4"NB	114	88
5"	129	101.5
6"	154	114
6"NB	168	122
8"	204	139
10"	254	164
12"	304.8	189




Size	D	H
1/2"	12.7	35.9
3/4"	19.1	39
1/2"NB	21.3	40.2
1"	25.4	42.2
3/4"NB	26.7	42.9
1¼"	32	45.5
1"NB	33.4	46.2
1½"	38.1	48.6
1½"NB	42.2	50.6
1½"NB	48.3	53.7
2"	50.8	55
2"NB	60.3	59.7
2½"	63.5	62
2½"NB	73	66.5
3"	76.2	68
3"NB	89	74.5
4"	102	82
4"NB	114	88


PIPE SUPPORT SERIES 管支架系列




Size	D	H
1/2"	12.7	90
3/4"	19.1	90
1"	25.4	90
1 1/2"	38.1	90
2"	50.8	90
2 1/2"	63.5	90
3"	76.2	90
4"	101.6	90
5"	129	117.5
6"	154	130
8"	204	155
10"	254	180
12"	304	205



Size	D	H
1/2"	12.7	40.4
3/4"	19.1	44.5
1"	25.4	47.7
1 1/2"	38.1	54
2"	50.8	60.4
2 1/2"	63.5	66.8
3"	76.2	73
4"	101.6	85.8
5"	129	95.5
6"	154	94
8"	204	137
10"	254	162
12"	304	187




Size	D	H
1/2"	12.7	90
3/4"	19.1	90
1"	25.4	90
1 1/2"	38.1	90
2"	50.8	90
2 1/2"	63.5	90
3"	76.2	90
4"	101.6	90
5"	129	125
6"	154	135
8"	204	145
10"	254	174
12"	304	200




Size	D	H
1/2"	12.7	90
3/4"	19.1	90
1"	25.4	90
1 1/2"	38.1	90
2"	50.8	90
2 1/2"	63.5	90
3"	76.2	90
4"	101.6	90
5"	129	125
6"	154	135
8"	204	145
10"	254	174
12"	304	200


PIPE SUPPORT SERIES 管支架系列




Size	D	N
DN10	13	20
DN15	19	20
DN20	23	20
DN25	29	20
DN32	35	20
DN40	41	20
DN50	53	20
DN65	70	20
DN80	85	25
DN100	104	25
DN125	129	30
DN150	154	40
DN200	204	50
DN250	254	60



Size	D	D1	H	N
DN10	13	8	64	20
DN15	19	8	67	20
DN20	23	8	69	20
DN25	29	10	72	20
DN32	35	10	75	20
DN40	41	10	78	20
DN50	53	12	84	20
DN65	70	12	93	20
DN80	85	12	100	25
DN100	104	12	110	25
DN125	129	16	140	30
DN150	154	16	180	40
DN200	204	20	240	50
DN250	254	24	280	60



Size	D	K	H	N
DN10	13	M8	74	20
DN15	19	M8	77	20
DN20	23	M8	79	20
DN25	29	M10	102	20
DN32	35	M10	105	20
DN40	41	M10	108	20
DN50	53	M12	114	20
DN65	70	M12	123	20
DN80	85	M12	130.5	25
DN100	104	M12	140	25
DN125	129	M16	168.5	30
DN150	154	M16	202	40
DN200	204	M20	255	50
DN250	254	M22	295	60



Size	D
1"	25.4
1 1/2"	31.8
1 1/2"	38.1
2"	50.8
2 1/2"	63.5
3"	76.2
3 1/2"	89
4"	101.6


SANITARY SIGHT GLASS SERIES

视镜系列


14




SANITARY SIGHT GLASS SERIES 视镜系列



3A 由任视镜 / 3A Union Sight Glass				
Size	ØA	ØB	ØD	H
1.5"	34.8	38.1	78	42
2"	47.5	50.8	92	45
2.5"	60.2	63.5	112	49
3"	72.9	76.2	127	54
4"	97.6	101.6	148	63




DIN 由任视镜 / DIN Union Sight Glass				
Size	ØA	ØB	ØD	H
DN20	19	22	54	32
DN25	25	28	63	38
DN40	37	40	78	38
DN50	49	52	82	40
DN65	66	70	112	40
DN80	81	85	119	40
DN100	100	106	140	42
DN125	125	131	178	42




带灯法兰视镜 / Flange Sight Glass With Light				
Size	ØA	ØB	L	H
DN50	78	140	30	126
DN80	98	155	30	126
DN100	128	190	30	126
DN125	154	224	35	131
DN150	182	250	41	137
DN200	233	310	46	142

INDEX


SANITARY SIGHT GLASS SERIES 视镜系列



带电池由任视镜 / Union Sight Glass With Light				
Size	ØA	ØB	L	H
DN50	49	52	36	129.5
DN65	66	70	51.5	148.5
DN80	81	85	57.5	153.5
DN100	100	104	66.5	163.5





焊接式直通视镜 / Weld Straight Sight Glass				
Size	ØDn	ØD	ØE	H
DN20	19	22	47	155
DN25	25	28	87	155
DN32	31	34	87	155
DN40	37	40	87	156
DN50	49	52	100	156
DN65	66	70	115	158
DN80	81	85	125	163
DN100	100	104	160	170



夹式直通视镜 / Clamp Straight Sight Glass					
Size	ØDn	ØD	ØK	ØE	H
1"	22.1	25.4	50.5	87	155
1.5"	34.8	38.1	50.5	87	156
2"	47.5	50.8	64	100	156
2.5"	60.2	63.5	77.5	115	158
3"	72.9	76.2	91	125	163
4"	97.4	101.6	119	160	170


SANITARY SIGHT GLASS SERIES 视镜系列



球形四通视镜 / 4 Way Sight Glass				
Size	ØD	t	L	H
DN40	41	1.5	163	90
DN50	53	1.5	167	102
DN65	70	2	190	120
DN80	85	2	205	132
DN100	104	2	250	148



CLAMP SCREW NUT 卡箍螺母



13MHH-11



13MHH-12




13MHH-13




13MHH-14




13SP-2




13MHH-10




F2



H17




T1




G1-M10


CLAMP AND ACCESSORIES 卡箍及其他配件




13MHH 重型单带钉卡箍 / 13MHH Heavy Duty Single Pin Clamp			
Size	ØA	ØB	
1/2" ~ 3/4"	20	28.2	
A37	27.8	37	
1" ~ 1.5"	44.4	53.6	
2"	57.8	67	
2.5"	71.4	80.6	
3"	84	94.2	
3.5"	99	109.2	
4"	110	122	
4.5"	123	133.2	
6"	155.4	170.4	
8"	205	220	



13MHHM 重型双带钉卡箍 / 13MHHM Heavy Duty Double Pin Clamp			
Size	ØA	ØB	
1/2" ~ 3/4"	20	28	
1.5"	43.6	53.6	
2"	57	67	
2.5"	70.6	80.6	
3"	84	94	
4"	112	122	
6"	155	170	
8"	205	220.8	




13SF 重型双带钉卡箍 / 13SF Heavy Duty Double Pin Clamp			
Size	ØA	ØB	
1/2" ~ 3/4"	20	28	
A37	27.5	42.9	
1" ~ 1.5"	45	58.6	
2"	59	72	
2.5"	67	84	
3"	85	98	
4"	114	127	




13MHP 高压卡箍 / 13MHP High Pressure Bolted Clamp			
Size	ØA	ØB	
1/2" ~ 3/4"	20.0	28	
1" ~ 1.5"	43.3	52	
2"	56.4	65.5	
2.5"	69.5	79	
3"	77.5	92.5	
4"	108.8	120.5	
6"	158.0	170	
6.5"	173.0	186.2	
8"	222.5	237.5	
10"	258.2	272.8	


CLAMP AND ACCESSORIES 卡箍及其他配件




13MHHS 三片式卡箍 / 13MHHS 3 Piece Clamp				
Size	ØA	ØB		
1" ~ 1.5"	56	80		
2"	69.5	94		
2.5"	83	109		
3"	96.5	126		
4"	124.5	154		
12"	323.4	360		



13CS 双销钉卡箍 / 13CS Double Pin Clamp				
Size	ØA	ØB		
1/2" ~ 3/4"	20.5	28.3		
DN10 ~ 20	27.2	37.0		
1.5"	41	53.5		
DN25 ~ 40	44.5	54.5		
2"	54.5	67.0		
DN50	57	68.0		
2.5"	68	80.5		
3"	81.5	94.0		
DN65	84	95.0		
DN80	99	110.0		
4"	109.5	122.0		
DN100	112	123.0		
DN115	123	134.0		
DN125	144	159.0		
6"	157.6	175.1		
DN150	172	187.0		
8"	207.4	225.9		
DN200	222.5	237.5		
DN250	257	272.0		
DN300	308	323.0		




13IS 1-Line卡箍 / 13IS I-Line Clamp				
Size	ØA	ØB		
1" ~ 1.5"	53.4	83.8		
2"	72.2	111		
2.5"	88.1	121.4		
3"	102.4	136.1		
4"	127.8	162		
6"	195.3	242.1		



13EU 卡箍 / 13EU Clamp				
Size	ØA	ØB		
DN10-DN20	27.8	37		
DN25-DN40	44.4	53.6		
DN50	57.8	67		
DN65	71.4	80.6		
DN80	84	94.2		
DN100	99	109.2		


VARIOUS STANDARD PLUMBING SERIES 各种标准卫生管道系列



ISO 2037			SMS			3A			ISO/IDF		
Size	D	T	Size	T	T	Size	D	T	Size	D	T
12	12	1	25	1.25	1.5	1/2 "	12.7	1.65	1.0 "	25.4	1.5
12.7	12.7	1	32	1.25	1.5	3/4 "	19.1	1.65	1 1/4 "	32.0	1.5
17.2	17.2	1	38	1.25	1.5	1.0 "	25.4	1.65	1 1/2 "	38.1	1.5
21.3	21.3	1	51	1.25	1.5	1.5 "	38.1	1.65	2.0 "	50.8	1.5
25	25	1.2;1.6	63.5	1.50	2.0	2.0 "	50.8	1.65	2 1/2 "	63.5	2.0
33.7	33.7	1.2;1.6	76	1.60	2.0	2.5 "	63.5	1.65	3.0 "	76.2	2.0
38	38	1.2;1.6	101.6	2.0	2.0	3.0 "	76.2	1.65	3 1/2 "	89.0	2.0
40	40	1.2;1.6				4.0 "	101.6	2.10	4.0 "	101.6	2.0
51	51	1.2;1.6				6.0 "	152.4	2.8	4 1/4 "	108.0	2.0
63.5	63.5	1.6				8.0 "	203.2	2.8			
70	70	1.6				10.0 "	254.0	3.40			
76.1	76.1	1.6				12.0 "	305.0	3.40			
88.9	88.9	2.0									
101.6	101.6	2.0									
114.3	114.3	2.0									
139.7	139.7	2.0									
168.3	168.3	2.0									
219.7	219.7										

VARIOUS STANDARD PLUMBING SERIES

各种标准卫生管道系列



DIN 11850				BS 4825			ISO 1127		
Size	D*T	D*T	D*T	Size	T	T	Size	OD	ID
DN10	12*1.0	13*1.5	12*1.5	12.7	1.2	1.2	26.9	26.9	1.6
DN15	18*1.0	19*1.5	18*1.5	15.88	1.2	1.2	33.7	33.7	2.0
DN20	22*1.0	23*1.5	22*1.5	19.05	1.2	1.2	42.4	42.4	2.0
DN25	28*1.0	29*1.5	28*1.5	25.4	1.2	1.6	48.3	48.3	2.0
DN32	34*1.0	35*1.5	34*1.5	38.1	1.2	1.6	60.3	60.3	2.0
DN40	40*1.0	41*1.5	40*1.5	50.8	1.2	1.6	76.2	76.2	2.0
DN50	52*1.0	53*1.5	52*1.5	63.5	1.6	1.6	88.9	88.9	2.3
DN65	70*2.0	70*2.0	70*2.0	76.2	1.6	1.6	101.6	101.6	2.3
DN80	85*2.0	85*2.0	85*2.0	101.6	2.0	2.0	114.3	114.3	2.3
DN100	104*2.0	104*2.0	104*2.0	114.3	2.0	2.0	139.7	139.7	2.6
DN125	129*2.0	129*2.0	129*2.0	139.7	2.0	2.0	168.3	168.3	2.6
DN150	154*2.0	154*2.0	154*2.0	168.3	2.6	2.6	219.1	219.1	2.6
Series 1		Series 2	Recommended series	219.1	2.6	2.6			

JIS G3447											
Size	D	T	Size	T	T	Size	D	T	Size	D	T
1.0 "	25.4	1.2									
1.25 "	31.8	1.2									
1.5 "	38.1	1.2									
2.0 "	50.8	1.5									
2.5 "	63.5	2.0									
3.0 "	76.2	2.0									
3.5 "	88.9	2.0									
4.0 "	101.6	2.0									
4.5 "	114.3	3.0									
5.5 "	139.7	3.0									
6.5 "	165.1	3.0									

各国不锈钢牌号 Stainless Steel Standards of Different Countries

中 国	欧 盟	美 国	美 国	英 国	德 国	日 本
GB (China)	EN (Europa)	AISI (U.S.A)	ASTM (U.S.A)	BSI (U.K)	DIN (Germany)	JIS (Japan)
0Cr18Ni9 (06Cr19Ni10)	X5CrNi18-10	304	TP304	304 S 15 304 S 16	1.4301	SUS304
00Cr19Ni10 (022Cr19Ni10)	X2 CrNi19-11	304L	TP304L	304 S 11	1.4306	SUS304L
0Cr17Ni12Mo2 (06Cr17Ni12Mo2)	X5CrNiMo17-2-2	316	TP316	316 S 31	1.4401	SUS316
00Cr17Ni14Mo2 (022Cr17Ni12Mo2)	X2CrNiMo17-2-2	316L	TP316L	316 S 11	1.4404	SUS316L

化学成分与力学性能 Chemical Composition and Mechanics Property

中国 (GB)	钢种	碳	硅	锰	磷	硫	铬	钼	镍	力学性能			
		C	Si	Mn	P	S	Cr	Mo	Ni	屈服强度 σ ₂ (Mpa)≥	抗拉强度 σ _b (Mpa)≥	延伸率 δ5 %	硬度HBS
		≤	≤	≤	≤	≤	≥	≥	≥				
	304	0.07	1.0	2.0	0.035	0.030	18.0-20.0	/	8.0-11	205	520	40	187
	304L	0.03	1.0	2.0	0.035	0.030	18.0-20.0	/	8.0-12	177	480	40	187
	316	0.08	1.0	2.0	0.035	0.030	16.0-18.5	2.0-3.0	10-14	205	520	40	187
	316L	0.03	1.0	2.0	0.035	0.030	16.0-18.0	2.0-3.0	12-15	177	480	40	187

美国 (ASTM)	钢种	碳	硅	锰	磷	硫	铬	钼	镍	力学性能			
		C	Si	Mn	P	S	Cr	Mo	Ni	屈服强度 σ ₂ (Mpa)≥	抗拉强度 σ _b (Mpa)≥	延伸率 δ5 %	硬度HBS
		≤	≤	≤	≤	≤	≥	≥	≥				
	TP304	0.08	0.75	2.0	0.040	0.030	18.0-20.0	/	8.0-11	205	515	35	187
	TP304L	0.035	0.75	2.0	0.040	0.030	18.0-20.0	/	8.0-13	170	485	35	187
	TP316	0.08	0.75	2.0	0.040	0.030	16.0-18.0	2.0-2.5	10-14	205	515	35	187
	TP316L	0.035	0.75	2.0	0.040	0.030	16.0-18.0	2.0-2.5	12-15	170	485	35	187

日本 (JIS)	钢种	碳	硅	锰	磷	硫	铬	钼	镍	力学性能			
		C	Si	Mn	P	S	Cr	Mo	Ni	屈服强度 σ ₂ (Mpa)≥	抗拉强度 σ _b (Mpa)≥	延伸率 δ5 %	硬度HBS
		≤	≤	≤	≤	≤	≥	≥	≥				
	304	0.08	1.0	2.0	0.040	0.030	18.0-20.0	/	8.0-11	206	520	35	187
	304L	0.03	1.0	2.0	0.040	0.030	18.0-20.0	/	9.0-13	177	481	35	187
	316	0.08	1.0	2.0	0.040	0.030	16.0-18.0	2.0-3.0	10-14	206	520	35	187
	316L	0.03	1.0	2.0	0.040	0.030	16.0-18.0	2.0-3.0	12-16	177	481	35	187

美国 (AISI) 英国 (BSI) 德国 (DIN) 欧盟 (EN)	钢种	碳	硅	锰	磷	硫	铬	钼	镍	力学性能			
		C	Si	Mn	P	S	Cr	Mo	Ni	屈服强度 σ ₂ (Mpa)≥	抗拉强度 σ _b (Mpa)≥	延伸率 δ5 %	硬度HBS
		≤	≤	≤	≤	≤	≥	≥	≥				
	304	0.07	1.0	2.0	0.045	0.015	17.0-18.0	/	8.0-10	205	520	40	187
	304L	0.03	1.0	2.0	0.045	0.015	17.0-18.0	/	8.0-10	180	480	40	187
	316	0.08	1.0	2.0	0.045	0.015	16.5-18.0	2.0-2.5	10-13	205	520	40	187
	316L	0.03	1.0	2.0	0.045	0.015	16.5-18.0	2.0-2.5	10-13	180	480	40	187



BEYOND FLUID

Precision fluid system components

WEBSITE

www.beyondfluid.com

EMAIL

sales@beyondfluid.com