

PRODUCT CATALOG

Stainless Steel UHP Weld Fittings

Micro Weld Fittings | Forged Weld Fittings



Product Index

Click any product type to jump to its catalog section

MICRO WELD FITTINGS

01 Micro Reducer 1

02 Micro 90 Degree Elbow 1

03 Micro Reducing 90 Degree Elbow 1

04 Micro 45 Degree Elbow 1

05 Micro Tee 2

06 Micro Reducing Tee 2

07 Micro Cross 2

08 Micro Tribow 2

FORGED WELD FITTINGS

09 90 Degree Elbow 3

10 Reducing 90 Degree Elbow 3

11 Tee 3

12 Reducing Tee 4

13 Cross 4

14 Reducer 4


NAVIGATION

Use the index above or the PDF bookmarks to open a product section.

Catalog pages include a [BACK TO INDEX](#) button for quick return.


Micro Weld Fittings

Micro Reducer




Part No.	Tube OD (D1)		Tube OD (D2)		T1	T2	B1	B2	L
	Size (in)	Size	Size (in)	Size					
SM4X2R6	1/4"	6.35	1/8"	3.18	1.00	0.70	10.40	6.35	19.10
SM6X4R6	3/8"	9.53	1/4"	6.35	1.00	1.00	10.40	6.35	19.10
SM8X4R6	1/2"	12.70	1/4"	6.35	1.24	1.00	10.40	6.35	19.10
SM8X6R6	1/2"	12.70	3/8"	9.53	1.24	1.00	10.40	6.35	19.10
SM12X4R6	3/4"	19.05	1/4"	6.35	1.65	1.00	10.40	6.35	19.10
SM12X6R6	3/4"	19.05	3/8"	9.53	1.65	1.00	10.40	6.35	19.10
SM12X8R6	3/4"	19.05	1/2"	12.70	1.65	1.24	10.40	6.35	19.10

Micro 90° Elbow




Part No.	Tube OD (D)		T	A	B	F Body	L
	Size (in)	Size					
SM2E6	1/8"	3.18	0.70	10.32	6.35	7.94	14.29
SM4E6	1/4"	6.35	1.00	10.32	6.35	7.94	14.29
SM6E6	3/8"	9.53	1.00	11.91	6.35	11.11	17.46
SM8E6	1/2"	12.70	1.24	13.50	6.35	14.29	20.64
SM12E6	3/4"	19.05	1.65	16.68	6.35	20.65	27.00

Micro Reducing 90° Elbow



Part No.	Tube OD (D1)		Tube OD (D2)		T1	T2	A	B	F Body	L
	Size (in)	Size	Size (in)	Size						
SM4X2E6	1/4"	6.35	1/8"	3.18	1.00	0.70	10.32	6.35	7.94	14.29
SM6X4E6	3/8"	9.53	1/4"	6.35	1.00	1.00	11.91	6.35	11.11	17.46
SM8X4E6	1/2"	12.70	1/4"	6.35	1.24	1.00	13.50	6.35	14.29	20.64
SM8X6E6	1/2"	12.70	3/8"	9.53	1.24	1.00	13.50	6.35	14.29	20.64
SM12X4E6	3/4"	19.05	1/4"	6.35	1.65	1.00	16.68	6.35	20.65	27.00
SM12X6E6	3/4"	19.05	3/8"	9.53	1.65	1.00	16.68	6.35	20.65	27.00
SM12X8E6	3/4"	19.05	1/2"	12.70	1.65	1.24	16.68	6.35	20.65	27.00

Micro 45° Elbow




Part No.	Tube OD (D)		T	A	B	F Body	L
	Size (in)	Size					
SM2HE6	1/8"	3.18	0.70	10.32	6.35	7.94	11.96
SM4HE6	1/4"	6.35	1.00	10.32	6.35	7.94	11.96
SM6HE6	3/8"	9.53	1.00	11.91	6.35	11.11	14.21
SM8HE6	1/2"	12.70	1.24	13.50	6.35	14.29	16.46
SM12HE6	3/4"	19.05	1.65	16.68	6.35	20.65	20.95

NOTE:

·Dimensions and Drawings are for reference only and are subject to change without prior notice.
·Unless otherwise specified, all dimensions are in millimeters.


[BACK TO INDEX](#)

Micro Tee




Part No.	Tube OD (D)		T	A	B	F Body	L
	Size (in)	Size					
SM2T6	1/8"	3.18	0.70	10.32	6.35	7.94	20.64
SM4T6	1/4"	6.35	1.00	10.32	6.35	7.94	20.64
SM6T6	3/8"	9.53	1.00	11.91	6.35	11.11	23.81
SM8T6	1/2"	12.70	1.24	13.50	6.35	14.29	26.99
SM12T6	3/4"	19.05	1.65	16.68	6.35	20.65	33.35

Micro Reducing Tee




Part No.	Tube OD (D1)		Tube OD (D2)		T1	T2	A	B	F Body	L
	Size (in)	Size	Size (in)	Size						
SM4X2T6	1/4"	6.35	1/8"	3.18	1.00	0.70	10.35	6.35	7.94	20.64
SM6X4T6	3/8"	9.53	1/4"	6.35	1.00	1.00	11.91	6.35	11.11	23.81
SM8X4T6	1/2"	12.70	1/4"	6.35	1.24	1.00	13.50	6.35	14.29	27.00
SM8X6T6	1/2"	12.70	3/8"	9.53	1.24	1.00	13.50	6.35	14.29	27.00
SM12X4T6	3/4"	19.05	1/4"	6.35	1.65	1.00	16.68	6.35	20.65	27.00
SM12X6T6	3/4"	19.05	3/8"	9.53	1.65	1.00	16.68	6.35	20.65	27.00
SM12X8T6	3/4"	19.05	1/2"	12.70	1.65	1.24	16.68	6.35	20.65	27.00

Micro Cross



Part No.	Tube OD (D)		T	A	B	F Body	L
	Size (in)	Size					
SM2CR6	1/8"	3.18	0.70	10.32	6.35	7.94	20.64
SM4CR6	1/4"	6.35	1.00	10.32	6.35	7.94	20.64
SM6CR6	3/8"	9.53	1.00	11.91	6.35	11.11	23.81
SM8CR6	1/2"	12.70	1.24	13.50	6.35	14.29	27.00
SM12CR6	3/4"	19.05	1.65	16.68	6.35	20.65	33.35

Micro Tribow



Part No.	Tube OD (D)		T	A	B	F Body	L
	Size (in)	Size					
SM2TB6	1/8"	3.18	0.70	10.32	6.35	7.94	14.29
SM4TB6	1/4"	6.35	1.00	10.32	6.35	7.94	14.29
SM6TB6	3/8"	9.53	1.00	11.91	6.35	11.11	17.46
SM8TB6	1/2"	12.70	1.24	13.50	6.35	14.29	20.64
SM12TB6	3/4"	19.05	1.65	16.68	6.35	20.65	27.00


NOTE:

·Dimensions and Drawings are for reference only and are subject to change without prior notice.
 ·Unless otherwise specified, all dimensions are in millimeters.

[BACK TO INDEX](#)


Forged Weld Fittings

90° Elbow




Part No.	Tube OD (D)		T	A	B	F Body
	Size (in)	Size				
SM4E19	1/4"	6.35	1.00	25.00	19.05	11.10
SM6E19	3/8"	9.53	1.00	25.00	19.05	12.40
SM8E19	1/2"	12.70	1.24	29.00	19.05	17.00
SM12E22	3/4"	19.05	1.65	33.50	22.50	25.00
SM16E23	1"	25.40	1.65	38.30	23.30	30.00
SM4E10	1/4"	6.35	1.00	15.90	10.00	11.10
SM6E10	3/8"	9.53	1.00	15.90	10.00	12.40
SM8E10	1/2"	12.70	1.24	19.90	10.00	17.00
SM12E10	3/4"	19.05	1.65	22.40	10.00	25.00
SM16E10	1"	25.40	1.65	24.95	10.00	30.00

Reducing 90° Elbow



Part No.	Tube OD (D1)		Tube OD (D2)		T1	T2	A	B	F Body
	Size (in)	Size	Size (in)	Size					
SM6X4E19	3/8"	9.53	1/4"	6.35	1.00	1.00	25.00	19.05	12.4
SM8X4E19	1/2"	12.70	1/4"	6.35	1.24	1.00	29.00	19.05	17.0
SM8X6E19	1/2"	12.70	3/8"	9.53	1.24	1.00	29.00	19.05	17.0
SM12X4E22	3/4"	19.05	1/4"	6.35	1.65	1.00	33.50	22.50	25.0
SM12X6E22	3/4"	19.05	3/8"	9.53	1.65	1.00	33.50	22.50	25.0
SM12X8E22	3/4"	19.05	1/2"	12.70	1.65	1.24	33.50	22.50	25.0
SM16X4E23	1"	25.40	1/4"	6.35	1.65	1.00	38.30	23.30	30.0
SM16X8E23	1"	25.40	1/2"	12.70	1.65	1.24	38.30	23.30	30.0
SM16X12E23	1"	25.40	3/4"	19.05	1.65	1.65	38.30	23.30	30.0

Tee




Part No.	Tube OD (D)		T	A	B	F Body	L
	Size (in)	Size					
SM4T19	1/4"	6.35	1.00	25.00	19.05	11.1	50.00
SM6T19	3/8"	9.53	1.00	25.00	19.05	12.4	50.00
SM8T19	1/2"	12.70	1.24	29.00	19.05	17.0	58.00
SM12T22	3/4"	19.05	1.65	33.50	22.50	25.0	67.00
SM16T23	1"	25.40	1.65	38.30	23.30	30.0	76.60
SM4T10	1/4"	6.35	1.00	15.90	10.00	11.1	31.80
SM6T10	3/8"	9.53	1.00	15.90	10.00	12.4	31.80
SM8T10	1/2"	12.70	1.24	19.90	10.00	17.0	39.80
SM12T10	3/4"	19.05	1.65	22.40	10.00	25.0	44.80
SM16T10	1"	25.40	1.65	24.95	10.00	30.0	49.90

NOTE:

·Dimensions and Drawings are for reference only and are subject to change without prior notice.
 ·Unless otherwise specified, all dimensions are in millimeters.


[BACK TO INDEX](#)

Reducing Tee




Part No.	Tube OD (D1)		Tube OD (D2)		T1	T2	A	B	F Body	L
	Size (in)	Size	Size (in)	Size						
SM6X4T19	3/8"	9.53	1/4"	6.35	1.00	1.00	25.00	19.05	12.4	50.00
SM8X4T19	1/2"	12.70	1/4"	6.35	1.24	1.00	29.00	19.05	17.0	58.00
SM8X6T19	1/2"	12.70	3/8"	9.53	1.24	1.00	29.00	19.05	17.0	58.00
SM12X4T22	3/4"	19.05	1/4"	6.35	1.65	1.00	33.50	22.50	25.0	67.00
SM12X6T22	3/4"	19.05	3/8"	9.53	1.65	1.00	33.50	22.50	25.0	67.00
SM12X8T22	3/4"	19.05	1/2"	12.70	1.65	1.24	33.50	22.50	25.0	67.00
SM16X4T23	1"	25.40	1/4"	6.35	1.65	1.00	38.30	23.30	30.0	76.60
SM16X8T23	1"	25.40	1/2"	12.70	1.65	1.24	38.30	23.30	30.0	76.60
SM16X12T23	1"	25.40	3/4"	19.05	1.65	1.65	38.30	23.30	30.0	76.60
SM6X4T10	3/8"	9.53	1/4"	6.35	1.00	1.00	15.90	10.00	12.4	31.80
SM8X4T10	1/2"	12.70	1/4"	6.35	1.24	1.00	19.90	10.00	17.0	39.80
SM8X6T10	1/2"	12.70	3/8"	9.53	1.24	1.00	19.90	10.00	17.0	39.80
SM12X4T10	3/4"	19.05	1/4"	6.35	1.65	1.00	22.40	10.00	25.0	44.80
SM12X6T10	3/4"	19.05	3/8"	9.53	1.65	1.00	22.40	10.00	25.0	44.80

Cross



Part No.	Tube OD (D)		T	A	B	F Body	L
	Size (in)	Size					
SM4CR19	1/4"	6.35	1.00	25.00	19.05	11.1	50.00
SM6CR19	3/8"	9.53	1.00	25.00	19.05	12.4	50.00
SM8CR19	1/2"	12.7	1.24	29.00	19.05	17.0	58.00
SM12CR22	3/4"	19.05	1.65	31.50	22.50	25.0	67.00
SM16CR23	1"	25.4	1.65	34.00	23.30	30.0	76.60
SM4CR10	1/4"	6.35	1.00	15.90	10.00	11.1	31.80
SM6CR10	3/8"	9.53	1.00	15.90	10.00	12.4	31.80
SM8CR10	1/2"	12.7	1.24	19.90	10.00	17.0	39.80
SM12CR10	3/4"	19.05	1.65	22.40	10.00	25.0	44.80
SM16CR10	1"	25.4	1.65	24.95	10.00	30.0	49.90

Reducer



Part No.	Tube OD (D1)		Tube OD (D2)		T1	T2	B	L
	Size (in)	Size	Size (in)	Size				
SM6X4R19	3/8"	9.53	1/4"	6.35	1.00	1.00	19.05	38.1
SM8X4R19	1/2"	12.70	1/4"	6.35	1.24	1.00	19.05	38.1
SM8X6R19	1/2"	12.70	3/8"	9.53	1.24	1.00	19.05	38.1
SM12X4R19	3/4"	19.05	1/4"	6.35	1.65	1.00	19.05	42.9
SM12X6R19	3/4"	19.05	3/8"	9.53	1.65	1.00	19.05	42.9
SM12X8R19	3/4"	19.05	1/2"	12.70	1.65	1.24	19.05	42.9
SM16X4R19	1"	25.40	1/4"	6.35	1.65	1.00	19.05	42.9
SM16X6R19	1"	25.40	3/8"	9.53	1.65	1.00	19.05	42.9
SM16X8R19	1"	25.40	1/2"	12.70	1.65	1.24	19.05	42.9
SM16X12R19	1"	25.40	3/4"	19.05	1.65	1.65	19.05	42.9
SM6X4R10	3/8"	9.53	1/4"	6.35	1.00	1.00	10.00	20.0
SM8X4R10	1/2"	12.70	1/4"	6.35	1.24	1.00	10.00	20.0
SM8X6R10	1/2"	12.70	3/8"	9.53	1.24	1.00	10.00	20.0
SM16X4R10	3/4"	19.05	1/4"	6.35	1.65	1.00	10.00	20.0
SM16X6R10	3/4"	19.05	3/8"	9.53	1.65	1.00	10.00	20.0
SM16X8R10	3/4"	19.05	1/2"	12.70	1.65	1.24	10.00	20.0

NOTE:

- Dimensions and Drawings are for reference only and are subject to change without prior notice.
- Unless otherwise specified, all dimensions are in millimeters.

[BACK TO INDEX](#)



BEYOND FLUID

Precision fluid system components

WEBSITE

www.beyondfluid.com

EMAIL

sales@beyondfluid.com